

Impact trial: Angiographic and intravascular ultrasound observations of the first human experience with mycophenolic acid-eluting polymer stent system A. Abizaid, M. Albertal, J. Ormiston, H. Londero, P. Ruygrok, A. C. Seixas, F. Feres, L. A. Mattos, R. Staico, R. L. Silva, M. Webster, J. Stewart, F. Paoletti, T. Kataoka, P. Fitzgerald, A. Sousa and J. E. Sousa

Catheter Cardiovasc Interv (2005) 66;491-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16283680

Is late luminal loss an accurate predictor of the clinical effectiveness of drug-eluting stents in the coronary arteries? P. Agostoni, M. Valgimigli, A. Abbate, J. Cosgrave, M. Pilati and G. G. Biondi-Zoccai

Am J Cardiol (2006) 97;603-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490421

17-beta-estradiol eluting stent versus phosphorylcholine-coated stent for the treatment of native coronary artery disease F. Airoidi, C. Di Mario, F. Ribichini, P. Presbitero, P. Sganzerla, V. Ferrero, C. Vassanelli, C. Briguori, M. Carlino, M. Montorfano, G. G. Biondi-Zoccai, A. Chieffo, A. Ferrari and A. Colombo

Am J Cardiol (2005) 96;664-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125491

Late incomplete stent apposition after sirolimus-eluting stent implantation: a serial intravascular ultrasound analysis J. Ako, Y. Morino, Y. Honda, A. Hassan, S. Sonoda, P. G. Yock, M. B. Leon, J. W. Moses, H. N. Bonneau and P. J. Fitzgerald

J Am Coll Cardiol (2005) 46;1002-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16168282

The future of drug eluting stents R. R. Anis and K. R. Karsch
Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216857

Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients J. Aoki, A. C. Abizaid, P. W. Serruys, A. T. Ong, E. Boersma, J. E. Sousa and N. Bruining

J Am Coll Cardiol (2005) 46;1670-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16256867

Persistent remodeling and neointimal suppression 2 years after polymer-based, paclitaxel-eluting stent implantation: insights from serial intravascular ultrasound analysis in the TAXUS II study J. Aoki, A. Colombo, D. Dudek, A. P. Banning, J. Drzewiecki, K. Zmudka, F. Schiele, M. E. Russell, J. Koglin and P. W. Serruys

Circulation (2005) 112;3876-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16344384

"Full metal jacket" (stented length > or =64 mm) using drug-eluting stents for de novo

coronary artery lesions J. Aoki, A. T. Ong, G. A. Rodriguez Granillo, E. P. McFadden, C. A. van Mieghem, M. Valgimigli, K. Tsuchida, G. Sianos, E. Regar, P. P. de Jaegere, W. J. van der Giessen, P. J. de Feyter, R. T. van Domburg and P. W. Serruys

Am Heart J (2005) 150;994-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290984

Postmarket surveillance for drug-eluting coronary stents: a comprehensive approach D. S. Baim, R. Mehran, D. J. Kereiakes, T. P. Gross, M. Simons, D. Malenka and A. V. Kaplan

Circulation (2006) 113;891-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16476863

Prediction of left ventricular function after drug-eluting stent implantation for chronic total coronary occlusions T. Baks, R. J. van Geuns, D. J. Duncker, F. Cademartiri, N. R. Mollet, G. P. Krestin, P. W. Serruys and P. J. de Feyter

J Am Coll Cardiol (2006) 47;721-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16487835

Risk of thrombosis with the use of sirolimus-eluting stents for percutaneous coronary intervention (from registry and clinical trial data) A. A. Bavry, D. J. Kumbhani, T. J. Helton and D. L. Bhatt

Am J Cardiol (2005) 95;1469-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15950574

Incidence and predictors of restenosis after sirolimus-eluting stent implantation in high-risk patients A. Berenguer, V. Mainar, P. Bordes, J. Valencia, S. Gomez and T. Lozano

Am Heart J (2005) 150;536-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169337

Incidence, predictors, and outcomes of coronary dissections left untreated after drug-eluting stent implantation G. G. Biondi-Zoccai, P. Agostoni, G. M. Sangiorgi, F. Airoldi, J. Cosgrave, A. Chieffo, R. Barbagallo, C. Tamburino, G. Vittori, E. Falchetti, M. Margheri, C. Briguori, E. Remigi, I. Iakovou and A. Colombo

Eur Heart J (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16284205

Role of drug eluting stents in diabetic patients F. Boccara, E. Teiger and A. Cohen
Heart (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16449508

Sirolimus-eluting stent implantation in diabetic patients with multivessel coronary artery disease C. Briguori, A. Colombo, F. Airoldi, A. Focaccio, I. Iakovou, A. Chieffo, I. Michev, M. Montorfano, E. Bonizzoni, B. Ricciardelli and G. Condorelli

Am Heart J (2005) 150;807-13

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=16209986](#)

Polymer-based paclitaxel-eluting stent for treatment of chronic total occlusions of native coronaries: results of a Taxus CTO registry L. Buellesfeld, U. Gerckens, R. Mueller, T. Schmidt and E. Grube

Catheter Cardiovasc Interv (2005) 66;173-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16144017

Intravascular ultrasound stent area of sirolimus-eluting stents and its impact on late outcome E. Cheneau, A. D. Pichard, L. F. Satler, W. O. Suddath, N. J. Weissman and R. Waksman

Am J Cardiol (2005) 95;1240-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15878001

Impact of sirolimus-eluting stents on outcomes of patients treated for acute myocardial infarction by primary angioplasty E. Cheneau, S. W. Rha, P. K. Kuchulakanti, E. Stabile, T. Kinnaird, R. Torguson, A. D. Pichard, L. F. Satler, K. M. Kent and R. Waksman

Catheter Cardiovasc Interv (2005) 65;469-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15988741

Underexpansion of sirolimus-eluting stents: incidence and relationship to delivery pressure E. Cheneau, L. F. Satler, E. Escolar, W. O. Suddath, K. M. Kent, N. J. Weissman, R. Waksman and A. D. Pichard

Catheter Cardiovasc Interv (2005) 65;222-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15900554

Early and mid-term results of drug-eluting stent implantation in unprotected left main A. Chieffo, G. Stankovic, E. Bonizzoni, E. Tsagalou, I. Iakovou, M. Montorfano, F. Airoldi, I. Michev, M. G. Sangiorgi, M. Carlino, G. Vitrella and A. Colombo

Circulation (2005) 111;791-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699254

Impact of three or more versus a single sirolimus-eluting stent on outcomes in patients who undergo percutaneous coronary intervention W. W. Chu, P. K. Kuchulakanti, S. W. Rha, A. GebreEyesus, G. Aggrey, R. Torguson, B. Wang, Z. Xue, L. C. Clavijo, W. O. Suddath, A. D. Pichard, L. F. Satler, K. M. Kent and R. Waksman

Am J Cardiol (2006) 97;606-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490422

Impact of overlapping drug-eluting stents in patients undergoing percutaneous coronary intervention W. W. Chu, P. K. Kuchulakanti, R. Torguson, B. Wang, L. C. Clavijo, W. O. Suddath, A. D. Pichard, L. F. Satler, K. M. Kent and R. Waksman

Catheter Cardiovasc Interv (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16532495

ISR II study: a long-term evaluation of sirolimus-eluting stent in the treatment of patients with in-stent restenotic native coronary artery lesions P. Commeau, P. T. Barragan, P.

O. Roquebert and J. B. Simeoni

Catheter Cardiovasc Interv (2005) 66;158-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16158397

Clinical outcome following aleatory implantation of Paclitaxel-eluting or sirolimus-eluting stents in complex coronary lesions J. Cosgrave, P. Agostoni, L. Ge, I. Iakovou, A. Chieffo, G. G. Biondi-Zoccai, G. M. Sangiorgi, M. Montorfano, I. Michev, F. Airoldi, M. Carlino, N. Corvaja, E. Bonizzoni and A. Colombo

Am J Cardiol (2005) 96;1663-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16360354

Intravascular ultrasound characterization of the "black hole" phenomenon after drug-eluting stent implantation M. A. Costa, M. Sabate, D. J. Angiolillo, P.

Jimenez-Quevedo, P. Teirstein, A. Carter, M. B. Leon, J. Moses, M. Zenni, S. Yakubov, L. A. Guzman, P. Gilmore, C. Macaya and T. A. Bass

Am J Cardiol (2006) 97;203-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442364

Molecular basis of restenosis and drug-eluting stents M. A. Costa and D. I. Simon
Circulation (2005) 111;2257-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15867193

Angiographic results of the first human experience with everolimus-eluting stents for the treatment of coronary lesions (the FUTURE I trial) R. A. Costa, A. J. Lansky, G. S. Mintz, R. Mehran, Y. Tsuchiya, M. Negoita, Y. Gilutz, E. Nikolsky, M. Fahy, R. Pop, E. Cristea, S. Carlier, G. Dangas, G. W. Stone, M. B. Leon, R. Muller, G. Techen and E. Grube

Am J Cardiol (2005) 95;113-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619406

Outcomes of paclitaxel-eluting stent implantation in patients with stenosis of the left anterior descending coronary artery G. Dangas, S. G. Ellis, R. Shlofmitz, S. Katz, D. Fish, S. Martin, R. Mehran, M. E. Russell and G. W. Stone

J Am Coll Cardiol (2005) 45;1186-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837247

Clinical efficacy of polymer-based paclitaxel-eluting stents in the treatment of complex, long coronary artery lesions from a multicenter, randomized trial: support for the use of drug-eluting stents in contemporary clinical practice K. D. Dawkins, E. Grube, G.

Guagliumi, A. P. Banning, K. Zmudka, A. Colombo, L. Thuesen, K. Hauptman, J. Marco, W. Wijns, J. J. Popma, J. Koglin and M. E. Russell

Circulation (2005) 112;3306-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16286586

Paclitaxel-eluting or sirolimus-eluting stents to prevent restenosis in diabetic patients A. Dibra, A. Kastrati, J. Mehilli, J. Pache, H. Schuhlen, N. von Beckerath, K. Ulm, R. Wessely, J. Dirschinger and A. Schomig

N Engl J Med (2005) 353;663-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16105990

Maintenance of long-term clinical benefit with sirolimus-eluting coronary stents: three-year results of the RAVEL trial J. Fajadet, M. C. Morice, C. Bode, P. Barragan, P. W. Serruys, W. Wijns, C. R. Constantini, J. L. Guermonprez, H. Eltchaninoff, D. Blanchard, A. Bartorelli, G. J. Laarman, M. Perin, J. E. Sousa, G. Schuler, F. Molnar, G. Guagliumi, A. Colombo, E. Ban Hayashi and E. Wulfert

Circulation (2005) 111;1040-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15723977

Comparison between sirolimus-eluting stents and intracoronary catheter-based Beta radiation for the treatment of in-stent restenosis F. Feres, J. S. Munoz, A. Abizaid, M. Albertal, G. S. Mintz, R. Staico, M. Centemero, L. A. Mattos, G. Maldonado, L. F. Tanajura, A. Chaves, I. Pinto, A. S. Abizaid, A. C. Seixas, V. D. Vaz, A. Sousa and J. E. Sousa

Am J Cardiol (2005) 96;1656-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16360353

Differential response of delayed healing and persistent inflammation at sites of overlapping sirolimus- or paclitaxel-eluting stents A. V. Finn, F. D. Kolodgie, J. Harnek, L. J. Guerrero, E. Acampado, K. Tefera, K. Skoriya, D. K. Weber, H. K. Gold and R. Virmani

Circulation (2005) 112;270-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15998681

Stent underexpansion and residual reference segment stenosis are related to stent thrombosis after sirolimus-eluting stent implantation: an intravascular ultrasound study K. Fujii, S. G. Carlier, G. S. Mintz, Y. M. Yang, I. Moussa, G. Weisz, G. Dangas, R. Mehran, A. J. Lansky, E. M. Kreps, M. Collins, G. W. Stone, J. W. Moses and M. B. Leon

J Am Coll Cardiol (2005) 45;995-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15808753

Potent inhibitory effect of sirolimus on circulating vascular progenitor cells D. Fukuda, M. Sata, K. Tanaka and R. Nagai

Circulation (2005) 111;926-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15710768

Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique: importance of final kissing balloon post-dilation L. Ge, F. Airolidi, I. Iakovou, J. Cosgrave, I. Michev, G. M. Sangiorgi, M. Montorfano, A. Chieffo, M. Carlino, N. Corvaja and A. Colombo

J Am Coll Cardiol (2005) 46;613-20

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098424

Immediate and mid-term outcomes of sirolimus-eluting stent implantation for chronic

total occlusions L. Ge, I. Iakovou, J. Cosgrave, A. Chieffo, M. Montorfano, I. Michev, F. Airoldi, M. Carlino, G. Melzi, G. M. Sangiorgi, N. Corvaja and A. Colombo
Eur Heart J (2005) 26;1056-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15817605

In-hospital and nine-month outcome of treatment of coronary bifurcational lesions with sirolimus-eluting stent L. Ge, E. Tsagalou, I. Iakovou, G. M. Sangiorgi, N. Corvaja, F. Airoldi, A. Chieffo, M. Montorfano, I. Michev and A. Colombo

Am J Cardiol (2005) 95;757-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15757605

A prospective randomized comparison between paclitaxel and sirolimus stents in the real world of interventional cardiology: the TAXi trial J. J. Goy, J. C. Stauffer, M. Siegenthaler, A. Benoit and C. Seydoux

J Am Coll Cardiol (2005) 45;308-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15653032

Two-year-plus follow-up of a paclitaxel-eluting stent in de novo coronary narrowings (TAXUS I) E. Grube, S. Silber, K. E. Hauptmann, L. Buellesfeld, R. Mueller, V. Lim, U. Gerckens and M. E. Russell

Am J Cardiol (2005) 96;79-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979439

Impact of moderate renal insufficiency on restenosis and adverse clinical events after paclitaxel-eluting and bare metal stent implantation: results from the TAXUS-IV Trial A. Halkin, R. Mehran, C. W. Casey, P. Gordon, R. Matthews, B. H. Wilson, M. B. Leon, M. E. Russell, S. G. Ellis and G. W. Stone

Am Heart J (2005) 150;1163-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16338253

Outcomes with the polymer-based paclitaxel-eluting TAXUS stent in patients with diabetes mellitus: the TAXUS-IV trial J. B. Hermiller, A. Raizner, L. Cannon, P. A. Gurbel, M. A. Kutcher, S. C. Wong, M. E. Russell, S. G. Ellis, R. Mehran and G. W. Stone

J Am Coll Cardiol (2005) 45;1172-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837245

Vascular response to sirolimus-eluting stents delivered with a nonaggressive implantation technique: Comparison of intravascular ultrasound results from the multicenter, randomized E-SIRIUS, and SIRIUS trials R. Hoffmann, G. Guagliumi, G. Musumeci, B. Reimers, A. S. Petronio, C. Disco, G. Amoroso, J. W. Moses, P. J. Fitzgerald, J. Schofer, M. B. Leon and G. Breithardt

Catheter Cardiovasc Interv (2005) 66;499-506

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16273564

One year clinical follow up of paclitaxel eluting stents for acute myocardial infarction

compared with sirolimus eluting stents S. H. Hofma, A. T. Ong, J. Aoki, C. A. van Mieghem, G. A. Rodriguez Granillo, M. Valgimigli, E. Regar, P. P. de Jaegere, E. P. McFadden, G. Sianos, W. J. van der Giessen, P. J. de Feyter, R. T. Van Domburg and P. W. Serruys

Heart (2005) 91;1176-80

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15883132

Late stent malapposition after drug-eluting stent implantation: an intravascular ultrasound analysis with long-term follow-up M. K. Hong, G. S. Mintz, C. W. Lee, D. W. Park, K. M. Park, B. K. Lee, Y. H. Kim, J. M. Song, K. H. Han, D. H. Kang, S. S. Cheong, J. K. Song, J. J. Kim, S. W. Park and S. J. Park

Circulation (2006) 113;414-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16432073

Multiple predictors of coronary restenosis after drug-eluting stent implantation in diabetic patients S. J. Hong, M. H. Kim, T. H. Ahn, Y. K. Ahn, J. H. Bae, W. J. Shim, Y. M. Ro and D. S. Lim

Heart (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16449516

Results and follow-up after implantation of four or more sirolimus-eluting stents in the same patient I. Iakovou, G. M. Sangiorgi, G. Stankovic, N. Corvaja, G. Vitrella, M. Ferraro and A. Colombo

Catheter Cardiovasc Interv (2005) 64;436-9; discussion 440-1

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789401

Incidence, predictors, and outcome of thrombosis after successful implantation of drug-eluting stents I. Iakovou, T. Schmidt, E. Bonizzi, L. Ge, G. M. Sangiorgi, G. Stankovic, F. Airolidi, A. Chieffo, M. Montorfano, M. Carlino, I. Michev, N. Corvaja, C. Briguori, U. Gerckens, E. Grube and A. Colombo

Jama (2005) 293;2126-30

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15870416

Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate? I. Iakovou, G. Stankovic, M. Montorfano, F. Airolidi, A. Chieffo, G. M. Sangiorgi, M. Carlino, N. Corvaja, M. Lassen, R. Rogacka, G. Vitrella and A. Colombo

Catheter Cardiovasc Interv (2005) 64;129-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15678464

Drug-eluting stents versus bare metal stents in percutaneous coronary interventions (a meta-analysis) C. Indolfi, M. Pavia and I. F. Angelillo

Am J Cardiol (2005) 95;1146-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877984

Sirolimus- and paclitaxel-eluting stents in comparison with balloon angioplasty for treatment of in-stent restenosis E. Iofina, P. K. Haager, P. W. Radke, R. Langenberg, R.

Blindt, J. Ortlepp, H. Kuhl, P. Hanrath and R. Hoffmann
Catheter Cardiovasc Interv (2005) 64;28-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619307

Superiority of sirolimus eluting stent compared with intracoronary beta radiation for treatment of in-stent restenosis: a matched comparison E. Iofina, P. W. Radke, P. Skurzewski, P. K. Haager, R. Blindt, K. C. Koch, P. Hanrath, J. vom Dahl and R. Hoffmann
Heart (2005) 91;1584-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15797938

Design of a registry to characterize "real-world" outcomes of percutaneous coronary revascularization in the drug-eluting stent era S. Jacob, D. J. Cohen, J. Massaro, P. Niemyski, K. Maresh and N. Kleiman
Am Heart J (2005) 150;887-92
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290954

Incremental cost-effectiveness of drug-eluting stents compared with a third-generation bare-metal stent in a real-world setting: randomised Basel Stent Kosten Effektivitats Trial (BASKET) C. Kaiser, H. P. Brunner-La Rocca, P. T. Buser, P. O. Bonetti, S. Osswald, A. Linka, A. Bernheim, A. Zutter, M. Zellweger, L. Grize and M. E. Pfisterer
Lancet (2005) 366;921-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16154019

Frequency, predictors, and outcomes of drug-eluting stent utilization in patients with high-risk non-ST-segment elevation acute coronary syndromes D. E. Kandzari, M. T. Roe, E. M. Ohman, S. Milford-Beland, A. Y. Chen, B. L. Lytle, D. J. Cohen, S. C. Smith, R. A. Harrington, W. B. Gibler and E. D. Peterson
Am J Cardiol (2005) 96;750-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169352

Sirolimus-eluting stents vs paclitaxel-eluting stents in patients with coronary artery disease: meta-analysis of randomized trials A. Kastrati, A. Dibra, S. Eberle, J. Mehilli, J. Suarez de Lezo, J. J. Goy, K. Ulm and A. Schomig
Jama (2005) 294;819-25
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16106007

Meta-analysis comparing drug-eluting stents with bare metal stents D. G. Katritsis, E. Karvouni and J. P. Ioannidis
Am J Cardiol (2005) 95;640-3
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15721109

Comparison of effects of drug-eluting stents versus bare metal stents on plasma C-reactive protein levels J. Y. Kim, Y. G. Ko, C. Y. Shim, S. Park, K. C. Hwang, D. Choi, Y. Jang, N. Chung, W. H. Shim and S. Y. Cho
Am J Cardiol (2005) 96;1384-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275183

The clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction W. Kim, M. H. Jeong, K. H. Kim, I. S. Sohn, Y. J. Hong, H. W. Park, J. H. Kim, Y. K. Ahn, J. G. Cho, J. C. Park, D. L. Cho and J. C. Kang

J Am Coll Cardiol (2006) 47;933-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516074

Comparison of sirolimus-eluting stent, paclitaxel-eluting stent, and bare metal stent in the treatment of long coronary lesions Y. H. Kim, S. W. Park, C. W. Lee, M. K. Hong, H. C. Gwon, Y. Jang, M. M. Lee, B. K. Koo, D. J. Oh, K. B. Seung, S. J. Tahk, J. Yoon and S. J. Park

Catheter Cardiovasc Interv (2006) 67;181-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16400663

Are drug-eluting stents the preferred treatment for multivessel coronary artery disease? L. W. Klein

J Am Coll Cardiol (2006) 47;22-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386659

Impact of treatment of coronary artery disease with sirolimus-eluting stents on outcomes of diabetic and nondiabetic patients P. K. Kuchulakanti, R. Torguson, D. Canos, S. W. Rha, W. W. Chu, L. Clavijo, R. Deible, N. Gevorkian, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard and R. Waksman

Am J Cardiol (2005) 96;1100-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214445

Impact of chronic renal insufficiency on clinical outcomes in patients undergoing percutaneous coronary intervention with sirolimus-eluting stents versus bare metal stents P. K. Kuchulakanti, R. Torguson, W. W. Chu, D. A. Canos, S. W. Rha, L. Clavijo, R. Deible, N. Gevorkian, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard and R. Waksman

Am J Cardiol (2006) 97;792-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516578

First human experience with angiopeptin-eluting stent: A quantitative coronary angiography and three-dimensional intravascular ultrasound study O. H. Kwok, W. H. Chow, T. C. Law, A. Chiu, W. Ng, W. F. Lam, M. K. Hong and J. J. Popma

Catheter Cardiovasc Interv (2005) 66;541-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16208695

Predictors of restenosis after placement of drug-eluting stents in one or more coronary arteries C. W. Lee, D. W. Park, B. K. Lee, Y. H. Kim, M. K. Hong, J. J. Kim, S. W. Park and S. J. Park

Am J Cardiol (2006) 97;506-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461047

Drug-eluting stenting is superior to bare metal stenting in saphenous vein grafts M. S. Lee, A. P. Shah, J. Aragon, A. Jamali, S. Dohad, S. Kar and R. R. Makkar
Catheter Cardiovasc Interv (2005) 66;507-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16270361

Impact of baseline renal function on mortality after percutaneous coronary intervention with sirolimus-eluting stents or bare metal stents P. A. Lemos, C. A. Arampatzis, A. Hoyer, J. Daemen, A. T. Ong, F. Saia, W. J. van der Giessen, E. P. McFadden, G. Sianos, P. C. Smits, P. de Feyter, S. H. Hofma, R. T. van Domburg and P. W. Serruys
Am J Cardiol (2005) 95;167-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642546

Pioglitazone reduces neointima volume after coronary stent implantation: a randomized, placebo-controlled, double-blind trial in nondiabetic patients N. Marx, J. Wohrle, T. Nusser, D. Walcher, A. Rinker, V. Hombach, W. Koenig and M. Hoher
Circulation (2005) 112;2792-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16246947

Comparison of thrombosis and restenosis risk from stent length of sirolimus-eluting stents versus bare metal stents L. Mauri, A. J. O'Malley, J. J. Popma, J. W. Moses, M. B. Leon, D. R. Holmes, Jr., P. S. Teirstein, D. E. Cutlip, D. Donahoe and R. E. Kuntz
Am J Cardiol (2005) 95;1140-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877983

Robustness of late lumen loss in discriminating drug-eluting stents across variable observational and randomized trials L. Mauri, E. J. Orav, S. C. Candia, D. E. Cutlip and R. E. Kuntz
Circulation (2005) 112;2833-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16267256

Late loss in lumen diameter and binary restenosis for drug-eluting stent comparison L. Mauri, E. J. Orav and R. E. Kuntz
Circulation (2005) 111;3435-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15967844

Randomized trial of paclitaxel- and sirolimus-eluting stents in small coronary vessels J. Mehilli, A. Dibra, A. Kastrati, J. Pache, J. Dirschinger and A. Schomig
Eur Heart J (2006) 27;260-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401670

Randomized trial of a nonpolymer-based rapamycin-eluting stent versus a polymer-based paclitaxel-eluting stent for the reduction of late lumen loss J. Mehilli, A. Kastrati, R. Wessely, A. Dibra, J. Hausleiter, B. Jaschke, J. Dirschinger and A. Schomig
Circulation (2006) 113;273-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16391155

Drug-eluting stent-supported percutaneous coronary intervention for chronic total coronary occlusion A. Migliorini, G. Moschi, R. Vergara, G. Parodi, N. Carrabba and D. Antoniucci

Catheter Cardiovasc Interv (2006) 67;344-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16489559

Predictors of outcome after sirolimus-eluting stent implantation for complex in-stent restenosis A. Migliorini, M. Shehu, N. Carrabba, L. Giurlani, R. Valenti, P. Buonamici, E. V. Dovellini, G. Parodi and D. Antoniucci

Am J Cardiol (2005) 96;1110-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214447

Intravascular ultrasound assessment of neointima distribution and the length of stent that was free of intravascular ultrasound-detectable intimal hyperplasia in paclitaxel-eluting stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman

Am J Cardiol (2005) 95;107-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619404

Comparison of quantitative angiographic parameters with the magnitude of neointimal hyperplasia measured by volumetric intravascular ultrasound in patients treated with bare metal and nonpolymeric paclitaxel-coated stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman

Am J Cardiol (2005) 95;105-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619403

Angiographic pattern of restenosis following implantation of overlapping sirolimus-eluting (Cypher) stents R. M. Minutello, S. Bhagan, D. Feldman, A. Sharma, M. K. Hong and S. C. Wong

Am J Cardiol (2006) 97;499-501

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461045

Drug-eluting stent thrombosis: results from a pooled analysis including 10 randomized studies R. Moreno, C. Fernandez, R. Hernandez, F. Alfonso, D. J. Angiolillo, M. Sabate, J. Escaned, C. Banuelos, A. Fernandez-Ortiz and C. Macaya

J Am Coll Cardiol (2005) 45;954-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15766835

Sirolimus- vs paclitaxel-eluting stents in de novo coronary artery lesions: the REALITY trial: a randomized controlled trial M. C. Morice, A. Colombo, B. Meier, P. Serruys, C. Tamburino, G. Guagliumi, E. Sousa and H. P. Stoll

Jama (2006) 295;895-904

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=16493102](#)

Outcomes with the paclitaxel-eluting stent in patients with acute coronary syndromes: analysis from the TAXUS-IV trial J. W. Moses, R. Mehran, E. Nikolsky, J. M. Lasala, W. Corey, G. Albin, C. Hirsch, M. B. Leon, M. E. Russell, S. G. Ellis and G. W. Stone
J Am Coll Cardiol (2005) 45;1165-71

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837244

Impact of coronary culprit lesion calcium in patients undergoing paclitaxel-eluting stent implantation (a TAXUS-IV sub study) I. Moussa, S. G. Ellis, M. Jones, D. J. Kereiakes, D. McMartin, B. Rutherford, R. Mehran, M. Collins, M. B. Leon, J. J. Popma, M. E. Russell and G. W. Stone

Am J Cardiol (2005) 96;1242-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253590

Coronary drug-eluting stent development: issues in trial design N. I. Muni, R. M. Califf, J. R. Foy, A. B. Boam, B. D. Zuckerman and R. E. Kuntz

Am Heart J (2005) 149;415-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864230

Impact of sirolimus-eluting stent on the outcome of patients with chronic total occlusions S. Nakamura, T. S. Muthusamy, J. H. Bae, Y. H. Cahyadi, W. Udayachalerm and D. Tresukosol

Am J Cardiol (2005) 95;161-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642545

Hypersensitivity cases associated with drug-eluting coronary stents: a review of available cases from the Research on Adverse Drug Events and Reports (RADAR) project J. R. Nebeker, R. Virmani, C. L. Bennett, J. M. Hoffman, M. H. Samore, J. Alvarez, C. J. Davidson, J. M. McKoy, D. W. Raisch, B. K. Whisenant, P. R. Yarnold, S. M. Belknap, D. P. West, J. E. Gage, R. E. Morse, G. Gligoric, L. Davidson and M. D. Feldman

J Am Coll Cardiol (2006) 47;175-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386683

Effectiveness and safety of sirolimus-eluting stents in the treatment of restenosis after coronary stent placement F. J. Neumann, W. Desmet, E. Grube, J. Brachmann, P. Presbitero, P. Rubartelli, A. Mugge, F. Di Pede, D. Fullgraf, W. Aengevaeren, L. Spedicato and J. J. Popma

Circulation (2005) 111;2107-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15851617

Impact of obesity on revascularization and restenosis rates after bare-metal and drug-eluting stent implantation (from the TAXUS-IV trial) E. Nikolsky, E. Kosinski, G. J. Mishkel, C. Kimmelstiel, T. F. McGarry, Jr., R. Mehran, M. B. Leon, M. E. Russell, S. G. Ellis and G. W. Stone

Am J Cardiol (2005) 95;709-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15757595

Comparison of short- (one month) and long- (twelve months) term outcomes of sirolimus- versus paclitaxel-eluting stents in 293 consecutive patients with diabetes mellitus (from the RESEARCH and T-SEARCH registries) A. T. Ong, J. Aoki, C. A. van Mieghem, G. A. Rodriguez Granillo, M. Valgimigli, K. Tsuchida, K. Sonnenschein, E. Regar, W. J. van der Giessen, P. P. de Jaegere, G. Sianos, E. P. McFadden, P. J. de Feyter, R. T. van Domburg and P. W. Serruys
Am J Cardiol (2005) 96;358-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054457

Late angiographic stent thrombosis (LAST) events with drug-eluting stents A. T. Ong, E. P. McFadden, E. Regar, P. P. de Jaegere, R. T. van Domburg and P. W. Serruys
J Am Coll Cardiol (2005) 45;2088-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15963413

The unrestricted use of paclitaxel- versus sirolimus-eluting stents for coronary artery disease in an unselected population: one-year results of the Taxus-Stent Evaluated at Rotterdam Cardiology Hospital (T-SEARCH) registry A. T. Ong, P. W. Serruys, J. Aoki, A. Hoye, C. A. van Mieghem, G. A. Rodriguez-Granillo, M. Valgimigli, K. Sonnenschein, E. Regar, M. van der Ent, P. P. de Jaegere, E. P. McFadden, G. Sianos, W. J. van der Giessen, P. J. de Feyter and R. T. van Domburg
J Am Coll Cardiol (2005) 45;1135-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15808774

Drug-eluting stents for coronary bifurcations: Bench testing of provisional side-branch strategies J. A. Ormiston, M. W. Webster, S. El Jack, P. N. Ruygrok, J. T. Stewart, D. Scott, E. Currie, M. J. Panther, B. Shaw and B. O'Shaughnessy
Catheter Cardiovasc Interv (2006) 67;49-55

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16003787

Effect of sirolimus-eluting stent in diabetic patients with small coronary arteries (a SES-SMART substudy) P. Ortolani, D. Ardissino, C. Cavallini, E. Bramucci, C. Indolfi, M. Aquilina and A. Marzocchi
Am J Cardiol (2005) 96;1393-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275185

Drug-eluting stents compared with thin-strut bare stents for the reduction of restenosis: a prospective, randomized trial J. Pache, A. Dibra, J. Mehilli, J. Dirschinger, A. Schomig and A. Kastrati
Eur Heart J (2005) 26;1262-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15737962

Comparison of the effectiveness of sirolimus- and paclitaxel-eluting stents for small coronary artery lesions K. H. Park, S. W. Park, M. K. Hong, Y. H. Kim, B. K. Lee, D. W. Park, B. R. Choi, M. J. Kim, K. M. Park, C. W. Lee, S. S. Cheong, J. J. Kim and S. J.

Park

Catheter Cardiovasc Interv (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16547937

Safety of magnetic resonance imaging one to three days after bare metal and drug-eluting stent implantation I. Porto, J. Selvanayagam, V. Ashar, S. Neubauer and A. P. Banning

Am J Cardiol (2005) 96;366-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054459

Serial angiographic follow-up of sirolimus-eluting stents for unprotected left main coronary artery revascularization M. J. Price, E. Cristea, N. Sawhney, J. A. Kao, J. W. Moses, M. B. Leon, R. A. Costa, A. J. Lansky and P. S. Teirstein

J Am Coll Cardiol (2006) 47;871-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16487858

Clinical outcomes after sirolimus-eluting stent implantation for de novo saphenous vein graft lesions M. J. Price, N. Sawhney, J. A. Kao, A. Madrid, R. A. Schatz and P. S. Teirstein

Catheter Cardiovasc Interv (2005) 65;208-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15880798

Role of oral rapamycin to prevent restenosis in patients with de novo lesions undergoing coronary stenting: results of the Argentina single centre study (ORAR trial) A. E. Rodriguez, M. Rodriguez Alemparte, C. F. Vigo, C. Fernandez Pereira, C. Llauro, D. Vetcher, A. Pocovi and J. Ambrose

Heart (2005) 91;1433-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15774608

Failure to retrieve undeployed paclitaxel-eluting coronary stents M. Roffi, T. F. Luscher, G. Sutsch, W. Maier, C. Neuenschwanden, G. B. Ramteke, R. Corti and F. R. Eberli

Am J Cardiol (2006) 97;502-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461046

Drug-eluting stents: a meta-analysis of randomised controlled trials C. Roiron, P. Sanchez, A. Bouzamondo, P. Lechat and G. Montalescot

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216853

Randomized comparison of sirolimus-eluting stent versus standard stent for percutaneous coronary revascularization in diabetic patients: the diabetes and sirolimus-eluting stent (DIABETES) trial M. Sabate, P. Jimenez-Quevedo, D. J. Angiolillo, J. A. Gomez-Hospital, F. Alfonso, R. Hernandez-Antolin, J. Goicolea, C. Banelos, J. Escaned, R. Moreno, C. Fernandez, F. Fernandez-Aviles and C. Macaya

Circulation (2005) 112;2175-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216853

[n&list_uids=16203930](#)

Predictors of edge stenosis following sirolimus-eluting stent deployment (a quantitative intravascular ultrasound analysis from the SIRIUS trial) R. Sakurai, J. Ako, Y. Morino, S. Sonoda, H. Kaneda, M. Terashima, A. H. Hassan, M. B. Leon, J. W. Moses, J. J. Popma, H. N. Bonneau, P. G. Yock, P. J. Fitzgerald and Y. Honda
Am J Cardiol (2005) 96;1251-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253592

Comparison between sirolimus- and paclitaxel-eluting stent in T-cell subsets redistribution G. Sardella, L. De Luca, A. Di Roma, G. De Persio, G. Conti, M. Paroli and F. Fedele

Am J Cardiol (2006) 97;494-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461044

Sirolimus-eluting stent implantation and beta-irradiation for the treatment of in-stent restenotic lesions: comparison of underlying mechanisms of acute gain and late loss as assessed by volumetric intravascular ultrasound T. M. Schiele, A. Konig, J. Rieber, I. Erhard, M. Leibig, K. Theisen, U. Siebert and V. Klauss

Am Heart J (2005) 150;351-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086942

Direct stenting of native de novo coronary artery lesions with the sirolimus-eluting stent: a post hoc subanalysis of the pooled E- and C-SIRIUS trials M. Schluter, J. Schofer, A. H. Gershlick, E. Schampaert, W. Wijns and G. Breithardt

J Am Coll Cardiol (2005) 45;10-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629365

The effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform: the Paclitaxel In-Stent Controlled Elution Study (PISCES) P. W. Serruys, G. Sianos, A. Abizaid, J. Aoki, P. den Heijer, H. Bonnier, P. Smits, D. McClean, S. Verheye, J. Belardi, J. Condado, M. Pieper, L. Gambone, M. Bressers, J. Symons, E. Sousa and F. Litvack

J Am Coll Cardiol (2005) 46;253-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022951

Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance K. B. Seung, Y. H. Kim, D. W. Park, B. K. Lee, C. W. Lee, M. K. Hong, P. J. Kim, W. S. Chung, S. J. Tahk, S. W. Park and S. J. Park

J Am Coll Cardiol (2005) 46;787-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139126

Four-year angiographic and intravascular ultrasound follow-up of patients treated with sirolimus-eluting stents J. E. Sousa, M. A. Costa, A. Abizaid, F. Feres, A. C. Seixas, L. F. Tanajura, L. A. Mattos, R. Falotico, J. Jaeger, J. J. Popma, P. W. Serruys and A. G. Sousa

Circulation (2005) 111;2326-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15851603

Rapamycin, but not FK-506, increases endothelial tissue factor expression: implications for drug-eluting stent design J. Steffel, R. A. Latini, A. Akhmedov, D. Zimmermann, P. Zimmerling, T. F. Luscher and F. C. Tanner

Circulation (2005) 112;2002-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16172265

Efficacy of drug eluting stents in patients with and without diabetes mellitus: indirect comparison of randomised controlled trials C. Stettler, S. Allemann, M. Egger, S. Windecker, B. Meier and P. Diem

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16251229

Comparison of a polymer-based paclitaxel-eluting stent with a bare metal stent in patients with complex coronary artery disease: a randomized controlled trial G. W. Stone, S. G. Ellis, L. Cannon, J. T. Mann, J. D. Greenberg, D. Spriggs, C. D. O'Shaughnessy, S. DeMaio, P. Hall, J. J. Popma, J. Koglin and M. E. Russell

Jama (2005) 294;1215-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16160130

Paclitaxel-eluting stents vs vascular brachytherapy for in-stent restenosis within bare-metal stents: the TAXUS V ISR randomized trial G. W. Stone, S. G. Ellis, C. D. O'Shaughnessy, S. L. Martin, L. Satler, T. McGarry, M. A. Turco, D. J. Kereiakes, L. Kelley, J. J. Popma and M. E. Russell

Jama (2006) 295;1253-63

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16531618

Angioscopic follow-up study of coronary ruptured plaques in nonculprit lesions M. Takano, S. Inami, F. Ishibashi, K. Okamatsu, K. Seimiya, T. Ohba, S. Sakai and K. Mizuno

J Am Coll Cardiol (2005) 45;652-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734606

Late coronary thrombosis in a sirolimus-eluting stent due to the lack of neointimal coverage M. Takano and K. Mizuno

Eur Heart J (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16243922

Intravascular ultrasound assessment of lesions with target vessel failure after sirolimus-eluting stent implantation H. Takebayashi, Y. Kobayashi, G. S. Mintz, S. G. Carlier, K. Fujii, T. Yasuda, I. Moussa, R. Mehran, G. D. Dangas, M. B. Collins, E. Kreps, A. J. Lansky, G. W. Stone, M. B. Leon and J. W. Moses

Am J Cardiol (2005) 95;498-502

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=15695138](#)

Incomplete stent apposition after implantation of paclitaxel-eluting stents or bare metal stents: insights from the randomized TAXUS II trial K. Tanabe, P. W. Serruys, M. Degertekin, E. Grube, G. Guagliumi, W. Urbaszek, J. Bonnier, J. M. Lablanche, T. Siminiak, J. Nordrehaug, H. Figulla, J. Drzewiecki, A. Banning, K. Hauptmann, D. Dudek, N. Bruining, R. Hamers, A. Hoye, J. M. Ligthart, C. Disco, J. Koglin, M. E. Russell and A. Colombo

Circulation (2005) 111;900-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15710761

Impact of platelet glycoprotein IIb/IIIa inhibition on the paclitaxel-eluting stent in patients with stable or unstable angina pectoris or provokable myocardial ischemia (a TAXUS IV substudy) P. S. Teirstein, J. Kao, M. Watkins, M. A. Tannenbaum, N. Laufer, M. Chang, R. Mehran, G. Dangas, M. E. Russell, S. G. Ellis and G. W. Stone

Am J Cardiol (2005) 96;500-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098300

Impact and temporal trends of percutaneous coronary intervention in the drug-eluting stent versus bare metal stent eras C. A. Thompson, A. V. Kaplan, J. E. Jayne, B. J. Friedman, B. D. Hettleman, N. W. Niles and J. F. Robb

Am J Cardiol (2005) 96;668-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125492

Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction M. Togni, S. Windecker, R. Cocchia, P. Wenaweser, S. Cook, M. Billinger, B. Meier and O. M. Hess

J Am Coll Cardiol (2005) 46;231-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022947

Multiple overlapping drug-eluting stents to treat diffuse disease of the left anterior descending coronary artery E. Tsagalou, A. Chieffo, I. Iakovou, L. Ge, G. M. Sangiorgi, N. Corvaja, F. Airoldi, M. Montorfano, I. Michev and A. Colombo

J Am Coll Cardiol (2005) 45;1570-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15893168

Early outcome of treatment of ostial de novo left anterior descending coronary artery lesions with drug-eluting stents E. Tsagalou, G. Stancovic, I. Iakovou, G. Melzi, J. Cosgrave, L. Ge, I. Michev, A. Chieffo, F. Airoldi, M. Carlino, M. Montorfano and A. Colombo

Am J Cardiol (2006) 97;187-91

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442360

Revisiting late loss and neointimal volumetric measurements in a drug-eluting stent trial: Analysis from the SPIRIT FIRST trial K. Tsuchida, H. M. Garcia-Garcia, A. T. Ong, M. Valgimigli, J. Aoki, T. A. Rademaker, M. A. Morel, G. A. van Es, N. Bruining and P. W. Serruys

Catheter Cardiovasc Interv (2006) 67;188-97

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16400664

Immediate and one-year outcome of percutaneous intervention of saphenous vein graft disease with paclitaxel-eluting stents K. Tsuchida, A. T. Ong, J. Aoki, C. A. van Mieghem, G. A. Rodriguez-Granillo, M. Valgimigli, G. Sianos, E. Regar, E. P. McFadden, W. J. van der Giessen, P. J. de Feyter, P. P. de Jaegere, R. T. van Domburg and P. W. Serruys

Am J Cardiol (2005) 96;395-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054466

Safety of coronary sirolimus-eluting stents in daily clinical practice: one-year follow-up of the e-Cypher registry P. Urban, A. H. Gershlick, G. Guagliumi, P. Guyon, C. Lotan, J. Schofer, A. Seth, J. E. Sousa, W. Wijns, C. Berge, M. Deme and H. P. Stoll
Circulation (2006) 113;1434-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16534015

Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease: a combined RESEARCH and T-SEARCH long-term analysis M. Valgimigli, P. Malagutti, J. Aoki, H. M. Garcia-Garcia, G. A. Rodriguez Granillo, C. A. van Mieghem, J. M. Ligthart, A. T. Ong, G. Sianos, E. Regar, R. T. Van Domburg, P. De Feyter, P. de Jaegere and P. W. Serruys

J Am Coll Cardiol (2006) 47;507-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458128

Tirofiban and sirolimus-eluting stent vs abciximab and bare-metal stent for acute myocardial infarction: a randomized trial M. Valgimigli, G. Percoco, P. Malagutti, G. Campo, F. Ferrari, D. Barbieri, G. Cicchitelli, E. P. McFadden, F. Merlini, L. Ansani, G. Guardigli, A. Bettini, G. Parrinello, E. Boersma and R. Ferrari

Jama (2005) 293;2109-17

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15870414

Short- and long-term clinical outcome after drug-eluting stent implantation for the percutaneous treatment of left main coronary artery disease: insights from the Rapamycin-Eluting and Taxus Stent Evaluated At Rotterdam Cardiology Hospital registries (RESEARCH and T-SEARCH) M. Valgimigli, C. A. van Mieghem, A. T. Ong, J. Aoki, G. A. Granillo, E. P. McFadden, A. P. Kappetein, P. J. de Feyter, P. C. Smits, E. Regar, W. J. Van der Giessen, G. Sianos, P. de Jaegere, R. T. Van Domburg and P. W. Serruys

Circulation (2005) 111;1383-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15781749

The impact of the introduction of drug-eluting stents on the clinical practice of surgical and percutaneous treatment of coronary artery disease R. T. van Domburg, P. A. Lemos, J. J. Takkenberg, T. K. Liu, L. A. van Herwerden, C. A. Arampatzis, P. C. Smits, J. Daemen, A. C. Venema, P. W. Serruys and A. J. Bogers

Eur Heart J (2005) 26;675-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15637087

One year cost effectiveness of sirolimus eluting stents compared with bare metal stents in the treatment of single native de novo coronary lesions: an analysis from the RAVEL trial B. A. van Hout, P. W. Serruys, P. A. Lemos, M. J. van den Brand, G. A. van Es, W. K. Lindeboom and M. C. Morice

Heart (2005) 91;507-12

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15772214

Sirolimus PK trial: A pharmacokinetic study of the sirolimus-eluting Bx Velocity stent in patients with de novo coronary lesions G. W. Vetovec, D. Rizik, C. Williard, D. Snead, V. Piotrovski and G. Kopia

Catheter Cardiovasc Interv (2006) 67;32-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16342216

Polymer-based paclitaxel-eluting stents reduce in-stent neointimal tissue proliferation: a serial volumetric intravascular ultrasound analysis from the TAXUS-IV trial N. J.

Weissman, J. Koglin, D. A. Cox, J. Hermiller, C. O'Shaughnessy, J. T. Mann, M. Turco, R. Caputo, P. Bergin, J. Greenberg, M. Kutcher, S. C. Wong, W. Strickland, M. Mooney, M. E. Russell, S. G. Ellis and G. W. Stone

J Am Coll Cardiol (2005) 45;1201-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837249

Paclitaxel-eluting stents for the treatment of chronic total coronary occlusions: A strategy of extensive lesion coverage with drug-eluting stents G. S. Werner, G. Schwarz, D. Prochnau, M. Fritzenwanger, A. Krack, S. Betge and H. R. Figulla

Catheter Cardiovasc Interv (2006) 67;1-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16345052

Sirolimus and Paclitaxel on polymer-based drug-eluting stents: similar but different R.

Wessely, A. Schomig and A. Kastrati

J Am Coll Cardiol (2006) 47;708-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16487832

Sirolimus-eluting and paclitaxel-eluting stents for coronary revascularization S.

Windecker, A. Remondino, F. R. Eberli, P. Juni, L. Raber, P. Wenaweser, M. Togni, M. Billinger, D. Tuller, C. Seiler, M. Roffi, R. Corti, G. Sutsch, W. Maier, T. Luscher, O. M. Hess, M. Egger and B. Meier

N Engl J Med (2005) 353;653-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16105989

Randomized comparison of a titanium-nitride-oxide-coated stent with a stainless steel stent for coronary revascularization: the TiNOX trial S. Windecker, R. Simon, M. Lins, V. Klauss, F. R. Eberli, M. Roffi, G. Pedrazzini, T. Moccetti, P. Wenaweser, M. Togni, D. Tuller, R. Zbinden, C. Seiler, J. Mehilli, A. Kastrati, B. Meier and O. M. Hess

Circulation (2005) 111;2617-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15883209

Influence of stent length to lesion length ratio on angiographic and clinical outcomes after implantation of bare metal and drug-eluting stents (the TAXUS-IV Study) S. C. Wong, M. K. Hong, S. G. Ellis, M. Buchbinder, M. Reisman, A. DeLago, M. Kellett, J. J. Popma, M. E. Russell, R. Mehran, J. W. Moses and G. W. Stone

Am J Cardiol (2005) 95;1043-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15842968

Impact of diabetes mellitus on angiographic and clinical outcomes in the drug-eluting stents era T. H. Yang, S. W. Park, M. K. Hong, D. W. Park, K. M. Park, Y. H. Kim, K. H. Han, C. W. Lee, S. S. Cheong, J. J. Kim and S. J. Park

Am J Cardiol (2005) 96;1389-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275184

Incidence and predictors of target vessel revascularization and clinical event rates of the sirolimus-eluting coronary stent (results from the prospective multicenter German Cypher Stent Registry) R. Zahn, C. W. Hamm, S. Schneider, U. Zeymer, C. A. Nienaber, G. Richardt, M. Kelm, B. Levenson, T. Bonzel, U. Tebbe, G. Sabin and J. Senges

Am J Cardiol (2005) 95;1302-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904633