

1. *Accuracy and reproducibility of stent-strut thickness determined by optical coherence tomography*
Terashima, M., et al.
J Invasive Cardiol, 2009. **21**(11): p. 602-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19901417

2. *A bioabsorbable everolimus-eluting coronary stent system (ABSORB): 2-year outcomes and results from multiple imaging methods*
Serruys, P.W., et al.
Lancet, 2009. **373**(9667): p. 897-910.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19286089

3. *First-in-man 1-year clinical outcomes of the Catania Coronary Stent System with Nanothin Polyzone-F in de novo native coronary artery lesions: the ATLANTA (Assessment of The Latest Non-Thrombogenic Angioplasty stent) trial*
Tamburino, C., et al.
JACC Cardiovasc Interv, 2009. **2**(3): p. 197-204.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19463426

4. *Head to head comparison between the conventional balloon occlusion method and the non-occlusion method for optical coherence tomography*
Kataiwa, H., et al.
Int J Cardiol, 2009.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19664829

5. *Imaging atherosclerotic plaque composition with intracoronary optical coherence tomography*
van Soest, G., et al.
Neth Heart J, 2009. **17**(11): p. 448-50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19949716

6. *In vivo characterisation of coronary plaques with conventional grey-scale intravascular ultrasound: correlation with optical coherence tomography*
Low, A.F., et al.
EuroIntervention, 2009. **4**(5): p. 626-32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19949716

n&list_uids=19378684

7. *Lipid-rich plaque and myocardial perfusion after successful stenting in patients with non-ST-segment elevation acute coronary syndrome: an optical coherence tomography study*
Tanaka, A., et al.
Eur Heart J, 2009. **30**(11): p. 1348-55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19383736
8. *Morphological features of coronary arteries in patients with coronary spastic angina: Assessment with intracoronary optical coherence tomography*
Morikawa, Y., et al.
Int J Cardiol, 2009.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19716193
9. *Optical coherence tomography assessment of the acute effects of stent implantation on the vessel wall: a systematic quantitative approach*
Gonzalo, N., et al.
Heart, 2009. **95**(23): p. 1913-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19671534
10. *Optical coherence tomography evaluation of zotarolimus-eluting stents at 9-month follow-up: comparison with sirolimus-eluting stents*
Kim, J.S., et al.
Heart, 2009. **95**(23): p. 1907-12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19535352
11. *Relationship between plasma inflammatory markers and plaque fibrous cap thickness determined by intravascular optical coherence tomography*
Li, Q.X., et al.
Heart, 2010. **96**(3): p. 196-201.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19875365