

Functional and clinical outcomes of nitinol stenting with and without abciximab for complex superficial femoral artery disease: A randomized trial G. M. Ansel, M. J. Silver, C. F. Botti, Jr., K. Rocha-Singh, M. C. Bates, K. Rosenfield, R. M. Schainfeld, S. B. Laster and C. Zander

Catheter Cardiovasc Interv (2006) 67;288-97

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16408299](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16408299)

Superiority of endovascular grafts compared to bare metal stents with transstent coil embolization for endovascular abdominal aortic aneurysm repair in patients at high risk for surgery F. Boccacandro, A. Cohen, B. Raval, P. Chen, A. Muench, H. Achour, C. Carter, C. Underwood and R. W. Smalling

Catheter Cardiovasc Interv (2005) 64;283-90

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15736244](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15736244)

Detection of peripheral vascular stenosis by assessing skeletal muscle flow reserve T. Bragadeesh, I. Sari, M. Pascotto, A. Micari, S. Kaul and J. R. Lindner

J Am Coll Cardiol (2005) 45;780-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15734625](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734625)

The results of catheter-based therapy compared with surgical repair of adult aortic coarctation J. A. Carr

J Am Coll Cardiol (2006) 47;1101-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16545637](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16545637)

Slow-flow phenomenon during carotid artery intervention with embolic protection devices: predictors and clinical outcome I. P. Casserly, A. Abou-Chebl, R. B. Fathi, D. S. Lee, J. Saw, J. E. Exaire, S. R. Kapadia, C. T. Bajzer and J. S. Yadav

J Am Coll Cardiol (2005) 46;1466-72

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16226169](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16226169)

A simple prediction rule for significant renal artery stenosis in patients undergoing cardiac catheterization M. G. Cohen, J. A. Pascua, M. Garcia-Ben, C. A. Rojas-Matas, J. M. Gabay, D. H. Berrocal, W. A. Tan, G. A. Stouffer, M. Montoya, A. D. Fernandez, M. E. Halac and L. R. Grinfeld

Am Heart J (2005) 150;1204-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16338259](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16338259)

Treatment of calcific aortic stenosis with the percutaneous heart valve: mid-term follow-up from the initial feasibility studies: the French experience A. Cribier, H.

Eltchaninoff, C. Tron, F. Bauer, C. Agatiello, D. Nercolini, S. Tapiero, P. Y. Litzler, J. P. Bessou and V. Babaliaros

J Am Coll Cardiol (2006) 47;1214-23

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16545654](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16545654)

Ethnicity and peripheral arterial disease: the San Diego Population Study M. H. Criqui, V. Vargas, J. O. Denenberg, E. Ho, M. Allison, R. D. Langer, A. Gamst, W. P. Bundens

and A. Fronck

Circulation (2005) 112;2703-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16246968](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16246968)

Is duplex surveillance of value after leg vein bypass grafting? Principal results of the Vein Graft Surveillance Randomised Trial (VGST) A. H. Davies, A. J. Hawdon, M. R. Sydes and S. G. Thompson

Circulation (2005) 112;1985-91

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16186435](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16186435)

Endovascular stent-graft treatment of aortic dissection: determinants of post-interventional outcome H. Eggebrecht, U. Herold, O. Kuhnt, A. Schmermund, T. Bartel, S. Martini, A. Lind, C. K. Naber, P. Kienbaum, H. Kuhl, J. Peters, H. Jakob, R. Erbel and D. Baumgart

Eur Heart J (2005) 26;489-97

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15673541](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15673541)

Endovascular stent-graft treatment of penetrating aortic ulcer: results over a median follow-up of 27 months H. Eggebrecht, U. Herold, A. Schmermund, A. Y. Lind, O. Kuhnt, S. Martini, H. Kuhl, P. Kienbaum, J. Peters, H. Jakob, R. Erbel and D. Baumgart

Am Heart J (2006) 151;530-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442927](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442927)

Endovascular stent-graft placement in aortic dissection: a meta-analysis H. Eggebrecht, C. A. Nienaber, M. Neuhauser, D. Baumgart, S. Kische, A. Schmermund, U. Herold, T. C. Rehders, H. G. Jakob and R. Erbel

Eur Heart J (2005)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16227309](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16227309)

Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease H. H. Feringa, V. H. van Waning, J. J. Bax, A. Elhendy, E. Boersma, O. Schouten, W. Galal, R. V. Vidakovic, M. J. Tangelder and D. Poldermans J Am Coll Cardiol (2006) 47;1182-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16545650](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16545650)

Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral synthetic vascular grafts M. J. Gallagher, S. R. Dixon, R. D. Safian, M. Madala, R. Abraham, S. D. Rimar, S. J. Mattichak, W. W. O'Neill and J. K. Kahn

Am J Cardiol (2005) 96;382-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16054463](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054463)

Life and limb: bypass versus angioplasty in the ischaemic limb J. J. Goy and P. Urban Lancet (2005) 366;1905-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16325681](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16325681)

Usefulness of the presence of peripheral vascular disease in predicting mortality in

acute myocardial infarction patients treated with primary angioplasty (from the Primary Angioplasty in Myocardial Infarction Database) M. Guerrero, K. Harjai, G. W. Stone, B. Brodie, D. Cox, J. Boura, L. Grines, W. O'Neill and C. Grines

Am J Cardiol (2005) 96;649-54

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16125488](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125488)

Carotid artery stenting in surgical high-risk patients M. Halabi, L. Gruberg, S. Pitchersky, E. Kouperberg, E. Nikolsky, A. Hoffman and R. Beyar

Catheter Cardiovasc Interv (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16534816](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16534816)

Prospective evaluation of aggressive medical therapy for atherosclerotic renal artery stenosis, with renal artery stenting reserved for previously injured heart, brain, or kidney G. Hanzel, H. Balon, O. Wong, D. Soffer, D. T. Lee and R. D. Safian

Am J Cardiol (2005) 96;1322-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16253607](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253607)

Bilateral carotid angioplasty and stenting M. Henry, L. Gopalakrishnan, S. Rajagopal, P. C. Rath, I. Henry and M. Hugel

Catheter Cardiovasc Interv (2005) 64;275-82

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15736256](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15736256)

ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease) endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation; National Heart, Lung, and Blood Institute; Society for Vascular Nursing; TransAtlantic Inter-Society Consensus; and Vascular Disease Foundation A. T. Hirsch, Z. J. Haskal, N. R. Hertzler, C. W. Bakal, M. A. Creager, J. L. Halperin, L. F. Hiratzka, W. R. Murphy, J. W. Olin, J. B. Puschett, K. A. Rosenfield, D. Sacks, J. C. Stanley, L. M. Taylor, Jr., C. J. White, J. White, R. A. White, E. M. Antman, S. C. Smith, Jr., C. D. Adams, J. L. Anderson, D. P. Faxon, V. Fuster, R. J. Gibbons, J. L. Halperin, L. F. Hiratzka, S. A. Hunt, A. K. Jacobs, R. Nishimura, J. P. Ornato, R. L. Page and B. Riegel

J Am Coll Cardiol (2006) 47;1239-312

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16545667](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16545667)

Coronary angiography in patients undergoing carotid artery stenting shows a high incidence of significant coronary artery disease R. Hofmann, A. Kypta, C. Steinwender, K. Kerschner, M. Grund and F. Leisch

Heart (2005) 91;1438-41

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15761052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15761052)

Chronic total occlusions in the superficial femoral artery: a novel strategy using a 1.5 mm J-tip hydrophilic guidewire with an over-the-wire balloon catheter under ultrasound guidance O. Kawarada, Y. Yokoi, N. Morioka, S. Nakata and K. Takemoto

Catheter Cardiovasc Interv (2005) 65;187-92

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15898072](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15898072)

Concurrent coronary and carotid artery surgery: factors influencing perioperative outcome and long-term results P. H. Kolh, L. Comte, V. Tchana-Sato, C. Honore, A. Kerzmann, M. Mauer and R. Limet

Eur Heart J (2006) 27;49-56

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16183695](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16183695)

Staged carotid artery stenting and coronary artery bypass graft surgery: Initial results from a single center J. C. Kovacic, P. R. Roy, D. W. Baron and D. W. Muller

Catheter Cardiovasc Interv (2006) 67;142-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16342270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16342270)

Endovascular aortic coarctation stenting in adolescents and adults: Angiographic and hemodynamic outcomes V. S. Mahadevan, I. F. Vondermuhll and M. J. Mullen

Catheter Cardiovasc Interv (2006) 67;268-75

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16400666](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16400666)

Fibromuscular dysplasia of renal arteries: Percutaneous revascularization based on hemodynamic assessment with a pressure measurement guidewire E. Mahmud, M. Brocato, V. Palakodeti and S. Tsimikas

Catheter Cardiovasc Interv (2006) 67;434-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16475187](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16475187)

Dual antiplatelet therapy with clopidogrel and aspirin in symptomatic carotid stenosis evaluated using doppler embolic signal detection: the Clopidogrel and Aspirin for Reduction of Emboli in Symptomatic Carotid Stenosis (CARESS) trial H. S. Markus, D. W. Droste, M. Kaps, V. Larrue, K. R. Lees, M. Siebler and E. B. Ringelstein

Circulation (2005) 111;2233-40

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15851601](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15851601)

Peripheral arterial disease in patients with diabetes S. P. Marso and W. R. Hiatt

J Am Coll Cardiol (2006) 47;921-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16516072](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516072)

Patterns of inflammation associated with peripheral arterial disease: the InCHIANTI study M. M. McDermott, J. M. Guralnik, A. Corsi, M. Albay, C. Macchi, S. Bandinelli and L. Ferrucci

Am Heart J (2005) 150;276-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16086930](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086930)

INvestigation of STEnt grafts in patients with type B Aortic Dissection: design of the

INSTEAD trial--a prospective, multicenter, European randomized trial C. A. Nienaber, S. Zannetti, B. Barbieri, S. Kische, W. Schareck and T. C. Rehders  
Am Heart J (2005) 149;592-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15990739](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990739)

Fibromuscular dysplasia of the coronary and renal arteries? G. E. Pate, R. Lowe and C. E. Buller

Catheter Cardiovasc Interv (2005) 64;138-45

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15678450](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15678450)

Stenting vs. balloon angioplasty for discrete unoperated coarctation of the aorta in adolescents and adults C. A. Pedra, V. F. Fontes, C. A. Esteves, C. B. Pilla, S. L. Braga, S. R. Pedra, M. V. Santana, M. A. Silva, T. Almeida and J. E. Sousa

Catheter Cardiovasc Interv (2005) 64;495-506

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15789379](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789379)

Determinants of immediate and long-term results of subclavian and innominate artery angioplasty T. Przewlocki, A. Kablak-Ziembicka, P. Pieniazek, P. Musialek, A. Kadzielski, J. Zalewski, A. Kozanecki and W. Tracz

Catheter Cardiovasc Interv (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16547924](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16547924)

Acute upper extremity arterial occlusion: a novel role for the use of rheolytic thrombectomy and intravascular ultrasound J. A. Puma, S. A. Haq and T. J. Sacchi

Catheter Cardiovasc Interv (2005) 66;291-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16142812](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16142812)

Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty: the ASPIRE-2 study K. Rocha-Singh, M. R. Jaff and K. Rosenfield

J Am Coll Cardiol (2005) 46;776-83

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16139124](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139124)

Clinical competence statement on carotid stenting: training and credentialing for carotid stenting--multispecialty consensus recommendations K. Rosenfield

Catheter Cardiovasc Interv (2005) 64;1-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15619306](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619306)

Prevalence and clinical impact of stent fractures after femoropopliteal stenting D.

Scheinert, S. Scheinert, J. Sax, C. Piorkowski, S. Braunlich, M. Ulrich, G. Biamino and A. Schmidt

J Am Coll Cardiol (2005) 45;312-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15653033](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15653033)

Perioperative and long-term cardiovascular outcomes in patients undergoing endovascular treatment compared with open vascular surgery for abdominal aortic aneurysm or iliaco-femoro-popliteal bypass O. Schouten, V. H. van Waning, M. D.

Kertai, H. H. Feringa, J. J. Bax, E. Boersma, A. Elhendy, E. Biagini, M. R. van Sambeek, H. van Urk and D. Poldermans

Am J Cardiol (2005) 96;861-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16169378](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169378)

Correlation between noninvasive and endovascular Doppler in patients with atherosclerotic renal artery stenosis: A pilot study D. P. Slovut, R. Lookstein, J. M. Bacharach and J. W. Olin

Catheter Cardiovasc Interv (2006) 67;426-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16502400](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16502400)

Renal fractional flow reserve: a hemodynamic evaluation of moderate renal artery stenoses R. Subramanian, C. J. White, K. Rosenfield, R. Bashir, Y. Almagor, D. Meerkin and E. Shalman

Catheter Cardiovasc Interv (2005) 64;480-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15789382](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789382)

Distal embolic protection during femoropopliteal atherectomy R. Suri, M. H. Wholey, D. Postoak, R. T. Hagino and B. Toursarkissian

Catheter Cardiovasc Interv (2006) 67;417-22

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16489560](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16489560)

External beam radiation to prevent restenosis after superficial femoral artery balloon angioplasty E. Therasse, D. Donath, J. Lesperance, J. C. Tardif, M. C. Guertin, V. L. Oliva and G. Soulez

Circulation (2005) 111;3310-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15956130](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15956130)

Catheter-based therapy for atherosclerotic renal artery stenosis C. J. White

Circulation (2006) 113;1464-73

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16549651](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16549651)

Carotid stenting with distal protection in high surgical risk patients: The BEACH trial 30 day results C. J. White, S. S. Iyer, L. N. Hopkins, B. T. Katzen and M. E. Russell

Catheter Cardiovasc Interv (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16548004](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16548004)

Relation of inflammation to peripheral arterial disease in the national health and nutrition examination survey, 1999-2002 R. P. Wildman, P. Muntner, J. Chen, K. Sutton-Tyrrell and J. He

Am J Cardiol (2005) 96;1579-83

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16310445](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310445)

Treatment of ischemic limbs based on local recruitment of vascular endothelial growth factor-producing inflammatory cells with ultrasonic microbubble destruction J. Yoshida, K. Ohmori, H. Takeuchi, K. Shinomiya, T. Namba, I. Kondo, H. Kiyomoto and M. Kohno

J Am Coll Cardiol (2005) 46;899-905

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16139142](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139142)

Embolic protection devices for carotid artery stenting: is there a difference between filter and distal occlusive devices? R. Zahn, T. Ischinger, B. Mark, S. Gass, U. Zeymer, W. Schmalz, K. Haerten, K. E. Hauptmann, E. R. von Leitner, W. Kasper, U. Tebbe and J. Senges

J Am Coll Cardiol (2005) 45;1769-74

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15936604](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15936604)

Comparison of results of carotid stenting followed by open heart surgery versus combined carotid endarterectomy and open heart surgery (coronary bypass with or without another procedure) K. M. Ziada, J. S. Yadav, D. Mukherjee, M. S. Lauer, D. L. Bhatt, S. Kapadia, M. Roffi, N. Vora, I. Tiong and C. Bajzer

Am J Cardiol (2005) 96;519-23

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16098304](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098304)