

Prognostic implications of vascular complications following PCI R. Applegate, M. Sacrinty, W. Little, S. Gandhi, M. Kutcher and R. Santos Catheter Cardiovasc Interv (2008)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19202551](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19202551)

Relation of periprocedural bleeding complications and long-term outcome in patients undergoing percutaneous coronary revascularization (from the Evaluation of Oral Xemilofiban in Controlling Thrombotic Events [EXCITE] Trial) J. J. Brugts, N. Mercado, S. Hu, M. Guarneri, M. Price, R. Schatz, P. Teirstein, W. Wijns, P. W. Serruys, W. W. O'Neill and E. Boersma Am J Cardiol (2009) 103; 917-22

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19327416](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327416)

Left ventricular morphology and systolic function in sleep-disordered breathing: the Sleep Heart Health Study H. A. Chami, R. B. Devereux, J. S. Gottdiener, R. Mehra, M. J. Roman, E. J. Benjamin and D. J. Gottlieb Circulation (2008) 117; 2599-607

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18458174](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18458174)

Mechanism of purinergic activation of endothelial nitric oxide synthase in endothelial cells C. G. da Silva, A. Specht, B. Wegiel, C. Ferran and E. Kaczmarek Circulation (2009) 119; 871-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19188511](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19188511)

Minimally elevated cardiac troponin T and elevated N-terminal pro-B-type natriuretic peptide predict mortality in older adults: results from the Rancho Bernardo Study L. B. Daniels, G. A. Laughlin, P. Clopton, A. S. Maisel and E. Barrett-Connor J Am Coll Cardiol (2008) 52; 450-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18672166](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18672166)

Relations of matrix remodeling biomarkers to blood pressure progression and incidence of hypertension in the community R. Dhingra, M. J. Pencina, P. Schrader, T. J. Wang, D. Levy, K. Pencina, D. A. Siwik, W. S. Colucci, E. J. Benjamin and R. S. Vasan Circulation (2009) 119; 1101-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19221217](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19221217)

Decreased complication rates using the transradial compared to the transfemoral approach in percutaneous coronary intervention in the era of routine stenting and glycoprotein platelet IIb/IIIa inhibitor use: a large single-center experience J. Eichhofer, E. Horlick, J. Ivanov, P. H. Seidelin, J. R. Ross, D. Ing, P. Daly, K. Mackie, B. Ridley, L. Schwartz, A. Barolet and V. Dzavik Am Heart J (2008) 156; 864-70

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19061699](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19061699)

Von Willebrand factor, type 2 diabetes mellitus, and risk of cardiovascular disease: the framingham offspring study D. S. Frankel, J. B. Meigs, J. M. Massaro, P. W. Wilson, C. J. O'Donnell, R. B. D'Agostino and G. H. Tofler Circulation (2008) 118; 2533-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19029465](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19029465)

Methods and limitations of assessing new noninvasive tests: Part II: Outcomes-based validation and reliability assessment of noninvasive testing R. Hachamovitch and M. F. Di Carli *Circulation* (2008) 117; 2793-801

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18506018](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18506018)

Time to take myocardial reperfusion injury seriously D. J. Hausenloy and D. M. Yellon *N Engl J Med* (2008) 359; 518-20

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18669431](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18669431)

Bleeding during percutaneous intervention: tailoring the approach to minimise risk T. Kinnaird, R. Anderson, J. Hill and M. Thomas *Heart* (2009) 95; 15-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18208831](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18208831)

Multimarker approach to evaluate correlates of vascular stiffness: the Framingham Heart Study W. Lieb, M. G. Larson, E. J. Benjamin, X. Yin, G. H. Tofler, J. Selhub, P. F. Jacques, T. J. Wang, J. A. Vita, D. Levy, R. S. Vasan and G. F. Mitchell *Circulation* (2009) 119; 37-43

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19103986](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19103986)

Multimarker approach to evaluate correlates of vascular stiffness: the Framingham Heart Study W. Lieb, M. G. Larson, E. J. Benjamin, X. Yin, G. H. Tofler, J. Selhub, P. F. Jacques, T. J. Wang, J. A. Vita, D. Levy, R. S. Vasan and G. F. Mitchell *Circulation* (2009) 119; 37-43

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19103986](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19103986)

Femoral access bleeding complications remain an important cause of morbidity and mortality in patients undergoing interventional procedures J. T. Mann, 3rd *Catheter Cardiovasc Interv* (2008) 71; 655; author reply 56

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18360859](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360859)

A simple prognostic classification model for postprocedural complications after percutaneous coronary intervention for acute myocardial infarction (from the New York State percutaneous coronary intervention database) A. Negassa, E. S. Monrad and V. S. Srinivas *Am J Cardiol* (2009) 103; 937-42

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19327419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327419)

Direction of preoperative ventricular shunting affects ventricular mechanics after Tetralogy of Fallot repair M. E. Richmond, S. E. Cabreriza, J. P. Van Batavia, T. A. Quinn, J. P. Kanter, A. D. Weinberg, R. S. Mosca, J. M. Quaegebeur and H. M. Spotnitz *Circulation* (2008) 118; 2338-44

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19015406](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19015406)

Use of alternative thresholds defining insulin resistance to predict incident type 2 diabetes mellitus and cardiovascular disease M. K. Rutter, P. W. Wilson, L. M. Sullivan, C. S. Fox, R. B. D'Agostino, Sr. and J. B. Meigs *Circulation* (2008) 117; 1003-9

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18250267

Impact of ethnicity and gender differences on angiographic coronary artery disease prevalence and in-hospital mortality in the American College of Cardiology-National Cardiovascular Data Registry L. J. Shaw, R. E. Shaw, C. N. Merz, R. G. Brindis, L. W. Klein, B. Nallamothu, P. S. Douglas, R. J. Krone, C. R. McKay, P. C. Block, K. Hewitt, W. S. Weintraub and E. D. Peterson *Circulation* (2008) 117; 1787-801

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18378615](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378615)

Cytochrome P450 2C19 loss-of-function polymorphism and stent thrombosis following percutaneous coronary intervention D. Sibbing, J. Stegherr, W. Latz, W. Koch, J. Mehilli, K. Dorrlor, T. Morath, A. Schomig, A. Kastrati and N. von Beckerath *Eur Heart J* (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19193675](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19193675)

Outcome of percutaneous intrapericardial fibrin-glue injection therapy for left ventricular free wall rupture secondary to acute myocardial infarction M. Terashima, S. Fujiwara, G. Y. Yaginuma, K. Takizawa, U. Kaneko and T. Meguro *Am J Cardiol* (2008) 101; 419-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18312750](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18312750)

Risk predictors of retroperitoneal hemorrhage following percutaneous coronary intervention K. A. Tiroch, N. Arora, M. E. Matheny, C. Liu, T. C. Lee and F. S. Resnic *Am J Cardiol* (2008) 102; 1473-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026298](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026298)

Impact of female gender and transradial coronary stenting with maximal antiplatelet therapy on bleeding and ischemic outcomes H. Tizon-Marcos, O. F. Bertrand, J. Rodes-Cabau, E. Larose, V. Gaudreault, R. Bagur, O. Gleeton, J. Curtis, L. Roy, P. Poirier, O. Costerousse and R. De Larochelliere *Am Heart J* (2009) 157; 740-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332204](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332204)

Impact of early and delayed stroke on in-hospital and long-term mortality after isolated coronary artery bypass grafting I. K. Toumpoulis, C. E. Anagnostopoulos, T. P. Chamogeorgakis, D. C. Angouras, M. A. Kariou, D. G. Swistel and C. K. Rokkas *Am J Cardiol* (2008) 102; 411-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678297](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678297)

Flow-induced arterial remodeling relates to endothelial function in the human forearm J. A. Vita, M. Holbrook, J. Palmisano, S. M. Shenouda, W. B. Chung, N. M. Hamburg, B. R. Eskenazi, L. Joseph and O. M. Shapira *Circulation* (2008) 117; 3126-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18541736](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18541736)