

Primary versus tenecteplase-facilitated percutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction (ASSENT-4 PCI): randomised trial

Lancet (2006) 367;569-78

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16488800

Incidence and prognostic impact of gastrointestinal bleeding after percutaneous coronary intervention for acute myocardial infarction A. E. Abbas, B. Brodie, S. Dixon, D. Marsalese, S. Brewington, W. W. O'Neill, L. L. Grines and C. L. Grines

Am J Cardiol (2005) 96;173-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16018836

Effects of tirofiban and statins on high-sensitivity C-reactive protein, interleukin-6, and soluble CD40 ligand following percutaneous coronary interventions in patients with stable coronary artery disease R. R. Azar, G. Badaoui, A. Sarkis, R. Kassab, E. Salame, S. Klayme, R. Naman and M. Germanos

Am J Cardiol (2005) 95;236-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642557

Effects of primary angioplasty for acute myocardial infarction on early and late infarct size and left ventricular wall characteristics T. Baks, R. J. van Geuns, E. Biagini, P. Wielopolski, N. R. Mollet, F. Cademartiri, W. J. van der Giessen, G. P. Krestin, P. W. Serruys, D. J. Duncker and P. J. de Feyter

J Am Coll Cardiol (2006) 47;40-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386662

Intracoronary ST segment evolution during primary coronary stenting predicts infarct zone recovery V. Balian, M. Galli, S. Repetto, M. Luvini, F. Galdangelo, B. Castiglioni, M. Boscarini, E. Petrucci, G. Filippini and C. Marcassa

Catheter Cardiovasc Interv (2005) 64;53-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619303

Achieving rapid door-to-balloon times: how top hospitals improve complex clinical systems E. H. Bradley, L. A. Curry, T. R. Webster, J. A. Mattera, S. A. Roumanis, M. J. Radford, R. L. McNamara, B. A. Barton, D. N. Berg and H. M. Krumholz

Circulation (2006) 113;1079-85

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490818

Achieving door-to-balloon times that meet quality guidelines: how do successful hospitals do it? E. H. Bradley, S. A. Roumanis, M. J. Radford, T. R. Webster, R. L. McNamara, J. A. Mattera, B. A. Barton, D. N. Berg, E. L. Portnay, H. Moscovitz, J. Parkosewich, E. S. Holmboe, M. Blaney and H. M. Krumholz

J Am Coll Cardiol (2005) 46;1236-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16198837

Door-to-balloon time with primary percutaneous coronary intervention for acute

myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms B. R. Brodie, C. Hansen, T. D. Stuckey, S. Richter, D. S. Versteeg, N. Gupta, W. E. Downey and M. Pulsipher

J Am Coll Cardiol (2006) 47;289-95

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412849

Relation between electrocardiographic ST-segment resolution and early and late outcomes after primary percutaneous coronary intervention for acute myocardial infarction B. R. Brodie, T. D. Stuckey, C. Hansen, D. S. Versteeg, D. B. Muncy, S. Moore, N. Gupta and W. E. Downey

Am J Cardiol (2005) 95;343-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670542

Effect of continuous quality improvement analysis on the delivery of primary percutaneous revascularization for acute myocardial infarction: a community hospital experience R. P. Caputo, R. Kosinski, G. Walford, A. Giambartolomei, W. Grant, M. J. Reger, A. Simons and P. Esente

Catheter Cardiovasc Interv (2005) 64;428-33; discussion 434-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789395

In-hospital and long-term outcomes of multivessel percutaneous coronary revascularization after acute myocardial infarction L. Y. Chen, R. J. Lennon, J. A. Grantham, P. B. Berger, V. Mathew, M. Singh, D. R. Holmes, Jr. and C. S. Rihal

Am J Cardiol (2005) 95;349-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670543

Impact of sirolimus-eluting stents on outcomes of patients treated for acute myocardial infarction by primary angioplasty E. Cheneau, S. W. Rha, P. K. Kuchulakanti, E. Stabile, T. Kinnaird, R. Torguson, A. D. Pichard, L. F. Satler, K. M. Kent and R. Waksman

Catheter Cardiovasc Interv (2005) 65;469-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15988741

Prevention of distal embolization and no-reflow in patients with acute myocardial infarction and total occlusion in the infarct-related vessel: a subgroup analysis of the cohort of acute revascularization in myocardial infarction with excimer laser-CARMEL multicenter study J. B. Dahm, D. Ebersole, T. Das, H. Madyhoon, K. Vora, J. Baker, D. Hilton and O. Topaz

Catheter Cardiovasc Interv (2005) 64;67-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619312

Impact of beta-blocker therapy at discharge on long-term mortality after primary angioplasty for ST-segment elevation myocardial infarction G. De Luca, M. J. de Boer, J. P. Ottervanger, A. W. van't Hof, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink and H. Suryapranata

Am J Cardiol (2005) 96;806-9

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=16169366](#)

Relation of interhospital delay and mortality in patients with ST-segment elevation myocardial infarction transferred for primary coronary angioplasty G. De Luca, N. Ernst, H. Suryapranata, J. P. Ottervanger, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink, M. J. de Boer and A. W. van't Hof

Am J Cardiol (2005) 95;1361-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904644

Preprocedural Thrombolysis in Myocardial Infarction (TIMI) flow significantly affects the extent of ST-segment resolution and myocardial blush in patients with acute anterior myocardial infarction treated by primary angioplasty G. De Luca, N. Ernst, A. W. van't Hof, J. P. Ottervanger, J. C. Hoorntje, J. H. Dambrink, A. T. Gosselink, M. J. de Boer and H. Suryapranata

Am Heart J (2005) 150;827-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209989

Impact of ST-segment depression resolution on mortality after successful mechanical reperfusion in patients with ST-segment elevation acute myocardial infarction G. De Luca, A. C. Maas, A. W. van't Hof, J. P. Ottervanger, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink, M. J. de Boer and H. Suryapranata

Am J Cardiol (2005) 95;234-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642556

Unsuccessful reperfusion in patients with ST-segment elevation myocardial infarction treated by primary angioplasty G. De Luca, A. W. van't Hof, J. P. Ottervanger, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink, F. Zijlstra, M. J. de Boer and H. Suryapranata

Am Heart J (2005) 150;557-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169340

Impact of intracoronary aspiration thrombectomy during primary angioplasty on left ventricular remodelling in patients with anterior ST-elevation myocardial infarction L. De Luca, G. Sardella, C. J. Davidson, G. De Persio, M. Beraldi, T. Tommasone, M. Mancone, B. L. Nguyen, L. Agati, M. Gheorghide and F. Fedele

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16251226

Impact of failed mechanical reperfusion in patients with acute myocardial infarction treated with primary angioplasty N. M. Ernst, J. R. Timmer, F. Zijlstra and A. W. van't Hof

Am J Cardiol (2005) 96;332-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054452

Trends in reperfusion therapy of ST segment elevation myocardial infarction in Switzerland: six year results from a nationwide registry A. A. Fassa, P. Urban, D. Radovanovic, N. Duvoisin, J. M. Gaspoz, J. C. Stauffer and P. Erne

Heart (2005) 91;882-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15958354

Selection of the optimal reperfusion strategy for STEMI: does time matter? B. J. Gersh and E. M. Antman

Eur Heart J (2006) 27;761-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16513664

Early versus periprocedural administration of abciximab for primary angioplasty: a pooled analysis of 6 studies J. Godicke, M. Flather, M. Noc, M. Gyongyosi, H. R. Arntz, L. Grip, H. M. Gabriel, K. Huber, F. Nugara, J. Schroder, L. Svensson, D. Wang, S. Zorman and G. Montalescot

Am Heart J (2005) 150;1015

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290988

Usefulness of the presence of peripheral vascular disease in predicting mortality in acute myocardial infarction patients treated with primary angioplasty (from the Primary Angioplasty in Myocardial Infarction Database) M. Guerrero, K. Harjai, G. W. Stone, B. Brodie, D. Cox, J. Boura, L. Grines, W. O'Neill and C. Grines

Am J Cardiol (2005) 96;649-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125488

Impact and determinants of left ventricular function in patients undergoing primary percutaneous coronary intervention in acute myocardial infarction A. Halkin, G. W. Stone, S. R. Dixon, C. L. Grines, J. E. Tcheng, D. A. Cox, E. Garcia, B. Brodie, T. D. Stuckey, R. Mehran and A. J. Lansky

Am J Cardiol (2005) 96;325-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054451

Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction A. Halkin, G. W. Stone, C. L. Grines, D. A. Cox, B. D. Rutherford, P. Esente, C. M. Meils, P. Albertsson, A. Farah, J. E. Tcheng, A. J. Lansky and R. Mehran

J Am Coll Cardiol (2006) 47;951-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516077

Outcomes of Patients Consented But Not Randomized in a Trial of Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction (The CADILLAC Registry) A. Halkin, G. W. Stone, C. L. Grines, D. A. Cox, T. D. Stuckey, E. Garcia, G. Guagliumi, R. Mehran, B. D. Rutherford, J. J. Griffin, Y. Na, J. E. Tcheng and M. Turco

Am J Cardiol (2005) 96;1649-55

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16360352

Primary percutaneous coronary intervention versus thrombolytic treatment: long term follow up according to infarct location J. P. Henriques, F. Zijlstra, A. W. van 't Hof, M. J. de Boer, J. H. Dambrink, A. T. Gosselink, J. C. Hoorntje, J. P. Ottervanger and H. Suryapranata

Heart (2006) 92;75-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15831596

Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study) C. Juhl, Terkelsen, B. L. Norgaard, J. F. Lassen, S. H. Poulsen, J. C. Gerdes, E. Sloth, L. B. Gotzsche, F. K. Romer, L. Thuesen, T. T. Nielsen and H. Rud Andersen
Eur Heart J (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16227311

Should patients with acute myocardial infarction be transferred to a tertiary center for primary angioplasty or receive it at qualified hospitals in the community? The case for emergency transfer for primary percutaneous coronary intervention E. C. Keeley and C. L. Grines

Circulation (2005) 112;3520-32; discussion 3533

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16320379

Prehospital administration of enoxaparin before primary angioplasty for ST-elevation acute myocardial infarction J. N. Labeque, C. Jais, O. Dubos, M. Denard, M. Berhouet, L. Leroux, G. Laplace, C. Vergnes, C. Pradeau, M. Thicoipe, P. D. Santos and P. Coste
Catheter Cardiovasc Interv (2006) 67;207-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16416473

Gender differences in outcomes after primary angioplasty versus primary stenting with and without abciximab for acute myocardial infarction: results of the Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications (CADILLAC) trial A. J. Lansky, C. Pietras, R. A. Costa, Y. Tsuchiya, B. R. Brodie, D. A. Cox, E. D. Aymong, T. D. Stuckey, E. Garcia, J. E. Tcheng, R. Mehran, M. Negoita, M. Fahy, E. Cristea, M. Turco, M. B. Leon, C. L. Grines and G. W. Stone
Circulation (2005) 111;1611-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15811868

Brief repetitive balloon occlusions enhance reperfusion during percutaneous coronary intervention for acute myocardial infarction: a pilot study W. K. Laskey
Catheter Cardiovasc Interv (2005) 65;361-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15945105

Combined angioplasty and pharmacological intervention versus thrombolysis alone in acute myocardial infarction (CAPITAL AMI study) M. R. Le May, G. A. Wells, M. Labinaz, R. F. Davies, M. Turek, D. Leddy, J. Maloney, T. McKibbin, B. Quinn, R. S. Beanlands, C. Glover, J. F. Marquis, E. R. O'Brien, W. L. Williams and L. A. Higginson
J Am Coll Cardiol (2005) 46;417-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16053952

Distal embolization during primary angioplasty: histopathologic features and

predictability U. Limbruno, M. De Carlo, S. Pistoiesi, A. Micheli, A. S. Petronio, T. Camacci, G. Fontanini, A. Balbarini, M. Mariani and R. De Caterina
Am Heart J (2005) 150;102-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16084155

EMERALD, AIMI, and PROMISE: is there still a potential for embolic protection in primary PCI? U. Limbruno and R. De Caterina
Eur Heart J (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16452101

Angiographic and clinical outcomes associated with direct versus conventional stenting among patients treated with fibrinolytic therapy for ST-elevation acute myocardial infarction H. Q. Ly, A. J. Kirtane, J. Buros, R. P. Giugliano, J. J. Popma, E. M. Antman, R. A. Harrington, E. M. Ohman and C. M. Gibson
Am J Cardiol (2005) 95;383-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670549

Does diabetes mellitus abolish the beneficial effect of primary coronary angioplasty on long-term risk of reinfarction after acute ST-segment elevation myocardial infarction compared with fibrinolysis? (A DANAMI-2 substudy) M. M. Madsen, M. Busk, H. M. Sondergaard, M. Bottcher, L. S. Mortensen, H. R. Andersen and T. T. Nielsen
Am J Cardiol (2005) 96;1469-75

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310424

Comparison of coronary stenting versus conventional balloon angioplasty on five-year mortality in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention R. H. Mehta, K. J. Harjai, D. A. Cox, G. W. Stone, B. R. Brodie, J. Boura, L. Grines, W. O'Neill and C. L. Grines
Am J Cardiol (2005) 96;901-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188513

Improvement in microvascular reflow and reduction of infarct size with adenosine in patients undergoing primary coronary stenting A. Micari, T. A. Belcik, E. A. Balcells, E. Powers, K. Wei, S. Kaul and J. R. Lindner
Am J Cardiol (2005) 96;1410-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275189

Times to treatment in transfer patients undergoing primary percutaneous coronary intervention in the United States: National Registry of Myocardial Infarction (NRM)-3/4 analysis B. K. Nallamothu, E. R. Bates, J. Herrin, Y. Wang, E. H. Bradley and H. M. Krumholz

Circulation (2005) 111;761-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699253

Relation between hospital specialization with primary percutaneous coronary intervention and clinical outcomes in ST-segment elevation myocardial infarction:

National Registry of Myocardial Infarction-4 analysis B. K. Nallamothu, Y. Wang, D. J. Magid, R. L. McNamara, J. Herrin, E. H. Bradley, E. R. Bates, C. V. Pollack, Jr. and H. M. Krumholz

Circulation (2006) 113;222-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401769

Impact of body mass index on outcomes after primary angioplasty in acute myocardial infarction E. Nikolsky, G. W. Stone, C. L. Grines, D. A. Cox, E. Garcia, J. E. Tchong, J. J. Griffin, G. Guagliumi, T. Stuckey, M. Turco, M. Negoita, A. J. Lansky and R. Mehran
Am Heart J (2006) 151;168-75

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368312

Relation between the TIMI frame count and the degree of microvascular injury after primary coronary angioplasty in patients with acute anterior myocardial infarction Y. Ohara, Y. Hiasa, T. Takahashi, K. Yamaguchi, R. Ogura, T. Ogata, K. Yuba, K. Kusunoki, S. Hosokawa, K. Kishi and R. Ohtani

Heart (2005) 91;64-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15604337

Usefulness of a new grading system based on coronary flow velocity pattern in predicting outcome in patients with acute myocardial infarction having percutaneous coronary intervention A. Okamura, H. Ito, K. Iwakura, S. Kawano, K. Inoue, K. Yamamoto, T. Ogihara and K. Fujii

Am J Cardiol (2005) 96;927-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188518

Impact of chronic oral anticoagulation on management and outcomes of patients with acute myocardial infarction: data from the RICO survey A. Oudot, P. G. Steg, N. Danchin, G. Dentan, M. Zeller, P. Sicard, P. Buffet, Y. Laurent, L. Janin-Manificat, I. L'Huillier, J. C. Beer, H. Makki, P. Morel and Y. Cottin

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16387830

Effects of the nitric oxide donor nitroprusside on no-reflow phenomenon during coronary interventions for acute myocardial infarction V. Pasceri, C. Pristipino, F. Pelliccia, A. Granatelli, G. Speciale, A. Roncella, B. Pironi, M. Capasso and G. Richichi

Am J Cardiol (2005) 95;1358-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904643

Association Between Level of Platelet Inhibition After Early Use of Abciximab and Myocardial Reperfusion in ST-Elevation Acute Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention A. Perez de Prado, F. Fernandez-Vazquez, J. C. Cuellas, N. Alonso-Orcajo, R. Carbonell, C. Pascual, C. Olalla, A. Diego, A. de Miguel and R. G. Calabozo

Am J Cardiol (2006) 97;798-803

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=16516579](#)

Left ventricular remodeling after primary coronary angioplasty in patients treated with abciximab or intracoronary adenosine A. S. Petronio, M. De Carlo, N. Ciabatti, G. Amoroso, U. Limbruno, C. Palagi, V. Di Bello, M. F. Romano and M. Mariani
Am Heart J (2005) 150;1015

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290987

Impact of diabetes mellitus on myocardial perfusion after primary angioplasty in patients with acute myocardial infarction A. Prasad, G. W. Stone, T. D. Stuckey, C. O. Costantini, P. J. Zimetbaum, M. McLaughlin, R. Mehran, E. Garcia, J. E. Tcheng, D. A. Cox, C. L. Grines, A. J. Lansky and B. J. Gersh
J Am Coll Cardiol (2005) 45;508-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708696

ST-Segment Analysis to Predict Infarct Size and Functional Outcome in Acute Myocardial Infarction Treated With Primary Coronary Intervention and Adjunctive Abciximab Therapy R. Sciagra, G. Parodi, A. Migliorini, R. Valenti, D. Antonucci, B. Sotgia and A. Pupi
Am J Cardiol (2006) 97;48-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377283

Usefulness of quantitative baseline ST-segment elevation for predicting outcomes after primary coronary angioplasty or fibrinolysis (results from the DANAMI-2 trial) M. Sejersten, R. S. Ripa, C. Maynard, G. S. Wagner, H. R. Andersen, P. Grande, L. S. Mortensen and P. Clemmensen
Am J Cardiol (2006) 97;611-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490423

Feasibility of early emergency room notification to improve door-to-balloon times for patients with acute ST segment elevation myocardial infarction M. Sekulic, B. Hassunizadeh, S. McGraw and S. David
Catheter Cardiovasc Interv (2005) 66;316-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16224783

Primary angioplasty should be performed in hospitals without on-site surgery M. Singh
Catheter Cardiovasc Interv (2005) 65;1-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15816055

Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction L. A. Sleeper, K. Ramanathan, M. H. Picard, T. H. Lejemtel, H. D. White, V. Dzavik, D. Tormey, N. E. Avis and J. S. Hochman

J Am Coll Cardiol (2005) 46;266-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022953

Combined prognostic utility of ST-segment recovery and myocardial blush after primary

percutaneous coronary intervention in acute myocardial infarction P. Sorajja, B. J. Gersh, C. Costantini, M. G. McLaughlin, P. Zimetbaum, D. A. Cox, E. Garcia, J. E. Tchong, R. Mehran, A. J. Lansky, D. E. Kandzari, C. L. Grines and G. W. Stone
Eur Heart J (2005) 26;667-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734768

Admission glucose concentrations independently predict early and late mortality in patients with acute myocardial infarction treated by primary or rescue percutaneous coronary intervention E. Straumann, D. J. Kurz, J. Muntwyler, I. Stettler, M. Furrer, B. Naegeli, J. Frielingsdorf, E. Schuiki, R. Mury, O. Bertel and G. A. Spinas

Am Heart J (2005) 150;1000-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290985

Impact of stenting and abciximab in patients with diabetes mellitus undergoing primary angioplasty in acute myocardial infarction (the CADILLAC trial) T. D. Stuckey, G. W. Stone, D. A. Cox, J. E. Tchong, E. Garcia, J. Carroll, G. Guagliumi, B. D. Rutherford, J. J. Griffin, M. Turco, A. J. Lansky, R. Mehran, M. Fahy, B. R. Brodie and C. L. Grines
Am J Cardiol (2005) 95;1-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619385

Is routine stenting for acute myocardial infarction superior to balloon angioplasty? A randomised comparison in a large cohort of unselected patients H. Suryapranata, G. De Luca, A. W. van 't Hof, J. P. Ottervanger, J. C. Hoorntje, J. H. Dambrink, A. T. Gosselink, F. Zijlstra and M. J. de Boer

Heart (2005) 91;641-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15831652

Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty: a study performed with contrast-enhanced magnetic resonance G. Tarantini, L. Cacciavillani, F. Corbetti, A. Ramondo, M. P. Marra, E. Bacchiega, M. Napodano, C. Bilato, R. Razzolini and S. Iliceto

J Am Coll Cardiol (2005) 46;1229-35

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16198836

Explanation for the survival benefit of primary angioplasty over thrombolytic therapy in patients with ST-elevation acute myocardial infarction G. Tarantini, R. Razzolini, A. Ramondo, M. Napodano, C. Bilato and S. Iliceto

Am J Cardiol (2005) 96;1503-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310430

Reduction of treatment delay in patients with ST-elevation myocardial infarction: impact of pre-hospital diagnosis and direct referral to primary percutaneous coronary intervention C. J. Terkelsen, J. F. Lassen, B. L. Norgaard, J. C. Gerdes, S. H. Poulsen, K. Bendix, J. P. Ankersen, L. B. Gotzsche, F. K. Romer, T. T. Nielsen and H. R. Andersen

Andersen

Eur Heart J (2005) 26;770-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15684279

Prognostic significance of blood markers of inflammation in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty and effects of pexelizumab, a C5 inhibitor: a substudy of the COMMA trial P. Theroux, P. W. Armstrong, K. W. Mahaffey, J. S. Hochman, K. J. Malloy, S. Rollins, J. C. Nicolau, J. Lavoie, T. M. Luong, J. Burchenal and C. B. Granger
Eur Heart J (2005) 26;1964-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15872036

Simple risk stratification at admission to identify patients with reduced mortality from primary angioplasty J. J. Thune, D. E. Hoefsten, M. G. Lindholm, L. S. Mortensen, H. R. Andersen, T. T. Nielsen, L. Kober and H. Kelbaek
Circulation (2005) 112;2017-21

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16186438

Comparison of myocardial perfusion after successful primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction with versus without diabetes mellitus J. R. Timmer, I. C. van der Horst, G. de Luca, J. P. Ottervanger, J. C. Hoorntje, M. J. de Boer, H. Suryapranata, J. H. Dambrink, M. Gosselink, F. Zijlstra and A. W. van 't Hof
Am J Cardiol (2005) 95;1375-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904649

ST-segment elevation resolution and outcome in patients treated with primary angioplasty and glucose-insulin-potassium infusion I. C. van der Horst, G. De Luca, J. P. Ottervanger, M. J. de Boer, J. C. Hoorntje, H. Suryapranata, J. H. Dambrink, A. T. Gosselink, F. Zijlstra and A. W. van 't Hof
Am Heart J (2005) 149;1135

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976800

Time to treatment and the impact of a physician on prehospital management of acute ST elevation myocardial infarction: insights from the ASSENT-3 PLUS trial R. C. Welsh, W. Chang, P. Goldstein, J. Adgey, C. B. Granger, F. W. Verheugt, L. Wallentin, F. Van de Werf and P. W. Armstrong
Heart (2005) 91;1400-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15774607

Six-month angiographic results of primary angioplasty with adjunctive PercuSurge GuardWire device support: evaluation of the restenotic rate of the target lesion and the fate of the distal balloon occlusion site C. J. Wu, C. H. Yang, C. Y. Fang, H. W. Chang, S. M. Chen, W. C. Hung, C. J. Chen, C. I. Cheng, Y. H. Chen, H. T. Chai and H. K. Yip
Catheter Cardiovasc Interv (2005) 64;35-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619316

In-hospital time to treatment of patients with acute ST elevation myocardial infarction

treated with primary angioplasty: determinants and outcome. Results from the registry of percutaneous coronary interventions in acute myocardial infarction of the Arbeitsgemeinschaft Leitender Kardiologischer Krankenhausärzte R. Zahn, A. Vogt, U. Zeymer, A. K. Gitt, K. Seidl, M. Gottwik, M. A. Weber, W. Niederer, B. Modl, H. J. Engel, U. Tebbe and J. Senges
Heart (2005) 91;1041-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16020592