

Impact of coronary collaterals on outcome following percutaneous coronary intervention (from the National Heart, Lung, and Blood Institute Dynamic Registry) J. D. Abbott, E. J. Choi, F. Selzer, V. S. Srinivas and D. O. Williams

Am J Cardiol (2005) 96;676-80

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16125494](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125494)

Incidence, risk factors, and prognosis of inhospital heart failure after percutaneous coronary intervention: insight from the Blue Cross Blue Shield of Michigan

Cardiovascular Consortium (BMC2) R. Aboufakher, A. Riba, S. M. Jani, R. Goswami, S. Schwartz, S. Lins, J. Gardin, D. E. Smith, E. Kline-Rogers, D. Share and M. Moscucci  
Am Heart J (2005) 150;455-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16169323](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169323)

Long-term results (three to five years) of the Restenosis Intrastent: Balloon angioplasty versus elective Stenting (RIBS) randomized study F. Alfonso, J. M. Auge, J. Zueco, A. Bethencourt, J. R. Lopez-Minguez, J. M. Hernandez, J. A. Bullones, I. Calvo, E. Esplugas, M. J. Perez-Vizcayno, R. Moreno, C. Fernandez, R. Hernandez and V. Gama-Ribeiro

J Am Coll Cardiol (2005) 46;756-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16139121](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139121)

Relationship between procedure indications and outcomes of percutaneous coronary interventions by American College of Cardiology/American Heart Association Task Force Guidelines H. V. Anderson, R. E. Shaw, R. G. Brindis, L. W. Klein, C. R. McKay, M. A. Kutcher, R. J. Krone, M. J. Wolk, S. C. Smith, Jr. and W. S. Weintraub  
Circulation (2005) 112;2786-91

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16267252](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16267252)

Clinical endpoint definitions following percutaneous coronary intervention and their relationship to late mortality: an assessment by attributable risk D. P. Chew, D. L. Bhatt, A. M. Lincoff, K. Wolski and E. J. Topol  
Heart (2005)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16387822](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16387822)

Economic effects of prolonged clopidogrel therapy after percutaneous coronary intervention P. A. Cowper, K. Udayakumar, M. H. Sketch, Jr. and E. D. Peterson  
J Am Coll Cardiol (2005) 45;369-76

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15680714](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15680714)

Percutaneous coronary intervention: recommendations for good practice and training K. D. Dawkins, T. Gershlick, M. de Belder, A. Chauhan, G. Venn, P. Schofield, D. Smith, J. Watkins and H. H. Gray

Heart (2005) 91 Suppl 6;vi1-27

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16365340](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16365340)

Prognostic value of impaired fasting glucose for outcomes of patients with stable angina

pectoris treated with percutaneous coronary interventions A. Dibra, G. Ndrepepa, J. Mehilli, S. Pineck, S. Mayer, H. Bollwein, J. Hausleiter, J. Pache, A. Schomig and A. Kastrati

Am J Cardiol (2005) 96;1113-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16214448](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214448)

Impact of invasive management versus noninvasive management on functional status and quality of life following non-Q-wave myocardial infarction: a randomized clinical trial M. J. Eisenberg, F. F. Teng, M. R. Chaudhry, J. Ortiz, W. Sobkowski, I. Ebrahim, R. S. Saligrama, K. Serio, E. Lader and L. Pilote

Am Heart J (2005) 149;813-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15894961](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15894961)

Relationship between angiographic late loss and target lesion revascularization after coronary stent implantation: analysis from the TAXUS-IV trial S. G. Ellis, J. J. Popma, J. M. Lasala, J. J. Koglin, D. A. Cox, J. Hermiller, C. O'Shaughnessy, J. T. Mann, M. Turco, R. Caputo, P. Bergin, J. Greenberg and G. W. Stone

J Am Coll Cardiol (2005) 45;1193-200

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15837248](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837248)

The interaction of vascular inflammation and chronic kidney disease for the prediction of long-term death after percutaneous coronary intervention R. B. Fathi, H. S. Gurm, D. P. Chew, R. Gupta, D. L. Bhatt and S. G. Ellis

Am Heart J (2005) 150;1190-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16338257](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16338257)

Remodeling Characteristics of Minimally Diseased Coronary Arteries Are Consistent Along the Length of the Artery C. L. Feldman, A. U. Coskun, Y. Yeghiazarians, S. Kinlay, A. Wahle, M. E. Olszewski, J. D. Rossen, M. Sonka, J. J. Popma, J. Orav, R. E. Kuntz and P. H. Stone

Am J Cardiol (2006) 97;13-16

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16377275](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377275)

Clinical progression of incidental, asymptomatic lesions discovered during culprit vessel coronary intervention R. Glaser, F. Selzer, D. P. Faxon, W. K. Laskey, H. A. Cohen, J. Slater, K. M. Detre and R. L. Wilensky

Circulation (2005) 111;143-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15623544](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15623544)

Multivariate prediction of major adverse cardiac events after 9,914 percutaneous coronary interventions in the north-west of England A. Grayson, R. Moore, M. Jackson, S. Rathore, S. Sastry, T. Gray, I. Schofield, A. Chauhan, F. Ordoubadi, B. Prendergast and R. Stables

Heart (2005)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16159983](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159983)

Renal failure after percutaneous coronary intervention is associated with high mortality  
R. Gupta, H. S. Gurm, D. L. Bhatt, D. P. Chew and S. G. Ellis

Catheter Cardiovasc Interv (2005) 64;442-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15789398](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789398)

Volume-outcome relationships for percutaneous coronary interventions in the stent era  
E. L. Hannan, C. Wu, G. Walford, S. B. King, 3rd, D. R. Holmes, Jr., J. A. Ambrose, S. Sharma, S. Katz, L. T. Clark and R. H. Jones

Circulation (2005) 112;1171-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16103238](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16103238)

The association between prior percutaneous coronary intervention and short-term outcomes after coronary artery bypass grafting  
A. Hassan, K. J. Buth, R. J. Baskett, I. S. Ali, A. Maitland, J. A. Sullivan, W. A. Ghali and G. M. Hirsch

Am Heart J (2005) 150;1026-31

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16290991](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290991)

The impact of ejection fraction on outcomes after percutaneous coronary intervention in patients with congestive heart failure: an analysis of the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry and Dynamic Registry  
E. M. Holper, J. Blair, F. Selzer, K. M. Detre, A. K. Jacobs, D. O. Williams, H. Vlachos, R. L. Wilensky, P. Coady and D. P. Faxon

Am Heart J (2006) 151;69-75

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16368294](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368294)

Percutaneous coronary intervention with drug-eluting stent implantation vs. minimally invasive direct coronary artery bypass (MIDCAB) in patients with left anterior descending coronary artery stenosis  
S. J. Hong, D. S. Lim, H. S. Seo, Y. H. Kim, W. J. Shim, C. G. Park, D. J. Oh and Y. M. Ro

Catheter Cardiovasc Interv (2005) 64;75-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15619278](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619278)

Impact of stents and abciximab on survival from cardiogenic shock treated with percutaneous coronary intervention  
R. Huang, J. Sacks, H. Thai, S. Goldman, D. A. Morrison, C. Barbieri and J. Ohm

Catheter Cardiovasc Interv (2005) 65;25-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15800889](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15800889)

External validation of a percutaneous coronary intervention mortality prediction model in patients with acute coronary syndromes  
J. Hubacek, P. D. Galbraith, M. Gao, K. Humphries, M. M. Graham, M. L. Knudtson and W. A. Ghali

Am Heart J (2006) 151;308-15

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442892](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442892)

Association of chronic kidney disease with clinical outcomes after coronary revascularization: the Arterial Revascularization Therapies Study (ARTS)  
J. H. Ix, N.

Mercado, M. G. Shlipak, P. A. Lemos, E. Boersma, W. Lindeboom, W. W. O'Neill, W. Wijns and P. W. Serruys

Am Heart J (2005) 149;512-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15864241](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864241)

Application of evidence-based medical therapy is associated with improved outcomes after percutaneous coronary intervention and is a valid quality indicator W. A. Jaber, R. J. Lennon, V. Mathew, D. R. Holmes, Jr., A. Lerman and C. S. Rihal

J Am Coll Cardiol (2005) 46;1473-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16226170](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16226170)

Influence of revascularization on long-term outcome in patients > or =75 years of age with diabetes mellitus and angina pectoris R. V. Jeger, P. O. Bonetti, M. J. Zellweger, D. Tobler, C. A. Kaiser, S. Osswald, P. T. Buser and M. E. Pfisterer

Am J Cardiol (2005) 96;193-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16018840](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16018840)

Comparison of 6 and 7 French guiding catheters for percutaneous coronary intervention: Results of a randomised trial with a vascular ultrasound endpoint C. P. Juergens, H. Hallani, D. Y. Leung, J. A. Crozier, J. T. Robinson, S. Lo and A. P. Hopkins

Catheter Cardiovasc Interv (2005) 66;528-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16208714](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16208714)

Percutaneous coronary intervention versus conservative therapy in nonacute coronary artery disease: a meta-analysis D. G. Kastritsis and J. P. Ioannidis

Circulation (2005) 111;2906-12

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15927966](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15927966)

Mortality after emergent percutaneous coronary intervention in cardiogenic shock secondary to acute myocardial infarction and usefulness of a mortality prediction model L. W. Klein, R. E. Shaw, R. J. Krone, R. G. Brindis, H. V. Anderson, P. C. Block, C. R. McKay, K. Hewitt and W. S. Weintraub

Am J Cardiol (2005) 96;35-41

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15979429](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979429)

Prognostic significance of coronary collaterals in patients with coronary heart disease having percutaneous transluminal coronary angioplasty J. Koerselman, P. P. de Jaegere, M. C. Verhaar, D. E. Grobbee and Y. van der Graaf

Am J Cardiol (2005) 96;390-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16054465](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054465)

Outcomes of patients with acute coronary syndromes and prior percutaneous coronary intervention: a pooled analysis of three randomized clinical trials M. Labinaz, J. Mathias, K. Pieper, C. B. Granger, A. M. Lincoff, D. J. Moliterno, F. Van de Werf, J. Simes, H. D. White, M. L. Simoons, R. M. Califf, E. J. Topol, P. W. Armstrong and R. A. Harrington

Eur Heart J (2005) 26;128-36

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15618068](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15618068)

Temporal variation in in-hospital mortality with percutaneous coronary intervention: a report from the National Heart, Lung and Blood Institute Dynamic Registry W. K. Laskey, F. Selzer, D. R. Holmes, Jr., R. L. Wilensky, H. A. Cohen, D. O. Williams, K. E. Kip and K. M. Detre

Am Heart J (2005) 150;569-76

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16169343](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169343)

Importance of the postdischarge interval in assessing major adverse clinical event rates following percutaneous coronary intervention W. K. Laskey, F. Selzer, A. K. Jacobs, H. A. Cohen, D. R. Holmes, Jr., R. L. Wilensky, K. M. Detre and D. O. Williams

Am J Cardiol (2005) 95;1135-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15877982](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877982)

Meta-analysis of survival and relief of angina pectoris after transmyocardial revascularization L. Liao, A. Sarria-Santamera, D. B. Matchar, A. Huntington, S. Lin, D. J. Whellan and D. F. Kong

Am J Cardiol (2005) 95;1243-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15878002](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15878002)

Improved survival for stenting vs. balloon angioplasty for the treatment of coronary artery disease in patients with ischemic left ventricular dysfunction M. J. Lipinski, R. E. Martin, M. J. Cowley, E. Goudreau, W. N. Malloy and G. W. Vetrovec

Catheter Cardiovasc Interv (2005) 66;547-53

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16216018](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216018)

Differential release of cardiac enzymes after percutaneous coronary intervention M. A. Matthews, S. J. Kunselman, J. A. Gascho and I. C. Gilchrist

Catheter Cardiovasc Interv (2005) 65;19-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15812827](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15812827)

Percutaneous coronary intervention and 1 year survival in patients treated with fibrinolytic therapy for acute ST-elevation myocardial infarction A. J. McClelland, C. G. Owens, S. J. Walsh, D. McCarty, T. Mathew, M. Stevenson, H. Gracey, M. M. Khan and A. A. Adgey

Eur Heart J (2005) 26;544-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15713694](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15713694)

Association between completeness of percutaneous coronary revascularization and postprocedure outcomes C. S. McLellan, W. A. Ghali, M. Labinaz, R. B. Davis, P. D. Galbraith, D. A. Southern, F. M. Shrive and M. L. Knudtson

Am Heart J (2005) 150;800-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16209985](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209985)

Inequalities in coronary revascularisation during the 1990s: evidence from the British regional heart study R. W. Morris, P. H. Whincup, O. Papacosta, M. Walker and A. Thomson

Heart (2005) 91;635-40

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15831650](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15831650)

Public reporting and case selection for percutaneous coronary interventions: an analysis from two large multicenter percutaneous coronary intervention databases M. Moscucci, K. A. Eagle, D. Share, D. Smith, A. C. De Franco, M. O'Donnell, E. Kline-Rogers, S. M. Jani and D. L. Brown

J Am Coll Cardiol (2005) 45;1759-65

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15936602](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15936602)

Relationship between operator volume and adverse outcome in contemporary percutaneous coronary intervention practice: an analysis of a quality-controlled multicenter percutaneous coronary intervention clinical database M. Moscucci, D. Share, D. Smith, M. J. O'Donnell, A. Riba, R. McNamara, T. Lalonde, A. C. Defranco, K. Patel, E. Kline Rogers, C. D'Haem, M. Karve and K. A. Eagle

J Am Coll Cardiol (2005) 46;625-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16098426](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098426)

Improved long-term survival associated with stent deployment during percutaneous coronary interventions: results from a registry of 3399 patients J. B. Muhlestein, J. L. Anderson, C. Cui, Y. Lan, T. L. Bair, T. J. Bunch, R. R. Pearson, S. G. Sorensen, D. G. Renlund, L. Zhang, B. D. Horne and G. M. Vincent

Am Heart J (2005) 150;182-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16084167](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16084167)

Usefulness of noncoronary vascular disease in predicting adverse events in the year following percutaneous coronary intervention S. S. Naidu, H. Vlachos, D. Faxon, A. K. Jacobs, F. Selzer, K. Detre and R. L. Wilensky

Am J Cardiol (2005) 95;575-80

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15721094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15721094)

Stent implantation, but not pathogen burden, is associated with plasma C-reactive protein and interleukin-6 levels after percutaneous coronary intervention in patients with stable angina pectoris N. Saleh, B. Svane, J. Jensen, L. O. Hansson, M. Nordin and P. Tornvall

Am Heart J (2005) 149;876-82

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15894971](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15894971)

Outcome in patients transferred for percutaneous coronary intervention (a national registry of myocardial infarction 2/3/4 analysis) D. M. Shavelle, M. L. Rasouli, P. Frederick, C. M. Gibson and W. J. French

Am J Cardiol (2005) 96;1227-32

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list\\_uids=16253587](#)

Guidelines for percutaneous coronary interventions. The Task Force for Percutaneous Coronary Interventions of the European Society of Cardiology S. Silber, P. Albertsson, F. F. Aviles, P. G. Camici, A. Colombo, C. Hamm, E. Jorgensen, J. Marco, J. E. Nordrehaug, W. Ruzyllo, P. Urban, G. W. Stone and W. Wijns  
Eur Heart J (2005) 26;804-47

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15769784](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15769784)

Outpatient coronary angioplasty: feasible and safe T. Slagboom, F. Kiemeneij, G. J. Laarman and R. van der Wieken

Catheter Cardiovasc Interv (2005) 64;421-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15789393](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789393)

Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction L. A. Sleeper, K. Ramanathan, M. H. Picard, T. H. Lejemtel, H. D. White, V. Dzavik, D. Tormey, N. E. Avis and J. S. Hochman

J Am Coll Cardiol (2005) 46;266-73

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16022953](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022953)

ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention-summary article: A report of the American college of cardiology/American heart association task force on practice guidelines(ACC/AHA/SCAI writing committee to update the 2001 guidelines for percutaneous coronary intervention) S. C. Smith, Jr., T. E. Feldman, J. W. Hirshfeld, Jr., A. K. Jacobs, M. J. Kern, S. B. King, 3rd, D. A. Morrison, W. O'Neill W, H. V. Schaff, P. L. Whitlow, D. O. Williams, E. M. Antman, S. C. Smith, Jr., C. D. Adams, J. L. Anderson, D. P. Faxon, V. Fuster, J. L. Halperin, L. F. Hiratzka, S. A. Hunt, A. K. Jacobs, R. Nishimura, J. P. Ornato, R. L. Page and B. Riegel  
Catheter Cardiovasc Interv (2006) 67;87-112

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16355367](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16355367)

ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention-Summary Article A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention) S. C. Smith, Jr., T. E. Feldman, J. W. Hirshfeld, Jr., A. K. Jacobs, M. J. Kern, S. B. King, 3rd, D. A. Morrison, W. O'Neill W, H. V. Schaff, P. L. Whitlow, D. O. Williams, E. M. Antman, S. C. Smith, Jr., C. D. Adams, J. L. Anderson, D. P. Faxon, V. Fuster, J. L. Halperin, L. F. Hiratzka, S. A. Hunt, A. K. Jacobs, R. Nishimura, J. P. Ornato, R. L. Page and B. Riegel

J Am Coll Cardiol (2006) 47;216-35

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16386696](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386696)

ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention--summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing

Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention) S. C. Smith, Jr., T. E. Feldman, J. W. Hirshfeld, Jr., A. K. Jacobs, M. J. Kern, S. B. King, 3rd, D. A. Morrison, W. W. O'Neill, H. V. Schaff, P. L. Whitlow, D. O. Williams, E. M. Antman, C. D. Adams, J. L. Anderson, D. P. Faxon, V. Fuster, J. L. Halperin, L. F. Hiratzka, S. A. Hunt, R. Nishimura, J. P. Ornato, R. L. Page and B. Riegel  
Circulation (2006) 113;156-75

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16391169](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16391169)

ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention) S. C. Smith, Jr., T. E. Feldman, J. W. Hirshfeld, Jr., A. K. Jacobs, M. J. Kern, S. B. King, 3rd, D. A. Morrison, W. W. O'Neill, H. V. Schaff, P. L. Whitlow, D. O. Williams, E. M. Antman, S. C. Smith, Jr., C. D. Adams, J. L. Anderson, D. P. Faxon, V. Fuster, J. L. Halperin, L. F. Hiratzka, S. A. Hunt, A. K. Jacobs, R. Nishimura, J. P. Ornato, R. L. Page and B. Riegel  
J Am Coll Cardiol (2006) 47;e1-121

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16386656](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386656)

Is routine stenting for acute myocardial infarction superior to balloon angioplasty? A randomised comparison in a large cohort of unselected patients H. Suryapranata, G. De Luca, A. W. van 't Hof, J. P. Ottervanger, J. C. Hoorntje, J. H. Dambrink, A. T. Gosselink, F. Zijlstra and M. J. de Boer  
Heart (2005) 91;641-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15831652](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15831652)

Serum hepatocyte growth factor levels predict long-term clinical outcome after percutaneous coronary revascularization S. Susen, K. Sautiere, F. Mouquet, F. Cuilleret, A. Chmait, E. P. McFadden, B. Hennache, F. Richard, P. de Groote, J. M. Lablanche, J. Dallongeville, C. Bauters, B. Jude and E. Van Belle  
Eur Heart J (2005) 26;2387-95

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16105849](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16105849)

Impact and temporal trends of percutaneous coronary intervention in the drug-eluting stent versus bare metal stent eras C. A. Thompson, A. V. Kaplan, J. E. Jayne, B. J. Friedman, B. D. Hettleman, N. W. Niles and J. F. Robb  
Am J Cardiol (2005) 96;668-72

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16125492](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16125492)

Influence of percutaneous coronary intervention on coronary microvascular resistance index B. J. Verhoeff, M. Siebes, M. Meuwissen, B. Atasever, M. Voskuil, R. J. de Winter, K. T. Koch, J. G. Tijssen, J. A. Spaan and J. J. Piek  
Circulation (2005) 111;76-82

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15611371](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15611371)

A risk score to predict in-hospital mortality for percutaneous coronary interventions C.



Wu, E. L. Hannan, G. Walford, J. A. Ambrose, D. R. Holmes, Jr., S. B. King, 3rd, L. T. Clark, S. Katz, S. Sharma and R. H. Jones

J Am Coll Cardiol (2006) 47:654-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16458151](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458151)

Preprocedural plasma C-reactive protein levels, postprocedural creatine kinase-MB release, and long-term prognosis after successful coronary stenting (four-year results from the GENERATION study) M. N. Zairis, J. A. Ambrose, O. Ampartzidou, A. G. Lyras, S. J. Manousakis, S. S. Makrygiannis, D. J. Beldekos, M. C. Devoe, C. N. Fakiolas, A. A. Prekates, C. D. Olympios, S. K. Argyrakis and S. G. Foussas

Am J Cardiol (2005) 95:386-90

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15670550](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670550)