

Three-year duration of benefit from abciximab in patients receiving stents for acute myocardial infarction in the randomized double-blind ADMIRAL study

Eur Heart J (2005) 26;2520-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16249219

Effects of Fondaparinux on Mortality and Reinfarction in Patients With Acute ST-Segment Elevation Myocardial Infarction: The OASIS-6 Randomized Trial

Jama (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16537725

Infarct-related artery occlusion, tissue markers of ischaemia, and increased apoptosis in the peri-infarct viable myocardium A. Abbate, R. Bussani, G. G. Biondi-Zocca, D.

Santini, A. Petrolini, F. De Giorgio, F. Vasaturo, S. Scarpa, A. Severino, G. Liuzzo, A. M. Leone, F. Baldi, G. Sinagra, F. Silvestri, G. W. Vetrovec, F. Crea, L. M. Biasucci and A. Baldi

Eur Heart J (2005) 26;2039-45

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16030061

Changes in hospitalization rate and mortality after acute myocardial infarction in Denmark after diagnostic criteria and methods changed S. Z. Abildstrom, S.

Rasmussen and M. Madsen

Eur Heart J (2005) 26;990-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15618048

Enoxaparin versus unfractionated heparin as antithrombin therapy in patients receiving fibrinolysis for ST-elevation myocardial infarction. Design and rationale for the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction

Treatment-Thrombolysis In Myocardial Infarction study 25 (ExTRACT-TIMI 25) E. M.

Antman, D. A. Morrow, C. H. McCabe, F. Jiang, H. D. White, K. A. Fox, D. Sharma, P. Chew and E. Braunwald

Am Heart J (2005) 149;217-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846258

Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction C.

Antoniades, D. Tousoulis, C. Vasiliadou, C. Pitsavos, C. Chrysochoou, D. Panagiotakos, C. Tentolouris, K. Marinou, N. Koumallos and C. Stefanadis

J Am Coll Cardiol (2005) 46;1101-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16168297

Implementation of reperfusion therapy in acute myocardial infarction. A policy statement from the European Society of Cardiology J. P. Bassand, N. Danchin, G. Filippatos, A. Gitt, C. Hamm, S. Silber, M. Tubaro and F. Weidinger

Eur Heart J (2005) 26;2733-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16311237

- Early administration of abciximab in patients with acute myocardial infarction improves angiographic and clinical outcome after primary angioplasty S. L. Beeres, P. V. Oemrawsingh, H. M. Warda, R. Bechan, D. E. Atsma, J. W. Jukema, E. E. van der Wall and M. J. Schalij
Catheter Cardiovasc Interv (2005) 65:478-83
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15973655
- Glucose-insulin-potassium infusion in acute myocardial infarction: a hemodynamic study A. Bergstra, T. Svilaas, A. F. van den Heuvel, I. C. van der Horst and F. Zijlstra
Am Heart J (2006) 151:345-51
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442897
- Comparison of mortality rates in acute myocardial infarction treated by percutaneous coronary intervention versus fibrinolysis A. Betriu and M. Masotti
Am J Cardiol (2005) 95:100-1
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619401
- Multimarker risk strategy for predicting 1-month and 1-year major events in non-ST-elevation acute coronary syndromes V. Bodi, J. Sanchis, A. Llacer, L. Facila, J. Nunez, M. Pellicer, V. Bertomeu, V. Ruiz and F. J. Chorro
Am Heart J (2005) 149:268-74
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846264
- Homocysteine Lowering and Cardiovascular Events after Acute Myocardial Infarction K. H. Bonaa, I. Njolstad, P. M. Ueland, H. Schirmer, A. Tverdal, T. Steigen, H. Wang, J. E. Nordrehaug, E. Arnesen and K. Rasmussen
N Engl J Med (2006)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16531614
- Is primary angioplasty more effective than prehospital fibrinolysis in diabetics with acute myocardial infarction? Data from the CAPTIM randomized clinical trial E. Bonnefoy, P. G. Steg, S. Chabaud, P. Y. Dubien, F. Lapostolle, F. Boudet, J. M. Lacroute, F. Dissait, G. Vanzetto, A. Leizorowicz and P. Touboul
Eur Heart J (2005) 26:1712-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15840623
- Low-molecular-weight heparin vs. unfractionated heparin in percutaneous coronary intervention: a combined analysis M. Borentain, G. Montalescot, A. Bouzamondo, R. Choussat, J. S. Hulot and P. Lechat
Catheter Cardiovasc Interv (2005) 65:212-21
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15900551
- Left ventricular ejection fraction to predict early mortality in patients with non-ST-segment elevation acute coronary syndromes X. Bosch and P. Theroux
Am Heart J (2005) 150:215-20
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=16086920

Changing trends in the long-term prognosis of patients with acute myocardial infarction: a population-based perspective N. F. Botkin, F. A. Spencer, R. J. Goldberg, D. Lessard, J. Yarzebski and J. M. Gore

Am Heart J (2006) 151:199-205

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368319

Achieving door-to-balloon times that meet quality guidelines: how do successful hospitals do it? E. H. Bradley, S. A. Roumanis, M. J. Radford, T. R. Webster, R. L. McNamara, J. A. Mattera, B. A. Barton, D. N. Berg, E. L. Portnay, H. Moscovitz, J. Parkosewich, E. S. Holmboe, M. Blaney and H. M. Krumholz

J Am Coll Cardiol (2005) 46:1236-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16198837

The relationship between baseline risk and mortality in ST-elevation acute myocardial infarction treated with pharmacological reperfusion: insights from the Global Utilization of Strategies To open Occluded arteries (GUSTO) V trial S. J. Brener, A. M. Lincoff, E. R. Bates, G. Jia, P. W. Armstrong, V. Guetta, J. S. Hochman, S. Savonitto, R. G. Wilcox, H. D. White and E. J. Topol

Am Heart J (2005) 150:89-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16084153

Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms B. R. Brodie, C. Hansen, T. D. Stuckey, S. Richter, D. S. Versteeg, N. Gupta, W. E. Downey and M. Pulsipher

J Am Coll Cardiol (2006) 47:289-95

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412849

Relation between electrocardiographic ST-segment resolution and early and late outcomes after primary percutaneous coronary intervention for acute myocardial infarction B. R. Brodie, T. D. Stuckey, C. Hansen, D. S. VerSteeg, D. B. Muncy, S. Moore, N. Gupta and W. E. Downey

Am J Cardiol (2005) 95:343-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670542

Poor long-term patient and graft survival after primary percutaneous coronary intervention for acute myocardial infarction due to saphenous vein graft occlusion B. R. Brodie, D. S. VerSteeg, M. M. Brodie, C. Hansen, S. J. Richter, T. D. Stuckey, N. Gupta, M. Pulsipher and W. Downey

Catheter Cardiovasc Interv (2005) 65:504-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15988742

Effect of thrombolytic therapy on the risk of cardiac rupture and mortality in older patients with first acute myocardial infarction H. Bueno, M. Martinez-Selles, E. Perez-David and R. Lopez-Palop

Eur Heart J (2005) 26;1705-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15855190

Fondaparinux in ST-Segment Elevation Myocardial Infarction: The Drug, the Strategy, the Environment, or All of the Above? R. M. Califf

Jama (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16537724

Benefits of niacin by glycemic status in patients with healed myocardial infarction (from the Coronary Drug Project) P. L. Canner, C. D. Furberg, M. L. Terrin and M. E.

McGovern

Am J Cardiol (2005) 95;254-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642562

Early cardiac catheterization is associated with lower mortality only among high-risk patients with ST- and non-ST-elevation acute coronary syndromes: observations from the OPUS-TIMI 16 trial W. J. Cantor, S. G. Goodman, C. P. Cannon, S. A. Murphy, A. Charlesworth, E. Braunwald and A. Langer

Am Heart J (2005) 149;275-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846265

Radial versus femoral access for emergent percutaneous coronary intervention with adjunct glycoprotein IIb/IIIa inhibition in acute myocardial infarction--the RADIAL-AMI pilot randomized trial W. J. Cantor, G. Puley, M. K. Natarajan, V. Dzavik, M. Madan, A. Fry, H. H. Kim, J. L. Velianou, N. Pirani, B. H. Strauss and R. J. Chisholm

Am Heart J (2005) 150;543-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169338

Relation of chronic and acute glycemic control on mortality in acute myocardial infarction with diabetes mellitus J. J. Cao, M. Hudson, M. Jankowski, F. Whitehouse and W. D. Weaver

Am J Cardiol (2005) 96;183-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16018838

Effect of continuous quality improvement analysis on the delivery of primary percutaneous revascularization for acute myocardial infarction: a community hospital experience R. P. Caputo, R. Kosinski, G. Walford, A. Giambartolomei, W. Grant, M. J. Reger, A. Simons and P. Esente

Catheter Cardiovasc Interv (2005) 64;428-33; discussion 434-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789395

In-hospital and long-term outcomes of multivessel percutaneous coronary revascularization after acute myocardial infarction L. Y. Chen, R. J. Lennon, J. A. Grantham, P. B. Berger, V. Mathew, M. Singh, D. R. Holmes, Jr. and C. S. Rihal

Am J Cardiol (2005) 95;349-54

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=15670543

Impact of sirolimus-eluting stents on outcomes of patients treated for acute myocardial infarction by primary angioplasty E. Cheneau, S. W. Rha, P. K. Kuchulakanti, E. Stabile, T. Kinnaird, R. Torguson, A. D. Pichard, L. F. Satler, K. M. Kent and R. Waksman
Catheter Cardiovasc Interv (2005) 65:469-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15988741

Safety and accuracy of multidetector row computed tomography for early assessment of residual stenosis of the infarct-related artery and the number of diseased vessels after acute myocardial infarction K. R. Chiou, M. T. Wu, S. H. Hsiao, G. Y. Mar, H. B. Pan, C. F. Yang and C. P. Liu

Am Heart J (2005) 149:701-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990756

Non-ST-segment elevation acute coronary syndrome in patients with renal dysfunction: benefit of low-molecular-weight heparin alone or with glycoprotein IIb/IIIa inhibitors on outcomes. The Global Registry of Acute Coronary Events J. P. Collet, G. Montalescot, G. Agnelli, F. Van de Werf, E. P. Gurfinkel, J. Lopez-Sendon, C. V. Laufenberg, M. Klutman, N. Gowda and D. Gulba

Eur Heart J (2005) 26:2285-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15932908

Prevention of distal embolization and no-reflow in patients with acute myocardial infarction and total occlusion in the infarct-related vessel: a subgroup analysis of the cohort of acute revascularization in myocardial infarction with excimer laser-CARMEL multicenter study J. B. Dahm, D. Ebersole, T. Das, H. Madyhoom, K. Vora, J. Baker, D. Hilton and O. Topaz

Catheter Cardiovasc Interv (2005) 64:67-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619312

Bleeding complications in patients with anemia and acute myocardial infarction H. L. Dauerman, D. Lessard, J. Yarzebski, J. M. Gore and R. J. Goldberg

Am J Cardiol (2005) 96:1379-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275182

Impact of beta-blocker therapy at discharge on long-term mortality after primary angioplasty for ST-segment elevation myocardial infarction G. De Luca, M. J. de Boer, J. P. Ottervanger, A. W. van't Hof, J. C. Hoornje, A. T. Gosselink, J. H. Dambrink and H. Suryapranata

Am J Cardiol (2005) 96:806-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169366

Relation of interhospital delay and mortality in patients with ST-segment elevation myocardial infarction transferred for primary coronary angioplasty G. De Luca, N. Ernst, H. Suryapranata, J. P. Ottervanger, J. C. Hoornje, A. T. Gosselink, J. H. Dambrink, M. J. de Boer and A. W. van't Hof

Am J Cardiol (2005) 95;1361-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904644

Prognostic significance of residual cumulative ST-segment deviation after mechanical reperfusion in patients with ST-segment elevation myocardial infarction G. De Luca, A. C. Maas, H. Suryapranata, J. P. Ottervanger, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink, M. J. de Boer and A. W. van't Hof

Am Heart J (2005) 150;1248-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16338267

Impact of ST-segment depression resolution on mortality after successful mechanical reperfusion in patients with ST-segment elevation acute myocardial infarction G. De Luca, A. C. Maas, A. W. van't Hof, J. P. Ottervanger, J. C. Hoorntje, A. T. Gosselink, J. H. Dambrink, M. J. de Boer and H. Suryapranata

Am J Cardiol (2005) 95;234-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642556

Levosimendan improves hemodynamics and coronary flow reserve after percutaneous coronary intervention in patients with acute myocardial infarction and left ventricular dysfunction L. De Luca, P. Proietti, A. Celotto, C. Bucciarelli-Ducci, G. Benedetti, A. Di Roma, G. Sardella, I. Genuini and F. Fedele

Am Heart J (2005) 150;563-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169341

Right bundle branch block during the acute phase of myocardial infarction: modern redefinitions of old concepts A. Di Chiara

Eur Heart J (2006) 27;1-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16269420

Frequency and consequences of recording an electrocardiogram >10 minutes after arrival in an emergency room in non-ST-segment elevation acute coronary syndromes (from the CRUSADE Initiative) D. B. Diercks, W. F. Peacock, B. C. Hiestand, A. Y. Chen, C. V. Pollack, Jr., J. D. Kirk, S. C. Smith, Jr., W. B. Gibler, E. M. Ohman, A. L. Blomkalns, L. K. Newby, J. S. Hochman, E. D. Peterson and M. T. Roe

Am J Cardiol (2006) 97;437-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461033

Effect of clopidogrel plus aspirin on tissue perfusion and coronary flow in patients with ST-segment elevation myocardial infarction: a new reperfusion strategy A. Dogan, M. Ozgul, M. Ozaydin, S. M. Aslan, O. Gedikli and A. Altinbas

Am Heart J (2005) 149;1037-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976785

Relation of Nocturnal Melatonin Levels to C-Reactive Protein Concentration in Patients With ST-Segment Elevation Myocardial Infarction A. Dominguez-Rodriguez, M. Garcia-Gonzalez, P. Abreu-Gonzalez, J. Ferrer and J. C. Kaski

Am J Cardiol (2006) 97;10-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377274

Usefulness of Doppler assessment of pulmonary vein and left atrial appendage flow following pulmonary vein isolation of chronic atrial fibrillation in predicting recovery of left atrial function E. Donal, R. A. Grimm, H. Yamada, Y. J. Kim, N. Marrouche, A. Natale and J. D. Thomas

Am J Cardiol (2005) 95;941-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15820159

Outcome of patients aged >or=75 years in the SHould we emergently revascularize Occluded Coronaries in cardiogenic shock (SHOCK) trial: do elderly patients with acute myocardial infarction complicated by cardiogenic shock respond differently to emergent revascularization? V. Dzavik, L. A. Sleeper, M. H. Picard, T. A. Sanborn, A. M. Lowe, K. Gin, J. Saucedo, J. G. Webb, V. Menon, J. N. Slater and J. S. Hochman

Am Heart J (2005) 149;1128-34

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976798

Guideline-based standardized care is associated with substantially lower mortality in medicare patients with acute myocardial infarction: the American College of Cardiology's Guidelines Applied in Practice (GAP) Projects in Michigan K. A. Eagle, C. K. Montoye, A. L. Riba, A. C. DeFranco, R. Parrish, S. Skorcz, P. L. Baker, J. Faul, S. M. Jani, B. Chen, C. Roychoudhury, M. A. Elma, K. R. Mitchell and R. H. Mehta

J Am Coll Cardiol (2005) 46;1242-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16198838

Unfractionated and low-molecular-weight heparin as adjuncts to thrombolysis in aspirin-treated patients with ST-elevation acute myocardial infarction: a meta-analysis of the randomized trials J. W. Eikelboom, D. J. Quinlan, S. R. Mehta, A. G. Turpie, I. B. Menown and S. Yusuf

Circulation (2005) 112;3855-67

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16344381

Size and transmural extent of first-time reperfused myocardial infarction assessed by cardiac magnetic resonance can be estimated by 12-lead electrocardiogram H.

Engblom, E. Hedstrom, E. Heiberg, G. S. Wagner, O. Pahlm and H. Arheden

Am Heart J (2005) 150;920

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290962

Impact of failed mechanical reperfusion in patients with acute myocardial infarction treated with primary angioplasty N. M. Ernst, J. R. Timmer, F. Zijlstra and A. W. van 't Hof

Am J Cardiol (2005) 96;332-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054452

Non-high-density lipoprotein cholesterol versus low-density lipoprotein cholesterol as a

- risk factor for a first nonfatal myocardial infarction W. R. Farwell, H. D. Sesso, J. E. Buring and J. M. Gaziano
Am J Cardiol (2005) 96;1129-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214451
- Effect of early initiation of statins on survival in patients with acute myocardial infarction (the USIC 2000 Registry) J. Ferrieres, J. P. Cambou, P. Gueret, Y. Boutilbi, J. M. Lablanche, G. Hanania, N. Genes, C. Cantet and N. Danchin
Am J Cardiol (2005) 95;486-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15695134
- Randomized evaluation of the efficacy of enoxaparin versus unfractionated heparin in high-risk patients with non-ST-segment elevation acute coronary syndromes receiving the glycoprotein IIb/IIIa inhibitor eptifibatide. Long-term results of the Integrilin and Enoxaparin Randomized Assessment of Acute Coronary Syndrome Treatment (INTERACT) trial D. H. Fitchett, A. Langer, P. W. Armstrong, M. Tan, A. Mendelsohn and S. G. Goodman
Am Heart J (2006) 151;373-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442903
- Association of a negative residual stenosis following rescue/adjunctive percutaneous coronary intervention with impaired myocardial perfusion and adverse outcomes among ST-segment elevation myocardial infarction patients C. M. Gibson, A. J. Kirtane, K. Boundy, H. Ly, D. Karmpaliotis, S. A. Murphy, R. P. Giugliano, C. P. Cannon, E. M. Antman and E. Braunwald
J Am Coll Cardiol (2005) 45;357-62
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15680712
- Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction G. H. Gislason, J. N. Rasmussen, S. Z. Abildstrom, N. Gadsboll, P. Buch, J. Friberg, S. Rasmussen, L. Kober, S. Stender, M. Madsen and C. Torp-Pedersen
Eur Heart J (2006)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16399775
- The early glycoprotein IIb/IIIa inhibition in non-ST-segment elevation acute coronary syndrome (EARLY ACS) trial: a randomized placebo-controlled trial evaluating the clinical benefits of early front-loaded eptifibatide in the treatment of patients with non-ST-segment elevation acute coronary syndrome--study design and rationale R. P. Giugliano, L. K. Newby, R. A. Harrington, C. M. Gibson, F. Van de Werf, P. Armstrong, G. Montalescot, J. Gilbert, J. T. Strony, R. M. Califf and E. Braunwald
Am Heart J (2005) 149;994-1002
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976780
- Inhospital and 1-year mortality of patients who develop worsening renal function following acute ST-elevation myocardial infarction A. Goldberg, H. Hammerman, S.

Petcherski, A. Zdorovyak, S. Yalonetsky, M. Kapeliovich, Y. Agmon, W. Markiewicz and D. Aronson

Am Heart J (2005) 150;330-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086939

The diagnostic and prognostic impact of the redefinition of acute myocardial infarction: lessons from the Global Registry of Acute Coronary Events (GRACE) S. G. Goodman, P. G. Steg, K. A. Eagle, K. A. Fox, J. Lopez-Sendon, G. Montalescot, A. Budaj, B. M. Kennelly, J. M. Gore, J. Allegrone, C. B. Granger and E. P. Gurfinkel

Am Heart J (2006) 151;654-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16504627

Prediction of mortality after primary percutaneous coronary intervention for acute myocardial infarction: the CADILLAC risk score A. Halkin, M. Singh, E. Nikolsky, C. L. Grines, J. E. Tcheng, E. Garcia, D. A. Cox, M. Turco, T. D. Stuckey, Y. Na, A. J. Lansky, B. J. Gersh, W. W. O'Neill, R. Mehran and G. W. Stone

J Am Coll Cardiol (2005) 45;1397-405

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15862409

Acute myocardial infarction: clinical characteristics and plaque morphology between expansive remodeling and constrictive remodeling by intravascular ultrasound T.

Hasegawa, S. Ehara, Y. Kobayashi, T. Kataoka, H. Yamashita, H. Nishioka, K. Asawa, H. Yamagishi, M. Yoshiyama, K. Takeuchi, J. Yoshikawa and M. Ueda

Am Heart J (2006) 151;332-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442895

Usefulness of ST-segment elevation in the inferior leads in predicting ventricular septal rupture in patients with anterior wall acute myocardial infarction T. Hayashi, Y. Hirano, H. Takai, A. Kimura, M. Taniguchi, A. Kurooka and K. Ishikawa

Am J Cardiol (2005) 96;1037-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214434

Plaque erosion in the culprit lesion is prone to develop a smaller myocardial infarction size compared with plaque rupture T. Hayashi, T. Kiyoshima, M. Matsuura, M. Ueno, N. Kobayashi, H. Yabushita, A. Kurooka, M. Taniguchi, M. Miyataka, A. Kimura and K. Ishikawa

Am Heart J (2005) 149;284-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846266

Pre-hospital reperfusion therapy: a strategy to improve therapeutic outcome in patients with ST-elevation myocardial infarction K. Huber, R. De Caterina, S. D. Kristensen, F. W. Verheugt, G. Montalescot, L. B. Maestro and F. Van de Werf

Eur Heart J (2005) 26;2063-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16055497

Quantitative measurement of infarct size by contrast-enhanced magnetic resonance

imaging early after acute myocardial infarction: comparison with single-photon emission tomography using Tc99m-sestamibi T. Ibrahim, S. G. Nekolla, M. Hornke, H. P. Bulow, J. Dirschinger, A. Schomig and M. Schwaiger

J Am Coll Cardiol (2005) 45;544-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708702

Acute hyperglycemia is associated with adverse outcome after acute myocardial infarction in the coronary intervention era M. Ishihara, S. Kojima, T. Sakamoto, Y. Asada, C. Tei, K. Kimura, S. Miyazaki, M. Sonoda, K. Tsuchihashi, M. Yamagishi, Y. Ikeda, M. Shirai, H. Hiraoka, T. Inoue, F. Saito and H. Ogawa

Am Heart J (2005) 150;814-20

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209987

Impact of a single intravenous administration of nicorandil before reperfusion in patients with ST-segment-elevation myocardial infarction H. Ishii, S. Ichimiya, M. Kanashiro, T. Amano, K. Imai, T. Murohara and T. Matsubara

Circulation (2005) 112;1284-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16116055

Chronic pre-treatment of statins is associated with the reduction of the no-reflow phenomenon in the patients with reperfused acute myocardial infarction K. Iwakura, H. Ito, S. Kawano, A. Okamura, T. Kurotobi, M. Date, K. Inoue and K. Fujii

Eur Heart J (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401674

Usefulness of biomarkers for predicting long-term mortality in patients with diabetes mellitus and non-ST-elevation acute coronary syndromes (a GUSTO IV substudy) S. K. James, B. Lindahl, J. R. Timmer, J. P. Ottenvanger, A. Siegbahn, M. Stridsberg, P.

Armstrong, R. Califf, L. Wallentin and M. L. Simoons

Am J Cardiol (2006) 97;167-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442356

Predicting a late positive serum troponin in initially troponin-negative patients with non-ST-elevation acute coronary syndrome: clinical predictors and validated risk score results from the TIMI IIIB and GUSTO IIA studies J. L. Januzzi, Jr., L. K. Newby, S. A. Murphy, K. Pieper, E. M. Antman, D. A. Morrow, M. S. Sabatine, E. M. Ohman, C. P. Cannon and E. Braunwald

Am Heart J (2006) 151;360-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442899

Risk assessment in patients with unstable angina/non-ST-elevation myocardial infarction and normal N-terminal pro-brain natriuretic peptide levels by N-terminal pro-atrial natriuretic peptide R. Jarai, N. Iordanova, R. Jarai, A. Raffetseder, W. Woloszczuk, M. Gyongyosi, G. Geyer, J. Wojta and K. Huber

Eur Heart J (2005) 26;250-6

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=15618049

Diabetes status and racial differences in post-myocardial infarction mortality M.

Kamalesh, U. Subramanian, A. Ariana, S. Sawada and E. Peterson

Am Heart J (2005) 150;912-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290960

Influence of clinical trial enrollment on the quality of care and outcomes for patients with non-ST-segment elevation acute coronary syndromes D. E. Kandzari, M. T. Roe, A. Y. Chen, B. L. Lytle, C. V. Pollack, Jr., R. A. Harrington, E. M. Ohman, W. B. Gibler and E. D. Peterson

Am Heart J (2005) 149;474-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864236

Relation of atherothrombosis burden and volume detected by intravascular ultrasound to angiographic no-reflow phenomenon during stent implantation in patients with acute myocardial infarction T. Katayama, N. Kubo, Y. Takagi, H. Funayama, N. Ikeda, T. Ishida, T. Hirahara, Y. Sugawara, T. Yasu, M. Kawakami and M. Saito

Am J Cardiol (2006) 97;301-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442385

Economic analysis of the Assessment of the Safety and Efficacy of a New Thrombolytic Regimen (ASSENT-3) study: costs of reperfusion strategies in acute myocardial infarction P. Kaul, P. W. Armstrong, P. A. Cowper, E. L. Eisenstein, C. B. Granger, F. Van de Werf and D. B. Mark

Am Heart J (2005) 149;637-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990746

Should patients with acute myocardial infarction be transferred to a tertiary center for primary angioplasty or receive it at qualified hospitals in the community? The case for emergency transfer for primary percutaneous coronary intervention E. C. Keeley and C. L. Grines

Circulation (2005) 112;3520-32; discussion 3533

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16320379

Relation of impaired Thrombolysis In Myocardial Infarction myocardial perfusion grades to residual thrombus following the restoration of epicardial patency in ST-elevation myocardial infarction A. J. Kirtane, A. Weisbord, D. Karmpaliotis, S. A. Murphy, R. P. Giugliano, C. P. Cannon, E. M. Antman, E. M. Ohman, M. T. Roe, E. Braunwald and C. M. Gibson

Am J Cardiol (2005) 95;224-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642554

Mortality after emergent percutaneous coronary intervention in cardiogenic shock secondary to acute myocardial infarction and usefulness of a mortality prediction model L. W. Klein, R. E. Shaw, R. J. Krone, R. G. Brindis, H. V. Anderson, P. C. Block, C. R. McKay, K. Hewitt and W. S. Weintraub

Am J Cardiol (2005) 96;35-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979429

Prognostic usefulness of serum uric acid after acute myocardial infarction (the Japanese Acute Coronary Syndrome Study) S. Kojima, T. Sakamoto, M. Ishihara, K. Kimura, S. Miyazaki, M. Yamagishi, C. Tei, H. Hiraoka, M. Sonoda, K. Tsuchihashi, N. Shimoyama, T. Honda, Y. Ogata, K. Matsui and H. Ogawa

Am J Cardiol (2005) 96;489-95

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098298

Microalbuminuria: a strong predictor of 3-year adverse prognosis in nondiabetic patients with acute myocardial infarction S. Koulouris, I. Lekatsas, I. Karabinos, G. Ioannidis, T. Katostaras, A. Kranidis, K. Triantafillou, N. Thalassinos and L. Anthopoulos

Am Heart J (2005) 149;840-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15894965

Side branch occlusion after coronary stent implantation in patients presenting with ST-elevation myocardial infarction: clinical impact and angiographic predictors S. Kralev, T. C. Poerner, D. Basorth, S. Lang, C. Wolpert, D. Haggi, M. Borggrefe, K. K. Haase and T. Suselbeck

Am Heart J (2006) 151;153-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368309

Effects of glucose-insulin-potassium infusion on ST-elevation myocardial infarction in patients treated with thrombolytic therapy G. Krljanac, Z. Vasiljevic, M. Radovanovic, G. Stankovic, N. Milic, B. Stefanovic, J. Kostic, P. Mitrović, N. Radovanovic, M. Dragovic, J. Marinkovic and A. Karadzic

Am J Cardiol (2005) 96;1053-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214437

ACC/AHA Clinical Performance Measures for Adults With ST-Elevation and Non-ST-Elevation Myocardial Infarction. A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures (Writing Committee to Develop Performance Measures on ST-Elevation and Non-ST-Elevation Myocardial Infarction) H. M. Krumholz, J. L. Anderson, N. H. Brooks, F. M. Fesmire, C. T. Lambrew, M. B. Landrum, W. D. Weaver, J. Whyte, R. O. Bonow, S. J. Bennett, G. Burke, K. A. Eagle, H. M. Krumholz, C. T. Lambrew, J. Linderbaum, F. A. Masoudi, S. L. Normand, I. L. Pina, M. J. Radford, J. S. Rumsfeld, J. L. Ritchie and J. A. Spertus

Circulation (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16391153

ACC/AHA clinical performance measures for adults with ST-elevation and non-ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Performance Measures (Writing Committee to Develop Performance Measures on ST-Elevation and Non-ST-Elevation Myocardial Infarction) H. M. Krumholz, J. L. Anderson, N. H. Brooks, F. M. Fesmire, C.

T. Lambrew, M. B. Landrum, W. D. Weaver, J. Whyte, R. O. Bonow, S. J. Bennett, G. Burke, K. A. Eagle, J. Linderbaum, F. A. Masoudi, S. L. Normand, I. L. Pina, M. J. Radford, J. S. Rumsfeld, J. L. Ritchie and J. A. Spertus

J Am Coll Cardiol (2006) 47;236-65

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386697

Treatment with granulocyte colony-stimulating factor for mobilization of bone marrow cells in patients with acute myocardial infarction F. Kuethe, H. R. Figulla, M. Herzau, M. Voth, M. Fritzenwanger, T. Opfermann, K. Pachmann, A. Krack, H. G. Sayer, D.

Gottschild and G. S. Werner

Am Heart J (2005) 150;115

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086558

Characteristics and outcomes of patients with acute myocardial infarction and angiographically normal coronary arteries A. I. Larsen, P. D. Galbraith, W. A. Ghali, C. M. Norris, M. M. Graham and M. L. Knudtson

Am J Cardiol (2005) 95;261-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15642564

Brief repetitive balloon occlusions enhance reperfusion during percutaneous coronary intervention for acute myocardial infarction: a pilot study W. K. Laskey

Catheter Cardiovasc Interv (2005) 65;361-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15945105

Combined angioplasty and pharmacological intervention versus thrombolysis alone in acute myocardial infarction (CAPITAL AMI study) M. R. Le May, G. A. Wells, M. Labinaz, R. F. Davies, M. Turek, D. Leddy, J. Maloney, T. McKibbin, B. Quinn, R. S. Beanlands, C. Glover, J. F. Marquis, E. R. O'Brien, W. L. Williams and L. A. Higginson

J Am Coll Cardiol (2005) 46;417-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16053952

Effects of tirofiban plus clopidogrel versus clopidogrel plus provisional abciximab on biomarkers of myocardial necrosis in patients with non-ST-elevation acute coronary syndromes treated with early aggressive approach. Results of the CLOpidogrel, upstream Tirofiban, in cath Lab Downstream Abciximab (CLOTILDA) study M. Leoncini, A. Toso, M. Maioli, F. Bellandi, T. Badia, A. Politi, S. De Servi and R. P. Dabizzi

Am Heart J (2005) 150;401

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169315

Mobilization of bone marrow-derived stem cells after myocardial infarction and left ventricular function A. M. Leone, S. Rutella, G. Bonanno, A. Abbate, A. G. Rebuzzi, S. Giovannini, M. Lombardi, L. Galiuto, G. Liuzzo, F. Andreotti, G. A. Lanza, A. M. Contemi, G. Leone and F. Crea

Eur Heart J (2005) 26;1196-204

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734770

- Metabolic syndrome and risk of cardiovascular events after myocardial infarction G. Levantesi, A. Macchia, R. Marfisi, M. G. Franzosi, A. P. Maggioni, G. L. Nicolosi, C. Schweiger, L. Tavazzi, G. Tognoni, F. Valagussa and R. Marchioli
J Am Coll Cardiol (2005) 46;277-83
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022955
- Impact of combined pharmacologic treatment with clopidogrel and a statin on outcomes of patients with non-ST-segment elevation acute coronary syndromes: perspectives from a large multinational registry M. J. Lim, F. A. Spencer, J. M. Gore, O. H. Dabbous, G. Agnelli, E. M. Kline-Rogers, D. Dibenedetto, K. A. Eagle and R. H. Mehta
Eur Heart J (2005) 26;1063-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15716281
- Do statins influence the prognostic impact of non-sustained ventricular tachycardia after ST-elevation myocardial infarction? H. Lorenz, C. Junger, K. Seidl, A. Gitt, S. Schneider, R. Schiele, H. Wienbergen, R. Winkler, M. Gottwik, W. Delius, J. Senges and B. Rauch
Eur Heart J (2005) 26;1078-85
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15728647
- A pilot study: the Noninvasive Surface Cooling Thermoregulatory System for Mild Hypothermia Induction in Acute Myocardial Infarction (the NICAMI Study) H. Q. Ly, A. Denault, J. Dupuis, A. Vadeboncoeur, F. Harel, A. Arsenault, C. M. Gibson and R. Bonan
Am Heart J (2005) 150;933
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290966
- Angiographic and clinical outcomes associated with direct versus conventional stenting among patients treated with fibrinolytic therapy for ST-elevation acute myocardial infarction H. Q. Ly, A. J. Kirtane, J. Buros, R. P. Giugliano, J. J. Popma, E. M. Antman, R. A. Harrington, E. M. Ohman and C. M. Gibson
Am J Cardiol (2005) 95;383-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15670549
- Does diabetes mellitus abolish the beneficial effect of primary coronary angioplasty on long-term risk of reinfarction after acute ST-segment elevation myocardial infarction compared with fibrinolysis? (A DANAMI-2 substudy) M. M. Madsen, M. Busk, H. M. Sondergaard, M. Bottcher, L. S. Mortensen, H. R. Andersen and T. T. Nielsen
Am J Cardiol (2005) 96;1469-75
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310424
- Exploring the role of enoxaparin in the management of high-risk patients with non-ST-elevation acute coronary syndromes: the SYNERGY trial K. W. Mahaffey and J. J. Ferguson
Am Heart J (2005) 149;S81-90
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16124952

Inflammatory markers at the site of ruptured plaque in acute myocardial infarction: locally increased interleukin-6 and serum amyloid A but decreased C-reactive protein W. Maier, L. A. Altwegg, R. Corti, S. Gay, M. Hersberger, F. E. Maly, G. Sutsch, M. Roffi, M. Neidhart, F. R. Eberli, F. C. Tanner, S. Gobbi, A. von Eckardstein and T. F. Luscher Circulation (2005) 111;1355-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15753219

Influence of reperfusion therapy on prognosis in patients aged >or=89 years with acute myocardial infarction M. Martinez-Selles, T. Datino and H. Bueno Am J Cardiol (2005) 95;1232-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877998

Controlled myocardial infarction induced by intracoronary injection of n-butyl cyanoacrylate in dogs: a feasibility study G. F. Matos, R. Hammadeh, C. Francois, R. McCarthy and F. Leya

Catheter Cardiovasc Interv (2005) 66;244-53

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16082687

Diffuse and active inflammation occurs in both vulnerable and stable plaques of the entire coronary tree: a histopathologic study of patients dying of acute myocardial infarction A. Mauriello, G. Sangiorgi, S. Fratoni, G. Palmieri, E. Bonanno, L. Anemona, R. S. Schwartz and L. G. Spagnoli

J Am Coll Cardiol (2005) 45;1585-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15893171

Percutaneous coronary intervention and 1 year survival in patients treated with fibrinolytic therapy for acute ST-elevation myocardial infarction A. J. McClelland, C. G. Owens, S. J. Walsh, D. McCarty, T. Mathew, M. Stevenson, H. Gracey, M. M. Khan and A. A. Adgey

Eur Heart J (2005) 26;544-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15713694

Trends in prehospital delay time and use of emergency medical services for acute myocardial infarction: experience in 4 US communities from 1987-2000 A. P. McGinn, W. D. Rosamond, D. C. Goff, Jr., H. A. Taylor, J. S. Miles and L. Chambless

Am Heart J (2005) 150;392-400

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169313

The effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction: an analysis of the Valsartan in Acute Myocardial Infarction Trial (VALIANT) J. McMurray, S. Solomon, K. Pieper, S. Reed, J. Rouleau, E. Velazquez, H. White, J. Howlett, K. Swedberg, A. Maggioni, L. Kober, F. Van de Werf, R. Califf and M. Pfeffer

J Am Coll Cardiol (2006) 47;726-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16487836

Hospital improvement in time to reperfusion in patients with acute myocardial infarction, 1999 to 2002 R. L. McNamara, J. Herrin, E. H. Bradley, E. L. Portnay, J. P. Curtis, Y.

Wang, D. J. Magid, M. Blaney and H. M. Krumholz

J Am Coll Cardiol (2006) 47;45-51

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386663

Instant percutaneous closure of patent foramen ovale in patients with acute myocardial infarction and normal coronary arteries V. K. Mehan, A. Wahl, N. Walpot and B. Meier Catheter Cardiovasc Interv (2006) 67;279-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16400665

Gender and myocardial salvage after reperfusion treatment in acute myocardial infarction J. Mehilli, G. Ndrepepa, A. Kastrati, S. G. Nekolla, C. Markwardt, H. Bollwein, J. Pache, S. Martinoff, J. Dirschinger, M. Schwaiger and A. Schomig

J Am Coll Cardiol (2005) 45;828-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15766814

Association of height with outcomes in patients with acute myocardial infarction receiving reperfusion therapy R. H. Mehta, R. M. Califf, J. Garg, K. S. Pieper, J. H. Alexander, D. J. Moliterno, F. Van de Werf, E. M. Ohman, H. D. White, E. J. Topol and C. B. Granger

Am J Cardiol (2005) 95;1371-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904648

Incidence, predictors, and outcomes of high-degree atrioventricular block complicating acute myocardial infarction treated with thrombolytic therapy T. J. Meine, S. M. Al-Khatib, J. H. Alexander, C. B. Granger, H. D. White, R. Kilaru, K. Williams, E. M. Ohman, E. Topol and R. M. Califf

Am Heart J (2005) 149;670-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990751

Intracoronary bone marrow cell transfer after myocardial infarction: eighteen months' follow-up data from the randomized, controlled BOOST (BOne marrOw transfer to enhance ST-elevation infarct regeneration) trial G. P. Meyer, K. C. Wollert, J. Lotz, J. Steffens, P. Lippolt, S. Fichtner, H. Hecker, A. Schaefer, L. Arseniev, B. Hertenstein, A. Ganser and H. Drexler

Circulation (2006) 113;1287-94

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16520413

Atherosclerotic risk genotypes and recurrent coronary events after myocardial infarction

A. J. Moss, D. Ryan, D. Oakes, R. E. Goldstein, H. Greenberg, M. M. Bodenheimer, M. W. Brown, R. B. Case, E. M. Dwyer, Jr., S. W. Eberly, C. W. Francis, J. A. Gillespie, R. J. Krone, E. Lichstein, J. W. MacCluer, F. I. Marcus, J. McCarthy, C. E. Sparks and W. Zareba

Am J Cardiol (2005) 96;177-82

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=16018837

Binge drinking and mortality after acute myocardial infarction K. J. Mukamal, M. Maclure, J. E. Muller and M. A. Mittleman

Circulation (2005) 112;3839-45

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16365208

Influence of serotonin transporter gene polymorphism on depressive symptoms and new cardiac events after acute myocardial infarction D. Nakatani, H. Sato, Y. Sakata, I. Shiotani, K. Kinjo, H. Mizuno, M. Shimizu, H. Ito, Y. Koretsune, A. Hirayama and M. Hori Am Heart J (2005) 150;652-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209960

Relation between hospital specialization with primary percutaneous coronary intervention and clinical outcomes in ST-segment elevation myocardial infarction: National Registry of Myocardial Infarction-4 analysis B. K. Nallamothu, Y. Wang, D. J. Magid, R. L. McNamara, J. Herrin, E. H. Bradley, E. R. Bates, C. V. Pollack, Jr. and H. M. Krumholz

Circulation (2006) 113;222-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401769

Tenecteplase and tirofiban in ST-segment elevation acute myocardial infarction: results of a randomized trial E. M. Ohman, F. Van de Werf, E. M. Antman, R. M. Califf, J. A. de Lemos, C. M. Gibson, R. L. Oliverio, L. Harrelson, C. McCabe, P. DiBattiste and E. Braunwald

Am Heart J (2005) 150;79-88

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16084152

Association between cardiac troponin T elevation and angiographic morphology of culprit lesion in patients with non-ST-segment elevation acute coronary syndrome T. Ohtani, Y. Ueda, M. Shimizu, I. Mizote, A. Hirayama, M. Hori and K. Kodama

Am Heart J (2005) 150;227-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086923

Enalapril suppresses ventricular remodeling more effectively than losartan in patients with acute myocardial infarction H. Onodera, T. Matsunaga, Y. Tamura, N. Maeda, T. Higuma, S. Sasaki, Y. Mori, F. Yoshimachi, H. Ishizaka, H. Hanada, T. Osanai and K. Okumura

Am Heart J (2005) 150;689

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209966

Outcomes of patients in clinical trials with ST-segment elevation myocardial infarction among countries with different gross national incomes A. Orlandini, R. Diaz, D. Wojdyla, K. Pieper, F. Van de Werf, C. B. Granger, R. A. Harrington, E. Boersma, R. M. Califf, P. Armstrong, H. White, J. Simes and E. Paolasso

Eur Heart J (2006)

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=16410369

A randomized trial comparing clopidogrel versus ticlopidine therapy in patients undergoing infarct artery stenting for acute myocardial infarction with abciximab as adjunctive therapy G. Parodi, R. Sciagra, A. Migliorini, G. Memisha, G. Moschi, R. Valenti, A. Pupi and D. Antoniucci

Am Heart J (2005) 150;220

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086921

Cardiac tamponade in the fibrinolytic era: analysis of >100,000 patients with ST-segment elevation myocardial infarction M. R. Patel, T. J. Meine, L. Lindblad, J. Griffin, C. B. Granger, R. C. Becker, F. Van de Werf, H. White, R. M. Califf and R. A. Harrington

Am Heart J (2006) 151;316-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442893

Administration of intracoronary eptifibatide during ST-elevation myocardial infarction D. S. Pinto, A. J. Kirtane, N. A. Ruocco, A. J. Deibebe, A. Shui, J. Buros, S. A. Murphy and C. M. Gibson

Am J Cardiol (2005) 96;1494-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310428

Mechanisms of death in elderly patients with acute myocardial infarction exposed to fibrinolytic therapy S. Polic, Z. Rumboldt and K. Novak

Eur Heart J (2006) 27;246

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16314337

Prediction of death or myocardial infarction by exercise single photon emission computed tomography perfusion scintigraphy in patients who have had recent coronary artery stenting V. Rajagopal, H. S. Gurm, R. C. Brunken, C. E. Pothier, D. L. Bhatt and M. S. Lauer

Am Heart J (2005) 149;534-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864244

Predictors of the rise in vWF after ST elevation myocardial infarction: implications for treatment strategies and clinical outcome: An ENTIRE-TIMI 23 substudy K. K. Ray, D. A. Morrow, C. M. Gibson, S. Murphy, E. M. Antman and E. Braunwald

Eur Heart J (2005) 26;440-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15673542

Resource use, costs, and quality of life among patients in the multinational Valsartan in Acute Myocardial Infarction Trial (VALIANT) S. D. Reed, J. I. Radeva, K. P. Weinfurt, J. J. McMurray, M. A. Pfeffer, E. J. Velazquez, J. S. Allsbrook, L. E. Masselink, M. A. Sellers, R. M. Califf and K. A. Schulman

Am Heart J (2005) 150;323-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086938

Stem Cell Mobilization Induced by Subcutaneous Granulocyte-Colony Stimulating Factor to Improve Cardiac Regeneration After Acute ST-Elevation Myocardial Infarction. Result of the Double-Blind, Randomized, Placebo-Controlled Stem Cells in Myocardial Infarction (STEMMI) Trial R. S. Ripa, E. Jorgensen, Y. Wang, J. J. Thune, J. C. Nilsson, L. Sondergaard, H. E. Johnsen, L. Kober, P. Grande and J. Kastrup Circulation (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16531621

Infarct-Related Coronary Artery Patency and Medication Use Prior to ST-Segment Elevation Myocardial Infarction C. R. Robinson, J. L. Martin, L. Zhang, R. M. Canham, S. M. Abdullah, J. E. Cigarroa, L. D. Hillis, S. A. Murphy, D. K. McGuire, J. A. de Lemos and E. C. Keeley

Am J Cardiol (2006) 97;7-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377273

Ozone air pollution is associated with acute myocardial infarction J. B. Ruidavets, M. Cournot, S. Cassadou, M. Giroux, M. Meybeck and J. Ferrieres

Circulation (2005) 111;563-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699276

Combination of quantitative ST deviation and troponin elevation provides independent prognostic and therapeutic information in unstable angina and non-ST-elevation myocardial infarction M. S. Sabatine, D. A. Morrow, C. H. McCabe, E. M. Antman, C. M. Gibson and C. P. Cannon

Am Heart J (2006) 151;25-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368287

Angiographic and Clinical Outcomes in Patients Receiving Low-Molecular-Weight Heparin Versus Unfractionated Heparin in ST-Elevation Myocardial Infarction Treated With Fibrinolytics in the CLARITY-TIMI 28 Trial M. S. Sabatine, D. A. Morrow, G. Montalescot, M. Dellborg, J. L. Leiva-Pons, M. Keltai, S. A. Murphy, C. H. McCabe, C. M. Gibson, C. P. Cannon, E. M. Antman and E. Braunwald

Circulation (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16291601

A multistate comparison of patient characteristics, outcomes, and treatment practices in acute myocardial infarction S. S. Saleh, E. L. Hannan and L. Ting

Am J Cardiol (2005) 96;1190-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253580

New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations: a comparison with the TIMI risk score J. Sanchis, V. Bodi, J. Nunez, V. Bertomeu-Gonzalez, C. Gomez, M. J. Bosch, L. Consuegra, X. Bosch, F. J. Chorro and A. Llacer

J Am Coll Cardiol (2005) 46;443-9

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=16053956

Compliance with guidelines and 1-year mortality in patients with acute myocardial infarction: a prospective study F. Schiele, N. Meneveau, M. F. Seronde, F. Caulfield, R. Fouche, G. Lassabe, D. Baborier, P. Legallery and J. P. Bassand
Eur Heart J (2005) 26:873-80

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15681575

One year outcomes with abciximab vs. placebo during percutaneous coronary intervention after pre-treatment with clopidogrel A. Schomig, C. Schmitt, A. Dibra, J. Mehilli, C. Volmer, H. Schuhlen, J. Dirschinger, F. Dotzer, J. M. ten Berg, F. J. Neumann, P. B. Berger and A. Kastrati
Eur Heart J (2005) 26:1379-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734767

Predictors and 1-year outcome of major bleeding in patients with non-ST-elevation acute coronary syndromes: insights from the Canadian Acute Coronary Syndrome Registries A. Segev, B. H. Strauss, M. Tan, C. Constance, A. Langer and S. G. Goodman
Am Heart J (2005) 150:690-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209967

Outcome in patients transferred for percutaneous coronary intervention (a national registry of myocardial infarction 2/3/4 analysis) D. M. Shavelle, M. L. Rasouli, P. Frederick, C. M. Gibson and W. J. French
Am J Cardiol (2005) 96:1227-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253587

Impact of age and gender on in-hospital and late mortality after acute myocardial infarction: increased early risk in younger womenResults from the French nation-wide USIC registries T. Simon, M. Mary-Krause, J. P. Cambou, G. Hanania, P. Gueret, J. M. Lablanche, D. Blanchard, N. Genes and N. Danchin
Eur Heart J (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401671

Mortality after acute myocardial infarction in hospitals that disproportionately treat black patients J. Skinner, A. Chandra, D. Staiger, J. Lee and M. McClellan
Circulation (2005) 112:2634-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16246963

Comparison of mortality patterns in patients with ST-elevation myocardial infarction arriving by emergency medical services versus self-transport (from the prospective Ottawa Hospital STEMI Registry) D. Y. So, A. C. Ha, M. A. Turek, J. P. Maloney, L. A. Higginson, R. F. Davies, S. C. Ryan and M. R. Le May
Am J Cardiol (2006) 97:458-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461036

Combined prognostic utility of ST-segment recovery and myocardial blush after primary percutaneous coronary intervention in acute myocardial infarction P. Sorajja, B. J.

Gersh, C. Costantini, M. G. McLaughlin, P. Zimetbaum, D. A. Cox, E. Garcia, J. E.

Tcheng, R. Mehran, A. J. Lansky, D. E. Kandzari, C. L. Grines and G. W. Stone

Eur Heart J (2005) 26;667-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734768

Use of combination evidence-based medical therapy prior to acute myocardial infarction (from the National Registry of Myocardial Infarction-4) F. A. Spencer, P. D. Frederick, R. J. Goldberg, J. M. Gore and A. J. Tiefenbrunn

Am J Cardiol (2005) 96;922-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188517

Decade-long changes in the use of combination evidence-based medical therapy at discharge for patients surviving acute myocardial infarction F. A. Spencer, D. Lessard, J. Yarzebski, J. M. Gore and R. J. Goldberg

Am Heart J (2005) 150;838-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209991

The Prospective Registry Evaluating Myocardial Infarction: Events and Recovery (PREMIER)--evaluating the impact of myocardial infarction on patient outcomes J. A.

Spertus, E. Peterson, J. S. Rumsfeld, P. G. Jones, C. Decker and H. Krumholz

Am Heart J (2006) 151;589-97

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16504619

Very early cardiac magnetic resonance imaging for quantification of myocardial tissue perfusion in patients receiving tirofiban before percutaneous coronary intervention for ST-elevation myocardial infarction H. Steen, S. Lehrke, U. K. Wiegand, C. Merten, L. Schuster, G. Richardt, C. Kulke, H. B. Gehl, J. A. Lima, H. A. Katus and E. Giannitsis

Am Heart J (2005) 149;564

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864217

Long-term clinical outcomes after rescue angioplasty are not different from those of successful thrombolysis for acute myocardial infarction P. G. Steg, L. Francois, B. Iung, D. Himbert, P. Aubry, P. Charlier, H. Benamer, L. J. Feldman and J. M. Juliard

Eur Heart J (2005) 26;1831-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15930039

Hospital therapy traditions influence long-term survival in patients with acute myocardial infarction U. Stenestrand, J. Lindback and L. Wallentin

Am Heart J (2005) 149;82-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15660038

Applicability of clinical prediction models in acute myocardial infarction: a comparison of traditional and empirical Bayes adjustment methods E. W. Steyerberg, M. J. Eijkemans, E. Boersma and J. D. Habbema

Am Heart J (2005) 150;920

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290963

Admission glucose concentrations independently predict early and late mortality in patients with acute myocardial infarction treated by primary or rescue percutaneous coronary intervention E. Straumann, D. J. Kurz, J. Muntwyler, I. Stettler, M. Furrer, B. Naegeli, J. Frielingsdorf, E. Schuiki, R. Mury, O. Bertel and G. A. Spinas

Am Heart J (2005) 150;1000-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290985

Fasting glucose is an important independent risk factor for 30-day mortality in patients with acute myocardial infarction: a prospective study M. Suleiman, H. Hammerman, M. Boulos, M. R. Kapeliovich, A. Suleiman, Y. Agmon, W. Markiewicz and D. Aronson Circulation (2005) 111;754-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699267

Mortality rates in patients with ST-elevation vs. non-ST-elevation acute myocardial infarction: observations from an unselected cohort C. J. Terkelsen, J. F. Lassen, B. L. Norgaard, J. C. Gerdes, T. Jensen, L. B. Gotzsche, T. T. Nielsen and H. R. Andersen

Eur Heart J (2005) 26;18-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15615795

Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study) C. J. Terkelsen, B. L. Norgaard, J. F. Lassen, S. H. Poulsen, J. C. Gerdes, E. Sloth, L. B. Gotzsche, F. K. Romer, L. Thuesen, T. T. Nielsen and H. R. Andersen

Eur Heart J (2006) 27;267-75

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16227311

Comparison of pre-hospital combination-fibrinolysis plus conventional care with pre-hospital combination-fibrinolysis plus facilitated percutaneous coronary intervention in acute myocardial infarction H. Thiele, L. Engelmann, K. Elsner, M. J. Kappl, W. H. Storch, K. Rahimi, A. Hartmann, D. Pfeiffer, G. D. Kneissl, D. Schneider, T. Moller, H. J. Heberling, I. Weise and G. Schuler

Eur Heart J (2005) 26;1956-63

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16061501

Randomized comparison of intra-aortic balloon support with a percutaneous left ventricular assist device in patients with revascularized acute myocardial infarction complicated by cardiogenic shock H. Thiele, P. Sick, E. Boudriot, K. W. Diederich, R. Hambrecht, J. Niebauer and G. Schuler

Eur Heart J (2005) 26;1276-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734771

N-terminal pro-brain natriuretic peptide and tombstoning ST-segment elevation in

- patients with anterior wall acute myocardial infarction J. Tomcsanyi, A. Marosi, B. Bozsik, M. Somlo, A. Zsoldos, T. Vecsey, H. Arabadzisz and E. Nagy
Am J Cardiol (2005) 96;1197-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253581
- Long-term survival after acute myocardial infarction is lower in more deprived neighborhoods C. Tonne, J. Schwartz, M. Mittleman, S. Melly, H. Suh and R. Goldberg
Circulation (2005) 111;3063-70
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15939820
- N-terminal pro-B-type natriuretic peptide and matrix metalloproteinases in early and late left ventricular remodeling after acute myocardial infarction D. N. Tziakas, G. K. Chalikias, E. I. Hatzinikolaou, D. A. Stakos, I. K. Tentes, A. Kortsaris, D. I. Hatseras and J. C. Kaski
Am J Cardiol (2005) 96;31-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979428
- Use of granulocyte-colony stimulating factor during acute myocardial infarction to enhance bone marrow stem cell mobilization in humans: clinical and angiographic safety profile M. Valgimigli, G. M. Rigolin, C. Cittanti, P. Malagutti, S. Curello, G. Percoco, A. M. Bugli, M. Della Porta, L. Z. Bragotti, L. Ansani, E. Mauro, A. Lanfranchi, M. Giganti, L. Feggi, G. Castoldi and R. Ferrari
Eur Heart J (2005) 26;1838-45
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15860518
- Glucose-insulin-potassium and reperfusion in acute myocardial infarction: rationale and design of the Glucose-Insulin-Potassium Study-2 (GIPS-2) I. C. van der Horst, J. R. Timmer, J. P. Ottervanger, H. J. Bilo, R. O. Gans, M. J. de Boer and F. Zijlstra
Am Heart J (2005) 149;585-91
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990738
- Sustained benefit 20 years after reperfusion therapy in acute myocardial infarction R. T. van Domburg, K. Sonnenschein, R. Nieuwlaat, O. Kamp, C. J. Storm, J. J. Bax and M. L. Simoons
J Am Coll Cardiol (2005) 46;15-20
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15992629
- Risk factors, echocardiographic patterns, and outcomes in patients with acute ventricular septal rupture during myocardial infarction J. Vargas-Barron, M. Molina-Carrion, A. Romero-Cardenas, F. J. Roldan, G. A. Medrano, C. Avila-Casado, M. A. Martinez-Rios, E. Lupi-Herrera and M. Zabalgoitia
Am J Cardiol (2005) 95;1153-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877985
- Effect of cuts in Medicare reimbursement on process and outcome of care for acute myocardial infarction patients K. G. Volpp, R. T. Konetzka, J. Zhu, L. Parsons and E.

- Peterson
Circulation (2005) 112;2268-75
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16203913
Effect of intracoronary aqueous oxygen on left ventricular remodeling after anterior wall ST-elevation acute myocardial infarction H. M. Warda, J. J. Bax, J. G. Bosch, D. E. Atsma, J. W. Jukema, E. E. van der Wall, A. van der Laarse, M. J. Schalij and P. V. Oemrawsingh
Am J Cardiol (2005) 96;22-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979426
Mitral annulus flattens in ischemic mitral regurgitation: geometric differences between inferior and anterior myocardial infarction: a real-time 3-dimensional echocardiographic study N. Watanabe, Y. Ogasawara, Y. Yamaura, N. Wada, T. Kawamoto, E. Toyota, T. Akasaka and K. Yoshida
Circulation (2005) 112;I458-62
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159863
Impact of smoking status on outcomes of primary coronary intervention for acute myocardial infarction--the smoker's paradox revisited G. Weisz, D. A. Cox, E. Garcia, J. E. Tcheng, J. J. Griffin, G. Guagliumi, T. D. Stuckey, B. D. Rutherford, R. Mehran, E. Aymong, A. Lansky, C. L. Grines and G. W. Stone
Am Heart J (2005) 150;358-64
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086943
Mobilization of CD34+, CD117+, CXCR4+, c-met+ stem cells is correlated with left ventricular ejection fraction and plasma NT-proBNP levels in patients with acute myocardial infarction W. Wojakowski, M. Tendera, A. Zebzda, A. Michalowska, M. Majka, M. Kucia, K. Maslankiewicz, R. Wyderka, M. Krol, A. Ochala, K. Kozakiewicz and M. Z. Ratajczak
Eur Heart J (2006) 27;283-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16267071
Prognostic differences between different types of bundle branch block during the early phase of acute myocardial infarction: insights from the Hirulog and Early Reperfusion or Occlusion (HERO)-2 trial C. K. Wong, R. A. Stewart, W. Gao, J. K. French, C. Raffel and H. D. White
Eur Heart J (2006) 27;21-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16269419
Six-month angiographic results of primary angioplasty with adjunctive PercuSurge GuardWire device support: evaluation of the restenotic rate of the target lesion and the fate of the distal balloon occlusion site C. J. Wu, C. H. Yang, C. Y. Fang, H. W. Chang, S. M. Chen, W. C. Hung, C. J. Chen, C. I. Cheng, Y. H. Chen, H. T. Chai and H. K. Yip
Catheter Cardiovasc Interv (2005) 64;35-42
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=15619316

Detection of von Willebrand factor and tissue factor in platelets-fibrin rich coronary thrombi in acute myocardial infarction A. Yamashita, T. Sumi, S. Goto, Y. Hoshiba, K. Nishihira, R. Kawamoto, K. Hatakeyama, H. Date, T. Imamura, H. Ogawa and Y. Asada Am J Cardiol (2006) 97;26-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377278

ST resolution in a single electrocardiographic lead: a simple and accurate predictor of cardiac mortality in patients with fibrinolytic therapy for acute ST-elevation myocardial infarction U. Zeymer, K. Schroder, K. Wegscheider, J. Senges, K. L. Neuhaus and R. Schroder

Am Heart J (2005) 149;91-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15660039

Early eptifibatide improves TIMI 3 patency before primary percutaneous coronary intervention for acute ST elevation myocardial infarction: results of the randomized integrilin in acute myocardial infarction (INTAMI) pilot trial U. Zeymer, R. Zahn, R. Schiele, W. Jansen, E. Girth, A. Gitt, K. Seidl, R. Schroder, S. Schneider and J. Senges Eur Heart J (2005) 26;1971-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15857851