

Changing paradigm for neointimal cell origin: is restenosis a blood-borne disease? Y.

Ahn, M. H. Jeong and R. S. Schwartz

Catheter Cardiovasc Interv (2005) 64;468-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789396

Enhanced shear-induced platelet aggregation in patients who experience subacute stent thrombosis: a case-control study N. Ajzenberg, P. Aubry, M. G. Huisse, A. Cachier, W. El Amara, L. J. Feldman, D. Himbert, D. Baruch, M. C. Guillin and P. G. Steg

J Am Coll Cardiol (2005) 45;1753-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15936600

A novel mechanism explaining early lumen loss following balloon angioplasty for the treatment of in-stent restenosis M. Albertal, A. Abizaid, J. S. Munoz, G. S. Mintz, A. S. Abizaid, F. Feres, M. Centemero, R. Staico, L. A. Mattos, R. Graebin, A. Sousa and J. E. Sousa

Am J Cardiol (2005) 95;751-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15757603

Long-term results (three to five years) of the Restenosis Intrastent: Balloon angioplasty versus elective Stenting (RIBS) randomized study F. Alfonso, J. M. Auge, J. Zueco, A. Bethencourt, J. R. Lopez-Minguez, J. M. Hernandez, J. A. Bullones, I. Calvo, E.

Esplugas, M. J. Perez-Vizcayno, R. Moreno, C. Fernandez, R. Hernandez and V. Gama-Ribeiro

J Am Coll Cardiol (2005) 46;756-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139121

Repeat stenting for the prevention of the early lumen loss phenomenon in patients with in-stent restenosis. Angiographic and intravascular ultrasound findings of a randomized study F. Alfonso, P. Garcia, H. Fleites, G. Pimentel, M. Sabate, R. Hernandez, J.

Escaned, C. Banuelos, M. J. Perez-Vizcayno, R. Moreno and C. Macaya

Am Heart J (2005) 149;e1-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846250

Implications of the "watermelon seeding" phenomenon during coronary interventions for in-stent restenosis F. Alfonso, M. J. Perez-Vizcayno, M. Gomez-Recio, L. Insa, I. Calvo, J. M. Hernandez, J. A. Bullones, R. Hernandez, J. Escaned, C. Macaya, V.

Gama-Ribeiro and A. Leitao-Marques

Catheter Cardiovasc Interv (2005) 66;521-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16261546

Outcome of patients with prior percutaneous revascularization undergoing repeat coronary intervention (from the PRESTO Trial) H. Arjomand, J. T. Willerson, D. R.

Holmes, Jr., W. R. Bamlet, S. K. Surabhi, B. Roukoz, A. Espinoza, R. L. McClelland, D. J. McCormick and S. Goldberg

Am J Cardiol (2005) 96;741-6

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=16169350](#)

Three-year clinical follow-up after strontium-90/yttrium-90 beta-irradiation for the treatment of in-stent coronary restenosis V. Baierl, S. Baumgartner, B. Pollinger, M. Leibig, J. Rieber, A. Konig, F. Krotz, H. Y. Sohn, U. Siebert, W. Haimerl, E. Duhmke, K. Theisen, V. Klauss and T. M. Schiele

Am J Cardiol (2005) 96;1399-403

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275186

Incidence and predictors of restenosis after sirolimus-eluting stent implantation in high-risk patients A. Berenguer, V. Mainar, P. Bordes, J. Valencia, S. Gomez and T. Lozano

Am Heart J (2005) 150;536-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169337

Pilot study with an intensified oral sirolimus regimen for the prevention of in-stent restenosis in de novo lesions: A serial intravascular ultrasound study A. J. Chaves, A. G. Sousa, L. A. Mattos, A. Abizaid, F. Feres, R. Staico, M. Centemero, L. F. Tanajura, A. C. Abizaid, A. Rodrigues, A. Paes, G. S. Mintz and J. E. Sousa

Catheter Cardiovasc Interv (2005) 66;535-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16283682

ISR II study: a long-term evaluation of sirolimus-eluting stent in the treatment of patients with in-stent restenotic native coronary artery lesions P. Commeau, P. T. Barragan, P. O. Roquebert and J. B. Simeoni

Catheter Cardiovasc Interv (2005) 66;158-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16158397

Molecular basis of restenosis and drug-eluting stents M. A. Costa and D. I. Simon

Circulation (2005) 111;2257-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15867193

Homocysteine and its effects on in-stent restenosis G. De Luca, H. Suryapranata, G. Gregorio, H. Lange and M. Chiariello

Circulation (2005) 112;e307-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275872

Inflammatory response after intervention assessed by serial C-reactive protein measurements correlates with restenosis in patients treated with coronary stenting A. Dibra, J. Mehilli, S. Braun, M. Hadamitzky, H. Baum, J. Dirschinger, H. Schühlen, A. Schomig and A. Kastrati

Am Heart J (2005) 150;344-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086941

Comparison of C-reactive protein levels before and after coronary stenting and restenosis among patients treated with sirolimus-eluting versus bare metal stents A.

Dibra, G. Ndrepepa, J. Mehilli, J. Dirschinger, J. Pache, H. Schühlen, A. Schomig and A.

Kastrati

Am J Cardiol (2005) 95;1238-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15878000

Shortening the stent length reduces restenosis with bare metal stents: matched pair comparison of short stenting and conventional stenting U. Dietz, N. Holz, C. Dauer and H. Lambertz

Heart (2006) 92;80-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15883134

Coronary stent restenosis in patients treated with cilostazol J. S. Douglas, Jr., D. R. Holmes, Jr., D. J. Kereiakes, C. L. Grines, E. Block, Z. M. Ghazzal, D. C. Morris, H. Liberman, K. Parker, C. Jurkovitz, N. Murrain, J. Foster, P. Hyde, G. B. Mancini and W. S. Weintraub

Circulation (2005) 112;2826-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16246948

Serial intravascular ultrasound comparison of the extent and distribution of intimal hyperplasia six months after stent implantation for de novo versus in-stent restenosis lesions E. Escolar, G. S. Mintz, D. Canos, E. Cheneau, A. D. Pichard, L. F. Satler, K. M. Kent, R. Waksman and N. J. Weissman

Am J Cardiol (2005) 96;897-900

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188512

Comparison between sirolimus-eluting stents and intracoronary catheter-based Beta radiation for the treatment of in-stent restenosis F. Feres, J. S. Munoz, A. Abizaid, M. Albertal, G. S. Mintz, R. Staico, M. Centemero, L. A. Mattos, G. Maldonado, L. F. Tanajura, A. Chaves, I. Pinto, A. S. Abizaid, A. C. Seixas, V. D. Vaz, A. Sousa and J. E. Sousa

Am J Cardiol (2005) 96;1656-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16360353

Two-year-plus follow-up of a paclitaxel-eluting stent in de novo coronary narrowings (TAXUS I) E. Grube, S. Silber, K. E. Hauptmann, L. Buellesfeld, R. Mueller, V. Lim, U. Gerckens and M. E. Russell

Am J Cardiol (2005) 96;79-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979439

Impact of moderate renal insufficiency on restenosis and adverse clinical events after paclitaxel-eluting and bare metal stent implantation: results from the TAXUS-IV Trial A. Halkin, R. Mehran, C. W. Casey, P. Gordon, R. Matthews, B. H. Wilson, M. B. Leon, M. E. Russell, S. G. Ellis and G. W. Stone

Am Heart J (2005) 150;1163-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16338253

Prevention of restenosis by a novel drug-eluting stent system with a dose-adjustable,

polymer-free, on-site stent coating J. Hausleiter, A. Kastrati, R. Wessely, A. Dibra, J. Mehilli, T. Schratzenstaller, I. Graf, M. Renke-Gluszko, B. Behnisch, J. Dirschinger, E. Wintermantel and A. Schomig

Eur Heart J (2005) 26;1475-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15975990

Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate? I. Iakovou, G. Stankovic, M. Montorfano, F. Airolidi, A. Chieffo, G. M. Sangiorgi, M. Carlino, N. Corvaja, M. Lassen, R. Rogacka, G. Vitrella and A. Colombo

Catheter Cardiovasc Interv (2005) 64;129-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15678464

Sirolimus- and paclitaxel-eluting stents in comparison with balloon angioplasty for treatment of in-stent restenosis E. Iofina, P. K. Haager, P. W. Radke, R. Langenberg, R. Blindt, J. Ortlepp, H. Kuhl, P. Hanrath and R. Hoffmann

Catheter Cardiovasc Interv (2005) 64;28-34

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619307

Impact of asymmetric stent expansion on neointimal hyperplasia following sirolimus-eluting stent implantation H. Kaneda, J. Ako, Y. Honda, M. Terashima, Y. Morino, P. G. Yock, J. J. Popma, M. B. Leon, J. W. Moses and P. J. Fitzgerald

Am J Cardiol (2005) 96;1404-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275187

Effect of lumen narrowing within coronary stents on proximal and distal vessel segments following bare metal stent implantation H. Kaneda, J. Ako, T. Kataoka, A. Miyazawa, M. Terashima, F. Ikeno, S. Sonoda, Y. Shimada, Y. Morino, Y. Honda, P. G. Yock and P. J. Fitzgerald

Am J Cardiol (2005) 96;376-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054461

Heterogeneity of neointimal distribution of in-stent restenosis in patients with diabetes mellitus H. Kaneda, J. Ako, T. Kataoka, T. Takahashi, M. Terashima, K. Waseda, A. Miyazawa, A. Hassan, Y. Honda, P. G. Yock and P. J. Fitzgerald

Am J Cardiol (2006) 97;340-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442392

Impact of intravascular ultrasound lesion characteristics on neointimal hyperplasia following sirolimus-eluting stent implantation H. Kaneda, T. Koizumi, J. Ako, M. Terashima, Y. Morino, Y. Honda, P. G. Yock, M. B. Leon, J. W. Moses and P. J. Fitzgerald

Am J Cardiol (2005) 96;1237-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253589

Incidence and predictors of late recurrence after beta-radiation therapy with a 188Re-MAG3-filled balloon for diffuse in-stent restenosis S. W. Lee, S. W. Park, M. K.

Hong, Y. H. Kim, K. H. Han, J. Kim, J. H. Park, S. J. Oh, D. H. Moon, S. J. Oh, C. W. Lee, J. J. Kim and S. J. Park

Am Heart J (2006) 151;158-63

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368310

Comparison of angiographic and clinical outcomes between rotational atherectomy and cutting balloon angioplasty followed by radiation therapy with a rhenium

188-mercaptoacetyltriglycine-filled balloon in the treatment of diffuse in-stent restenosis

S. W. Lee, S. W. Park, M. K. Hong, Y. H. Kim, K. H. Han, D. H. Moon, S. J. Oh, C. W.

Lee, J. J. Kim and S. J. Park

Am Heart J (2005) 150;577-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169344

Pioglitazone reduces neointima volume after coronary stent implantation: a randomized, placebo-controlled, double-blind trial in nondiabetic patients N. Marx, J. Wohrle, T.

Nusser, D. Walcher, A. Rinker, V. Hombach, W. Koenig and M. Hoher

Circulation (2005) 112;2792-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16246947

Comparison of effectiveness of sirolimus-eluting stents versus bare metal stents for percutaneous coronary intervention in patients at high risk for coronary restenosis or

clinical adverse events A. Marzocchi, G. Piovaccari, A. Manari, E. Aurier, A. Benassi, F.

Saia, G. Casella, E. Varani, A. Santarelli, P. Guastaroba, R. Grilli and A. Maresta

Am J Cardiol (2005) 95;1409-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15950561

Comparison of thrombosis and restenosis risk from stent length of sirolimus-eluting

stents versus bare metal stents L. Mauri, A. J. O'Malley, J. J. Popma, J. W. Moses, M. B.

Leon, D. R. Holmes, Jr., P. S. Teirstein, D. E. Cutlip, D. Donahoe and R. E. Kuntz

Am J Cardiol (2005) 95;1140-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877983

Late loss in lumen diameter and binary restenosis for drug-eluting stent comparison L.

Mauri, E. J. Orav and R. E. Kuntz

Circulation (2005) 111;3435-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15967844

Relationship of late loss in lumen diameter to coronary restenosis in sirolimus-eluting

stents L. Mauri, E. J. Orav, A. J. O'Malley, J. W. Moses, M. B. Leon, D. R. Holmes, Jr.,

P. S. Teirstein, J. Schofer, G. Breithardt, D. E. Cutlip, D. J. Kereiakes, C. Shi, B. G. Firth,

D. J. Donahoe and R. E. Kuntz

Circulation (2005) 111;321-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15655127

Predictors of outcome after sirolimus-eluting stent implantation for complex in-stent

restenosis A. Migliorini, M. Shehu, N. Carrabba, L. Giurlani, R. Valenti, P. Buonamici, E.

V. Dovellini, G. Parodi and D. Antonucci

Am J Cardiol (2005) 96;1110-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214447

Intravascular ultrasound assessment of neointima distribution and the length of stent that was free of intravascular ultrasound-detectable intimal hyperplasia in paclitaxel-eluting stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman

Am J Cardiol (2005) 95;107-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619404

Comparison of quantitative angiographic parameters with the magnitude of neointimal hyperplasia measured by volumetric intravascular ultrasound in patients treated with bare metal and nonpolymeric paclitaxel-coated stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman

Am J Cardiol (2005) 95;105-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619403

Usefulness of preprocedural platelet aggregation to predict restenosis after percutaneous coronary intervention S. Miyamoto, H. Kawano, T. Kudoh, H. Soejima, S. Kojima, J. Hokamaki, H. Maruyoshi, T. Sakamoto, M. Yoshimura, Y. Ozaki and H. Ogawa

Am J Cardiol (2005) 96;71-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979437

Effectiveness and safety of sirolimus-eluting stents in the treatment of restenosis after coronary stent placement F. J. Neumann, W. Desmet, E. Grube, J. Brachmann, P. Presbitero, P. Rubartelli, A. Mugge, F. Di Pede, D. Fullgraf, W. Aengevaeren, L. Spedicato and J. J. Popma

Circulation (2005) 111;2107-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15851617

Impact of obesity on revascularization and restenosis rates after bare-metal and drug-eluting stent implantation (from the TAXUS-IV trial) E. Nikolsky, E. Kosinski, G. J. Mishkel, C. Kimmelstiel, T. F. McGarry, Jr., R. Mehran, M. B. Leon, M. E. Russell, S. G. Ellis and G. W. Stone

Am J Cardiol (2005) 95;709-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15757595

Drug-eluting stents compared with thin-strut bare stents for the reduction of restenosis: a prospective, randomized trial J. Pache, A. Dibra, J. Mehilli, J. Dirschinger, A. Schomig and A. Kastrati

Eur Heart J (2005) 26;1262-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15737962

The role of platelet glycoprotein IIIa polymorphism in the high prevalence of in vitro aspirin resistance in patients with intracoronary stent restenosis B. Pamukcu, H. Oflaz and Y. Nisanci

Am Heart J (2005) 149;675-80

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990752

Does a well developed collateral circulation predispose to restenosis after percutaneous coronary intervention? An intravascular ultrasound study D. Perera, P. Postema, R.

Rashid, S. Patel, L. Blows, M. Marber and S. Redwood

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216859

Obesity and clinical restenosis after coronary stent placement J. S. Rana, M. A.

Mittleman, K. K. Ho and D. E. Cutlip

Am Heart J (2005) 150;821-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209988

Three-year follow-up after intravascular gamma-radiation for in-stent restenosis in

saphenous vein grafts S. W. Rha, P. Kuchulakanti, A. E. Ajani, E. Cheneau, E. E.

Pinnow, D. A. Canos, R. Torguson, A. D. Pichard, L. F. Satler, K. M. Kent, S. Ramee, P.

Teirstein, J. Lindsay and R. Waksman

Catheter Cardiovasc Interv (2005) 65;257-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864805

Latin American randomized trial of balloon angioplasty versus coronary stenting in

diabetic patients with small vessel reference size (Latin American Small Vessel

[LASMAL II] Trial): immediate and long-term results A. E. Rodriguez, M. Rodriguez

Alemparte, C. Fernandez Pereira, C. F. Vigo, A. Sampaolesi, V. Bernardi, E. Marchand,

J. Tronge and I. F. Palacios

Am Heart J (2005) 150;188

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086559

Predictors of edge stenosis following sirolimus-eluting stent deployment (a quantitative

intravascular ultrasound analysis from the SIRIUS trial) R. Sakurai, J. Ako, Y. Morino, S.

Sonoda, H. Kaneda, M. Terashima, A. H. Hassan, M. B. Leon, J. W. Moses, J. J.

Popma, H. N. Bonneau, P. G. Yock, P. J. Fitzgerald and Y. Honda

Am J Cardiol (2005) 96;1251-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253592

Sirolimus-eluting stent implantation and beta-irradiation for the treatment of in-stent

restenotic lesions: comparison of underlying mechanisms of acute gain and late loss as

assessed by volumetric intravascular ultrasound T. M. Schiele, A. Konig, J. Rieber, I.

Erhard, M. Leibig, K. Theisen, U. Siebert and V. Klauss

Am Heart J (2005) 150;351-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086942

Angiographic and clinical outcomes at 8 months of cutting balloon angioplasty and beta-brachytherapy for native vessel in-stent restenosis (BETACUT): results from a stopped randomized controlled trial M. Schluter, T. Tubler, A. J. Lansky, S. Kahler, J. Berger, D. G. Mathey and J. Schofer

Catheter Cardiovasc Interv (2005) 66;320-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16216024

Peripheral CD34+ cells and the risk of in-stent restenosis in patients with coronary heart disease A. Schober, R. Hoffmann, N. Oprea, S. Knarren, E. Iofina, G. Hutschenreuter, P. Hanrath and C. Weber

Am J Cardiol (2005) 96;1116-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214449

The effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform: the Paclitaxel In-Stent Controlled Elution Study (PISCES) P. W. Serruys, G. Sianos, A. Abizaid, J. Aoki, P. den Heijer, H. Bonnier, P.

Smits, D. McClean, S. Verheye, J. Belardi, J. Condado, M. Pieper, L. Gambone, M. Bressers, J. Symons, E. Sousa and F. Litvack

J Am Coll Cardiol (2005) 46;253-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16022951

Two-year clinical follow-up of 90Sr/90 Y beta-radiation versus placebo control for the treatment of in-stent restenosis S. Silber, J. J. Popma, M. Suntharalingam, A. J. Lansky, R. R. Heuser, B. Speiser, P. S. Teirstein, T. Bass, W. O'Neill, J. Lasala, M. Reisman, S. K. Sharma, R. E. Kuntz and R. Bonan

Am Heart J (2005) 149;689-94

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990754

Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions: results from the Prevention of Restenosis With Tranilast and its Outcomes (PRESTO) Trial M. Singh, B. A. Williams, B. J. Gersh, R. L. McClelland, K. K. Ho, J. T. Willerson, W. F. Penny, D. E. Cutlip and D. R. Holmes, Jr.

J Am Coll Cardiol (2006) 47;34-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386661

Risk of restenosis and health status outcomes for patients undergoing percutaneous coronary intervention versus coronary artery bypass graft surgery J. A. Spertus, R. Nerella, R. Kettlekamp, J. House, S. Marso, A. M. Borkon and J. S. Rumsfeld

Circulation (2005) 111;768-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699258

Revisiting late loss and neointimal volumetric measurements in a drug-eluting stent trial: Analysis from the SPIRIT FIRST trial K. Tsuchida, H. M. Garcia-Garcia, A. T. Ong, M. Valgimigli, J. Aoki, T. A. Rademaker, M. A. Morel, G. A. van Es, N. Bruining and P. W. Serruys

Catheter Cardiovasc Interv (2006) 67;188-97

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16400664

Polymer-based paclitaxel-eluting stents reduce in-stent neointimal tissue proliferation: a serial volumetric intravascular ultrasound analysis from the TAXUS-IV trial N. J.

Weissman, J. Koglin, D. A. Cox, J. Hermiller, C. O'Shaughnessy, J. T. Mann, M. Turco, R. Caputo, P. Bergin, J. Greenberg, M. Kutcher, S. C. Wong, W. Strickland, M. Mooney, M. E. Russell, S. G. Ellis and G. W. Stone

J Am Coll Cardiol (2005) 45;1201-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837249

Incidence and predictors of target vessel revascularization and clinical event rates of the sirolimus-eluting coronary stent (results from the prospective multicenter German

Cypher Stent Registry) R. Zahn, C. W. Hamm, S. Schneider, U. Zeymer, C. A. Nienaber,

G. Richardt, M. Kelm, B. Levenson, T. Bonzel, U. Tebbe, G. Sabin and J. Senges

Am J Cardiol (2005) 95;1302-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904633