

Enoxaparin versus unfractionated heparin as antithrombin therapy in patients receiving fibrinolysis for ST-elevation myocardial infarction. Design and rationale for the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction Treatment-Thrombolysis In Myocardial Infarction study 25 (ExTRACT-TIMI 25) E. M. Antman, D. A. Morrow, C. H. McCabe, F. Jiang, H. D. White, K. A. Fox, D. Sharma, P. Chew and E. Braunwald
Am Heart J (2005) 149;217-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846258

Enoxaparin versus Unfractionated Heparin with Fibrinolysis for ST-Elevation Myocardial Infarction E. M. Antman, D. A. Morrow, C. H. McCabe, S. A. Murphy, M. Ruda, Z. Sadowski, A. Budaj, J. L. Lopez-Sendon, S. Guneri, F. Jiang, H. D. White, K. A. Fox and E. Braunwald
N Engl J Med (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16537665

Comparison of mortality rates in acute myocardial infarction treated by percutaneous coronary intervention versus fibrinolysis A. Betriu and M. Masotti
Am J Cardiol (2005) 95;100-1

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619401

Is primary angioplasty more effective than prehospital fibrinolysis in diabetics with acute myocardial infarction? Data from the CAPTIM randomized clinical trial E. Bonnefoy, P. G. Steg, S. Chabaud, P. Y. Dubien, F. Lapostolle, F. Boudet, J. M. Lacroute, F. Dissait, G. Vanzetto, A. Leizorowicz and P. Touboul
Eur Heart J (2005) 26;1712-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15840623

The relationship between baseline risk and mortality in ST-elevation acute myocardial infarction treated with pharmacological reperfusion: insights from the Global Utilization of Strategies To open Occluded arteries (GUSTO) V trial S. J. Brener, A. M. Lincoff, E. R. Bates, G. Jia, P. W. Armstrong, V. Guetta, J. S. Hochman, S. Savonitto, R. G. Wilcox, H. D. White and E. J. Topol
Am Heart J (2005) 150;89-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16084153

Selection of the optimal reperfusion strategy for STEMI: does time matter? B. J. Gersh and E. M. Antman
Eur Heart J (2006) 27;761-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16513664

Comparative analysis of the activity and content of different streptokinase preparations P. Hermentin, T. Cuesta-Linker, J. Weisse, K. H. Schmidt, M. Knorst, M. Scheld and M. Timme

Eur Heart J (2005) 26;933-40

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=15637085](#)

Pre-hospital reperfusion therapy: a strategy to improve therapeutic outcome in patients with ST-elevation myocardial infarction K. Huber, R. De Caterina, S. D. Kristensen, F. W. Verheugt, G. Montalescot, L. B. Maestro and F. Van de Werf
Eur Heart J (2005) 26;2063-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16055497

Economic analysis of the Assessment of the Safety and Efficacy of a New Thrombolytic Regimen (ASSENT-3) study: costs of reperfusion strategies in acute myocardial infarction P. Kaul, P. W. Armstrong, P. A. Cowper, E. L. Eisenstein, C. B. Granger, F. Van de Werf and D. B. Mark
Am Heart J (2005) 149;637-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990746

What is the frequency and functional and clinical significance of complex lesions in non-infarct-related arteries after fibrinolysis for acute ST-elevation myocardial infarction? D. H. Kim, J. R. Burton, Y. Fu, L. Lindholm, F. Van de Werf and P. W. Armstrong
Am Heart J (2006) 151;668-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16504629

Effects of glucose-insulin-potassium infusion on ST-elevation myocardial infarction in patients treated with thrombolytic therapy G. Krljanac, Z. Vasiljevic, M. Radovanovic, G. Stankovic, N. Milic, B. Stefanovic, J. Kostic, P. Mitrovic, N. Radovanovic, M. Dragovic, J. Marinkovic and A. Karadzic
Am J Cardiol (2005) 96;1053-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214437

Primary angioplasty is cost-minimizing compared with pre-hospital thrombolysis for patients within 60 min of a percutaneous coronary intervention center: the Comparison of Angioplasty and Pre-hospital Thrombolysis in Acute Myocardial Infarction (CAPTIM) cost-efficacy sub-study J. Machecourt, E. Bonnefoy, G. Vanzetto, P. Motreff, S. Marliere, A. Leizorovicz, B. Allenet, J. M. Lacroute, J. Cassagnes and P. Touboul
J Am Coll Cardiol (2005) 45;515-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708697

Percutaneous coronary intervention and 1 year survival in patients treated with fibrinolytic therapy for acute ST-elevation myocardial infarction A. J. McClelland, C. G. Owens, S. J. Walsh, D. McCarty, T. Mathew, M. Stevenson, H. Gracey, M. M. Khan and A. A. Adgey
Eur Heart J (2005) 26;544-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15713694

Prognostic implication of activated partial thromboplastin time after reteplase or half-dose reteplase plus abciximab: results from the GUSTO-V trial B. K. Nallamothu, E. R. Bates, J. S. Hochman, C. B. Granger, V. Guetta, R. G. Wilcox, H. D. White, P. W.

Armstrong, S. Savonitto, G. Jia, A. M. Lincoff and E. J. Topol

Eur Heart J (2005) 26;1506-12

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15800019

Effect of reactive hyperemia after coronary recanalization on myocardial tissue reperfusion by thrombolysis in myocardial infarction flow grade in acute myocardial infarction A. Okamura, H. Ito, K. Iwakura, S. Kawano, T. Kurotobi, M. Date, K. Inoue, T. Ogihara and K. Fujii

Am J Cardiol (2006) 97;617-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490424

Cardiac tamponade in the fibrinolytic era: analysis of >100,000 patients with ST-segment elevation myocardial infarction M. R. Patel, T. J. Meine, L. Lindblad, J. Griffin, C. B. Granger, R. C. Becker, F. Van de Werf, H. White, R. M. Califf and R. A. Harrington

Am Heart J (2006) 151;316-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442893

Angiographic and Clinical Outcomes in Patients Receiving Low-Molecular-Weight Heparin Versus Unfractionated Heparin in ST-Elevation Myocardial Infarction Treated With Fibrinolytics in the CLARITY-TIMI 28 Trial M. S. Sabatine, D. A. Morrow, G. Montalescot, M. Dellborg, J. L. Leiva-Pons, M. Keltai, S. A. Murphy, C. H. McCabe, C. M. Gibson, C. P. Cannon, E. M. Antman and E. Braunwald

Circulation (2005)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16291601

ST-Segment Analysis to Predict Infarct Size and Functional Outcome in Acute Myocardial Infarction Treated With Primary Coronary Intervention and Adjunctive Abciximab Therapy R. Sciagra, G. Parodi, A. Migliorini, R. Valenti, D. Antonucci, B. Sotgia and A. Pupi

Am J Cardiol (2006) 97;48-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377283

Effects of Thrombolysis During Out-of-Hospital Cardiopulmonary Resuscitation K. H. Stadlbauer, A. C. Krismer, H. R. Arntz, V. D. Mayr, H. G. Lienhart, B. W. Bottiger, B. Jahn, K. H. Lindner and V. Wenzel

Am J Cardiol (2006) 97;305-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442386

Long-term clinical outcomes after rescue angioplasty are not different from those of successful thrombolysis for acute myocardial infarction P. G. Steg, L. Francois, B. Lung, D. Himbert, P. Aubry, P. Charlier, H. Benamer, L. J. Feldman and J. M. Julliard

Eur Heart J (2005) 26;1831-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15930039

Comparison of pre-hospital combination-fibrinolysis plus conventional care with

pre-hospital combination-fibrinolysis plus facilitated percutaneous coronary intervention in acute myocardial infarction H. Thiele, L. Engelmann, K. Elsner, M. J. Kappl, W. H. Storch, K. Rahimi, A. Hartmann, D. Pfeiffer, G. D. Kneissl, D. Schneider, T. Moller, H. J. Heberling, I. Weise and G. Schuler

Eur Heart J (2005) 26;1956-63

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16061501

Recombinant streptokinase: evidences from clinical use: reply M. Thimme

Eur Heart J (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15872037

The impact of preoperative thrombolysis on long-term survival after coronary artery bypass grafting I. K. Toumpoulis, C. E. Anagnostopoulos, D. G. Katritsis, J. J. DeRose, Jr. and D. G. Swistel

Circulation (2005) 112;1351-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159845