

A comparison between B-type natriuretic peptide, global registry of acute coronary events (GRACE) score and their combination in ACS risk stratification D. S. Ang, L. Wei, M. P. Kao, C. C. Lang and A. D. Struthers *Heart* (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19321492

Release of biomarkers of myocardial damage after direct intramyocardial injection of genes and stem cells via the percutaneous transluminal route F. Baldazzi, E. Jorgensen, R. S. Ripa and J. Kastrup *Eur Heart J* (2008) 29; 1819-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18524811

Platelet collagen receptor glycoprotein VI as a possible novel indicator for the acute coronary syndrome B. Bigalke, T. Geisler, K. Stellos, H. Langer, K. Daub, E. Kremmer, P. Seizer, A. E. May, S. Lindemann and M. Gawaz *Am Heart J* (2008) 156; 193-200

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585516

Clinical utility of C-reactive protein measured at admission, hospital discharge, and 1 month later to predict outcome in patients with acute coronary disease. The RISCA (recurrence and inflammation in the acute coronary syndromes) study P. Bogaty, L. Boyer, S. Simard, F. Dauwe, R. Dupuis, B. Verret, T. Huynh, F. Bertrand, G. R. Dagenais and J. M. Brophy *J Am Coll Cardiol* (2008) 51; 2339-46

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549920

Impact of coronary revascularization and transmural extent of scar on regional left ventricular remodelling J. Chan, F. Khafagi, A. A. Young, B. R. Cowan, C. Thompson and T. H. Marwick *Eur Heart J* (2008) 29; 1608-17

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556718

Decreased activated protein C levels as a clinical predictor in patients with ST-elevation myocardial infarction N. Chiba, K. Nagao, T. Mukoyama, Y. Tominaga and K. Tanjoh *Am Heart J* (2008) 156; 931-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19061709

Results of the Predictors of Response to CRT (PROSPECT) trial E. S. Chung, A. R. Leon, L. Tavazzi, J. P. Sun, P. Nihoyannopoulos, J. Merlino, W. T. Abraham, S. Ghio, C. Leclercq, J. J. Bax, C. M. Yu, J. Gorcsan, 3rd, M. St John Sutton, J. De Sutter and J. Murillo *Circulation* (2008) 117; 2608-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18458170

Prognostic significance of small troponin I rise after a successful elective percutaneous coronary intervention of a native artery A. De Labriolle, G. Lemesle, L. Bonello, A. I. Syed, S. D. Collins, I. Ben-Dor, T. L. Pinto Slottow, Z. Xue, R. Torguson, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard, J. Lindsay and R. Waksman *Am J Cardiol* (2009) 103; 639-45

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231326

Prognostic value of admission myeloperoxidase levels in patients with ST-segment

elevation myocardial infarction and cardiogenic shock A. Dominguez-Rodriguez, S. Samimi-Fard, P. Abreu-Gonzalez, M. J. Garcia-Gonzalez and J. C. Kaski *Am J Cardiol* (2008) 101; 1537-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489929

Pathophysiologic mechanisms of persistent cardiac troponin I elevation in stabilized patients after an episode of acute coronary syndrome K. M. Eggers, B. Lagerqvist, J. Oldgren, P. Venge, L. Wallentin and B. Lindahl *Am Heart J* (2008) 156; 588-94

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18760145

Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study J. P. Empana, F. Canoui-Poitrine, G. Luc, I. Juhan-Vague, P. Morange, D. Arveiler, J. Ferrieres, P. Amouyel, A. Bingham, M. Montaye, J. B. Ruidavets, B. Haas, A. Evans and P. Ducimetiere *Eur Heart J* (2008) 29; 1966-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18621771

The perfect biomarker in acute coronary syndrome: a challenge for diagnosis, prognosis, and treatment J. Gravning and J. Kjekshus *Eur Heart J* (2008) 29; 2827-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18957473

Calcium-dependent NOX5 nicotinamide adenine dinucleotide phosphate oxidase contributes to vascular oxidative stress in human coronary artery disease T. J. Guzik, W. Chen, M. C. Gongora, B. Guzik, H. E. Lob, D. Mangalat, N. Hoch, S. Dikalov, P. Rudzinski, B. Kapelak, J. Sadowski and D. G. Harrison *J Am Coll Cardiol* (2008) 52; 1803-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19022160

Usefulness of peak troponin-T to predict infarct size and long-term outcome in patients with first acute myocardial infarction after primary percutaneous coronary intervention A. K. Hassan, S. C. Bergheanu, H. Hasan-Ali, S. S. Liem, A. van der Laarse, R. Wolterbeek, D. E. Atsma, M. J. Schalij and J. W. Jukema *Am J Cardiol* (2009) 103; 779-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268731

Prognostic value of circulating chromogranin A levels in acute coronary syndromes A. M. Jansson, H. Rosjo, T. Omland, T. Karlsson, M. Hartford, A. Flyvbjerg and K. Caidahl *Eur Heart J* (2009) 30; 25-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19028779

Effect of atrial natriuretic peptide on left ventricular remodelling in patients with acute myocardial infarction S. Kasama, M. Furuya, T. Toyama, S. Ichikawa and M. Kurabayashi *Eur Heart J* (2008) 29; 1485-94

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18490430

Growth differentiation factor-15 as a prognostic marker in patients with acute myocardial infarction S. Q. Khan, K. Ng, O. Dhillon, D. Kelly, P. Quinn, I. B. Squire, J. E. Davies

and L. L. Ng Eur Heart J (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19168526

DNA variants, plasma levels and variability of C-reactive protein in myocardial infarction survivors: results from the AIRGENE study M. Kolz, W. Koenig, M. Muller, M. Andreani, S. Greven, T. Illig, N. Khuseyinova, D. Panagiotakos, G. Pershagen, V. Salomaa, J. Sunyer and A. Peters Eur Heart J (2008) 29; 1250-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17956875

Quantitative troponin elevation does not provide incremental prognostic value beyond comprehensive risk stratification in patients with non-ST-segment elevation acute coronary syndromes K. D. Lim, A. T. Yan, A. Casanova, R. T. Yan, A. Mendelsohn, S. Jolly, D. H. Fitchett, A. Langer and S. G. Goodman Am Heart J (2008) 155; 718-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371482

Usefulness of serum cathepsin L as an independent biomarker in patients with coronary heart disease Y. Liu, X. Li, D. Peng, Z. Tan, H. Liu, Y. Qing, Y. Xue and G. P. Shi Am J Cardiol (2009) 103; 476-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195505

In vivo molecular imaging of angiogenesis, targeting alphavbeta3 integrin expression, in a patient after acute myocardial infarction M. R. Makowski, U. Ebersberger, S. Nekolla and M. Schwaiger Eur Heart J (2008) 29; 2201

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18375397

Novel biomarkers in early diagnosis of acute myocardial infarction compared with cardiac troponin T C. J. McCann, B. M. Glover, I. B. Menown, M. J. Moore, J. McEneny, C. G. Owens, B. Smith, P. C. Sharpe, I. S. Young and J. A. Adgey Eur Heart J (2008) 29; 2843-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682444

Prognostic value of a multimarker approach for patients presenting to hospital with acute chest pain C. J. McCann, B. M. Glover, I. B. Menown, M. J. Moore, J. McEneny, C. G. Owens, B. Smith, P. C. Sharpe, I. S. Young and J. A. Adgey Am J Cardiol (2009) 103; 22-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101224

Lipids, lipoproteins, and apolipoproteins as risk markers of myocardial infarction in 52 countries (the INTERHEART study): a case-control study M. J. McQueen, S. Hawken, X. Wang, S. Ounpuu, A. Sniderman, J. Probstfield, K. Steyn, J. E. Sanderson, M. Hasani, E. Volkova, K. Kazmi and S. Yusuf Lancet (2008) 372; 224-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18640459

A randomized, double-blind, placebo-controlled, multicenter study to evaluate the cardioprotective effects of MC-1 in patients undergoing high-risk coronary artery bypass graft surgery: MC-1 to Eliminate Necrosis and Damage in Coronary Artery Bypass Graft

Surgery Trial (MEND-CABG) II--study design and rationale R. H. Mehta, J. H. Alexander, R. Emery, S. J. Ellis, V. Hasselblad, A. Khalil, M. Carrier, R. A. Harrington and J. C. Tardif *Am Heart J* (2008) 155; 600-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371465

Increased serum levels and expression of S100A8/A9 complex in infiltrated neutrophils in atherosclerotic plaque of unstable angina S. Miyamoto, M. Ueda, M. Ikemoto, T. Naruko, A. Itoh, S. Tamaki, R. Nohara, F. Terasaki, S. Sasayama and M. Fujita *Heart* (2008) 94; 1002-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308864

Concurrent evaluation of novel cardiac biomarkers in acute coronary syndrome: myeloperoxidase and soluble CD40 ligand and the risk of recurrent ischaemic events in TACTICS-TIMI 18 D. A. Morrow, M. S. Sabatine, M. L. Brennan, J. A. de Lemos, S. A. Murphy, C. T. Ruff, N. Rifai, C. P. Cannon and S. L. Hazen *Eur Heart J* (2008) 29; 1096-102

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18339606

Serum cystatin C and increased coronary heart disease prevalence in US adults without chronic kidney disease P. Muntner, D. Mann, J. Winston, S. Bansilal and M. E. Farkouh *Am J Cardiol* (2008) 102; 54-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572035

Impact of admission blood glucose on outcomes of nondiabetic patients with acute ST-elevation myocardial infarction (from the German Acute Coronary Syndromes [ACOS] Registry) C. K. Naber, R. H. Mehta, C. Junger, U. Zeymer, H. Wienbergen, G. V. Sabin, R. Erbel, J. Senges and A. Gitt *Am J Cardiol* (2009) 103; 583-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231316

Plasma levels of thromboxane A2 on admission are associated with no-reflow after primary percutaneous coronary intervention G. Niccoli, S. Giubilato, E. Russo, C. Spaziani, A. Leo, I. Porto, A. M. Leone, F. Burzotta, S. Riondino, F. Pulcinelli, L. M. Biasucci and F. Crea *Eur Heart J* (2008) 29; 1843-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617477

Prognostic importance of creatine kinase and creatine kinase-MB after primary percutaneous coronary intervention for ST-elevation myocardial infarction M. B. Nienhuis, J. P. Ottervanger, M. J. de Boer, J. H. Dambrink, J. C. Hoorntje, A. T. Gosselink, H. Suryapranata and A. W. van't Hof *Am Heart J* (2008) 155; 673-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371475

Usefulness of the neutrophil to lymphocyte ratio in predicting long-term mortality in ST segment elevation myocardial infarction J. Nunez, E. Nunez, V. Bodi, J. Sanchis, G. Minana, L. Mainar, E. Santas, P. Merlos, E. Rumiz, H. Darmofal, A. M. Heatta and A. Llacer *Am J Cardiol* (2008) 101; 747-52

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18328833

Circulating osteoprotegerin levels and long-term prognosis in patients with acute coronary syndromes T. Omland, T. Ueland, A. M. Jansson, A. Persson, T. Karlsson, C. Smith, J. Herlitz, P. Aukrust, M. Hartford and K. Caidahl *J Am Coll Cardiol* (2008) 51; 627-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261681

C-reactive protein, infarct size, microvascular obstruction, and left-ventricular remodelling following acute myocardial infarction S. Orn, C. Manhenke, T. Ueland, J. K. Damas, T. E. Mollnes, T. Edvardsen, P. Aukrust and K. Dickstein *Eur Heart J* (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19299430

Relation between plasma adiponectin, high-sensitivity C-reactive protein, and coronary plaque components in patients with acute coronary syndrome H. Otake, J. Shite, T. Shinke, S. Watanabe, Y. Tanino, D. Ogasawara, T. Sawada, K. Hirata and M. Yokoyama *Am J Cardiol* (2008) 101; 1-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157956

Plasma aldosterone levels during hospitalization are predictive of survival post-myocardial infarction B. R. Palmer, A. P. Pilbrow, C. M. Frampton, T. G. Yandle, L. Skelton, M. G. Nicholls and A. M. Richards *Eur Heart J* (2008) 29; 2489-96

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18757359

The measurement of plasma aldosterone in patients post-myocardial infarction B. Pitt *Eur Heart J* (2008) 29; 2451-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18801919

Complementary roles for biomarkers of biomechanical strain ST2 and N-terminal prohormone B-type natriuretic peptide in patients with ST-elevation myocardial infarction M. S. Sabatine, D. A. Morrow, L. J. Higgins, C. MacGillivray, W. Guo, C. Bode, N. Rifai, C. P. Cannon, R. E. Gerszten and R. T. Lee *Circulation* (2008) 117; 1936-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378613

Magnitude, reproducibility, and association with baseline cardiac function of cardiac biomarker release in long-distance runners aged > or =55 years A. Sahlen, R. Winter, B. Lind, P. H. Jacobsen, M. Stahlberg, T. Marklund, T. Fux, J. Svensson and F. Braunschweig *Am J Cardiol* (2008) 102; 218-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602525

Combination of clinical risk profile, early exercise testing and circulating biomarkers for evaluation of patients with acute chest pain without ST-segment deviation or troponin elevation J. Sanchis, X. Bosch, V. Bodi, N. Bellera, J. Nunez, B. Benito, J. Ordenez, L. Consuegra, M. Heras and A. Llecer *Heart* (2008) 94; 311-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17639094

Prognostic value of plasma myeloperoxidase concentration in patients with stable

coronary artery disease A. Stefanescu, S. Braun, G. Ndrepepa, T. Koppa, H. Pavaci, J. Mehilli, A. Schomig and A. Kastrati *Am Heart J* (2008) 155; 356-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215608

Prognostic implications of normal (<0.10 ng/ml) and borderline (0.10 to 1.49 ng/ml) troponin elevation levels in critically ill patients without acute coronary syndrome R.

Stein, B. Gupta, S. Agarwal, J. Golub, D. Bhutani, A. Rosman and C. Eng *Am J Cardiol* (2008) 102; 509-12

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721503

Association between admission neutrophil to lymphocyte ratio and outcomes in patients with acute coronary syndrome U. U. Tamhane, S. Aneja, D. Montgomery, E. K. Rogers, K. A. Eagle and H. S. Gurm *Am J Cardiol* (2008) 102; 653-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773982

Temporal course of pregnancy-associated plasma protein-A in angioplasty-treated ST-elevation myocardial infarction patients and potential significance of concomitant heparin administration C. J. Terkelsen, C. Oxvig, B. L. Norgaard, S. Glerup, T. S. Poulsen, J. F. Lassen, H. J. Moller, L. Thuesen, E. Falk, T. T. Nielsen and H. R. Andersen *Am J Cardiol* (2009) 103; 29-35

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101225

Comparison of angiographic and intravascular ultrasonic detection of myocardial bridging of the left anterior descending coronary artery K. Tsujita, A. Maehara, G. S. Mintz, H. Doi, T. Kubo, C. Castellanos, J. Liu, J. Yang, C. Oviedo, T. Franklin-Bond, N. Dasgupta, S. Biro, L. Dani, G. D. Dangas, R. Mehran, A. J. Kirtane, A. J. Lansky, E. M. Kreps, M. B. Collins, G. W. Stone, J. W. Moses and M. B. Leon *Am J Cardiol* (2008) 102; 1608-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064013

Interleukin-8 is increased in the membrane of circulating erythrocytes in patients with acute coronary syndrome D. N. Tziakas, G. K. Chalikias, I. K. Tentis, D. Stakos, S. V. Chatzikyriakou, K. Mitrousi, A. X. Kortsaris, J. C. Kaski and H. Boudoulas *Eur Heart J* (2008) 29; 2713-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18765457

Comparison of Troponin T to creatine kinase and to radionuclide cardiac imaging infarct size in patients with ST-elevation myocardial infarction undergoing primary angioplasty D. Tzivoni, D. Koukoui, V. Guetta, L. Novack and G. Cowing *Am J Cardiol* (2008) 101; 753-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18328834

Prognostic value of free plasma homocysteine levels in patients hospitalized with acute coronary syndrome M. G. van Oijen, B. E. Claessen, N. Clappers, A. van Schaik, R. J. Laheij, J. B. Jansen, W. H. Peters and F. W. Verheugt *Am J Cardiol* (2008) 102; 135-9

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18602509

Association of leukocyte telomere length with circulating biomarkers of the renin-angiotensin-aldosterone system: the Framingham Heart Study R. S. Vasan, S. Demissie, M. Kimura, L. A. Cupples, N. Rifai, C. White, T. J. Wang, J. P. Gardner, X. Cao, E. J. Benjamin, D. Levy and A. Aviv *Circulation* (2008) 117; 1138-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268147

C-terminal proavopressin (copeptin) is a strong prognostic marker in patients with heart failure after an acute myocardial infarction: results from the OPTIMAAL study A. A. Voors, S. von Haehling, S. D. Anker, H. L. Hillege, J. Struck, O. Hartmann, A. Bergmann, I. Squire, D. J. van Veldhuisen and K. Dickstein *Eur Heart J* (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346228

Circulating lipid hydroperoxides predict cardiovascular events in patients with stable coronary artery disease: the PREVENT study M. F. Walter, R. F. Jacob, R. E. Bjork, B. Jeffers, J. Buch, Y. Mizuno and R. P. Mason *J Am Coll Cardiol* (2008) 51; 1196-202

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18355658

Identifying the vulnerable patient with rupture-prone plaque H. S. Weintraub *Am J Cardiol* (2008) 101; 3F-10F

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549869

Evolution of the definition of myocardial infarction: what are the implications of a new universal definition? H. D. White *Heart* (2008) 94; 679-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18480342

Change in N-terminal-pro-B-type-natriuretic-peptide and the risk of sudden death, stroke, myocardial infarction, and all-cause mortality in diabetic dialysis patients K. Winkler, C. Wanner, C. Drechsler, J. Lilienthal, W. Marz and V. Krane *Eur Heart J* (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617483

AMP-activated protein kinase conducts the ischemic stress response orchestra L. H. Young *Circulation* (2008) 117; 832-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268160