

Detection of coronary artery stenoses using multi-detector CT with 16 x 0.75 collimation and 375 ms rotation S. Achenbach, D. Ropers, F. K. Pohle, D. Raaz, J. von Erffa, A. Yilmaz, G. Muschiol and W. G. Daniel

Eur Heart J (2005) 26;1978-86

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15923203

Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning V. Bodi, J. Sanchis, M. P. Lopez-Lereu, A. Losada, J. Nunez, M. Pellicer, V. Bertomeu, F. J. Chorro and A. Llacer

J Am Coll Cardiol (2005) 46;1747-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16256880

Usefulness of multislice computed tomographic coronary angiography to assess in-stent restenosis F. Cademartiri, N. Mollet, P. A. Lemos, F. Pugliese, T. Baks, E. P. McFadden, G. P. Krestin and P. J. de Feyter

Am J Cardiol (2005) 96;799-802

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16169364

Impact of coronary calcium score on diagnostic accuracy for the detection of significant coronary stenosis with multislice computed tomography angiography F. Cademartiri, N. R. Mollet, P. A. Lemos, F. Saia, G. Runza, M. Midiri, G. P. Krestin and P. J. de Feyter

Am J Cardiol (2005) 95;1225-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15877996

Characterization of coronary atherosclerotic plaques by multidetector computed tomography P. M. Carrascosa, C. M. Capunay, P. Garcia-Merletti, J. Carrascosa and M. F. Garcia

Am J Cardiol (2006) 97;598-602

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490420

Comparison of lumens of intermediate coronary stenosis using 16-slice computed tomography versus intravascular ultrasound C. Caussin, B. Daoud, S. Ghostine, E. Perrier, M. Habis, B. Lancelin, C. Y. Angel and J. F. Paul

Am J Cardiol (2005) 96;524-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098305

Safety and accuracy of multidetector row computed tomography for early assessment of residual stenosis of the infarct-related artery and the number of diseased vessels after acute myocardial infarction K. R. Chiou, M. T. Wu, S. H. Hsiao, G. Y. Mar, H. B. Pan, C. F. Yang and C. P. Liu

Am Heart J (2005) 149;701-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990756

Follow-up of coronary artery bypass graft patency by multislice computed tomography E. Chiurlia, M. Menozzi, C. Ratti, R. Romagnoli and M. G. Modena

Am J Cardiol (2005) 95;1094-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15842980

Detection of myocardial scar by contrast-enhanced cardiac magnetic resonance imaging in patients with troponin-positive chest pain and minimal angiographic coronary artery disease J. P. Christiansen, C. Edwards, T. Sinclair, G. Armstrong, A. Scott, H. Patel and H. Hart

Am J Cardiol (2006) 97;768-71

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516572

How useful is computed tomography for screening for coronary artery disease? Noninvasive screening for coronary artery disease with computed tomography is useful M. E. Clouse

Circulation (2006) 113;125-46; discussion 125-46

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16391167

Invasive human magnetic resonance imaging: feasibility during revascularization in a combined XMR suite A. J. Dick, V. K. Raman, A. N. Raval, M. A. Guttman, R. B. Thompson, C. Ozturk, D. C. Peters, A. M. Stine, V. J. Wright, W. H. Schenke and R. J. Lederman

Catheter Cardiovasc Interv (2005) 64;265-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15736247

Cardiac multidetector-row computed tomography in patients with unstable angina M. S. Dirksen, J. W. Jukema, J. J. Bax, H. J. Lamb, E. Boersma, J. C. Tuinenburg, J. Geleijns, E. E. van der Wall and A. de Roos

Am J Cardiol (2005) 95;457-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15695128

Comparison of accuracy of 64-slice cardiovascular computed tomography with coronary angiography in patients with suspected coronary artery disease J. J. Fine, C. B. Hopkins, N. Ruff and F. C. Newton

Am J Cardiol (2006) 97;173-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442357

Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography T. Gaspar, D. A. Halon, B. S. Lewis, S. Adawi, J. E. Schliamser, R. Rubinshtein, M. Y. Flugelman and N. Peled

J Am Coll Cardiol (2005) 46;1573-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16226187

Characterization of acute and chronic myocardial infarcts by multidetector computed tomography: comparison with contrast-enhanced magnetic resonance B. L. Gerber, B. Belge, G. J. Legros, P. Lim, A. Poncelet, A. Pasquet, G. Gisellu, E. Coche and J. L. Vanoverschelde

Circulation (2006) 113;823-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461822

Noninvasive assessment of left main coronary stent patency with 16-slice computed tomography M. Gilard, J. C. Cornily, G. Rioufol, G. Finet, P. Y. Pennec, J. Mansourati, J. J. Blanc and J. Boschat

Am J Cardiol (2005) 95;110-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619405

Multislice spiral computed tomographic angiography of coronary arteries in patients with suspected coronary artery disease: an effective filter before catheter angiography? R.

Haberl, J. Tittus, E. Bohme, A. Czernik, B. M. Richartz, J. Buck and P. Steinbigler

Am Heart J (2005) 149;1112-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976796

Noninvasive coronary angiography with multislice computed tomography M. H.

Hoffmann, H. Shi, B. L. Schmitz, F. T. Schmid, M. Lieberknecht, R. Schulze, B. Ludwig, U. Kroschel, N. Jahnke, W. Haerer, H. J. Brambs and A. J. Aschoff

Jama (2005) 293;2471-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15914747

Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography: a

multicenter comparison of methods R. Hoffmann, S. von Bardeleben, J. D. Kasprzak, A. C. Borges, F. ten Cate, C. Firschke, S. Lafitte, N. Al-Saadi, S. Kuntz-Hehner, G.

Horstick, C. Greis, M. Engelhardt, J. L. Vanoverschelde and H. Becher

J Am Coll Cardiol (2006) 47;121-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386674

Quantitative measurement of infarct size by contrast-enhanced magnetic resonance imaging early after acute myocardial infarction: comparison with single-photon emission

tomography using Tc99m-sestamibi T. Ibrahim, S. G. Nekolla, M. Hornke, H. P. Bulow, J. Dirschinger, A. Schomig and M. Schwaiger

J Am Coll Cardiol (2005) 45;544-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708702

Late gadolinium-enhanced magnetic resonance imaging in acute and chronic

myocardial infarction. Improved prediction of regional myocardial contraction in the chronic state by measuring thickness of nonenhanced myocardium Y. Ichikawa, H.

Sakuma, N. Suzawa, K. Kitagawa, K. Makino, T. Hirano and K. Takeda

J Am Coll Cardiol (2005) 45;901-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15766827

Rapid and complete coronary arterial tree visualization with magnetic resonance

imaging: feasibility and diagnostic performance C. Jahnke, I. Paetsch, K. Nehrke, B. Schnackenburg, R. Gebker, E. Fleck and E. Nagel

Eur Heart J (2005) 26;2313-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15987709

Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients J. Kefer, E. Coche, G. Legros, A. Pasquet, C. Grandin, B. E. Van Beers, J. L. Vanoverschelde and B. L. Gerber

J Am Coll Cardiol (2005) 46;92-100

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15992641

Magnetic resonance imaging-guided balloon angioplasty of coarctation of the aorta: a pilot study J. J. Krueger, P. Ewert, S. Yilmaz, D. Gelernter, B. Peters, K. Pietzner, A. Bornstedt, B. Schnackenburg, H. Abdul-Khaliq, E. Fleck, E. Nagel, F. Berger and T. Kuehne

Circulation (2006) 113;1093-100

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490822

Diagnostic accuracy of noninvasive coronary imaging using 16-detector slice spiral computed tomography with 188 ms temporal resolution A. Kuettner, T. Beck, T. Drosch, K. Kettering, M. Heuschmid, C. Burgstahler, C. D. Claussen, A. F. Kopp and S. Schroeder

J Am Coll Cardiol (2005) 45;123-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629385

Magnetic resonance imaging assessment of ventricular dyssynchrony: current and emerging concepts A. C. Lardo, T. P. Abraham and D. A. Kass

J Am Coll Cardiol (2005) 46;2223-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16360050

Contrast-enhanced multidetector computed tomography viability imaging after myocardial infarction: characterization of myocyte death, microvascular obstruction, and chronic scar A. C. Lardo, M. A. Cordeiro, C. Silva, L. C. Amado, R. T. George, A. P. Saliaris, K. H. Schuleri, V. R. Fernandes, M. Zviman, S. Nazarian, H. R. Halperin, K. C. Wu, J. M. Hare and J. A. Lima

Circulation (2006) 113;394-404

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16432071

Characterization of human atherosclerotic plaques by intravascular magnetic resonance imaging E. Larose, Y. Yeghiazarians, P. Libby, E. K. Yucel, M. Aikawa, D. F. Kacher, E. Aikawa, S. Kinlay, F. J. Schoen, A. P. Selwyn and P. Ganz

Circulation (2005) 112;2324-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16203910

Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system: a comparative study using intravascular ultrasound A. W. Leber, A. Becker, A. Knez, F. von Ziegler, M. Sirol, K. Nikolaou, B. Ohnesorge, Z. A. Fayad, C. R. Becker, M. Reiser, G. Steinbeck and P. Boekstegers

J Am Coll Cardiol (2006) 47;672-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458154

Accuracy of MSCT coronary angiography with 64-slice technology: first experience S. Leschka, H. Alkadhi, A. Plass, L. Desbiolles, J. Grunenfelder, B. Marincek and S. Wildermuth

Eur Heart J (2005) 26;1482-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15840624

Comparison of multidetector computed tomography versus echocardiography for assessing regional left ventricular function J. Lessick, D. Mutlak, S. Rispler, E. Ghersin, R. Dragu, D. Litmanovich, A. Engel, S. A. Reisner and Y. Agmon

Am J Cardiol (2005) 96;1011-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188534

Assessment of myocardial viability in reperfused acute myocardial infarction using 16-slice computed tomography in comparison to magnetic resonance imaging A. H. Mahnken, R. Koos, M. Katoh, J. E. Wildberger, E. Spuentrup, A. Buecker, R. W. Gunther and H. P. Kuhl

J Am Coll Cardiol (2005) 45;2042-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15963407

Improved diagnostic accuracy with 16-row multi-slice computed tomography coronary angiography N. R. Mollet, F. Cademartiri, G. P. Krestin, E. P. McFadden, C. A. Arampatzis, P. W. Serruys and P. J. de Feyter

J Am Coll Cardiol (2005) 45;128-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629386

High-resolution spiral computed tomography coronary angiography in patients referred for diagnostic conventional coronary angiography N. R. Mollet, F. Cademartiri, C. A. van Mieghem, G. Runza, E. P. McFadden, T. Baks, P. W. Serruys, G. P. Krestin and P. J. de Feyter

Circulation (2005) 112;2318-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16203914

Initial experience with 64-slice cardiac CT: non-invasive visualization of coronary artery bypass grafts G. Pache, U. Saueressig, A. Frydrychowicz, D. Foell, N. Ghanem, E. Kotter, A. Geibel-Zehender, C. Bode, M. Langer and T. Bley

Eur Heart J (2006)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16527826

Diagnostic accuracy of noninvasive coronary angiography using 64-slice spiral computed tomography G. L. Raff, M. J. Gallagher, W. W. O'Neill and J. A. Goldstein

J Am Coll Cardiol (2005) 46;552-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16053973

Identifying high-risk asymptomatic diabetic patients who are candidates for screening stress single-photon emission computed tomography imaging N. Rajagopalan, T. D. Miller, D. O. Hodge, R. L. Frye and R. J. Gibbons

J Am Coll Cardiol (2005) 45;43-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629371

Multi-detector row cardiac computed tomography accurately quantifies right and left ventricular size and function compared with cardiac magnetic resonance S. V. Raman, M. Shah, B. McCarthy, A. Garcia and A. K. Ferketich

Am Heart J (2006) 151;736-44

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16504643

Real-time magnetic resonance imaging-guided endovascular recanalization of chronic total arterial occlusion in a swine model A. N. Raval, P. V. Karmarkar, M. A. Guttman, C. Ozturk, S. Sampath, R. DeSilva, R. J. Aviles, M. Xu, V. J. Wright, W. H. Schenke, O. Kocaturk, A. J. Dick, V. K. Raman, E. Atalar, E. R. McVeigh and R. J. Lederman

Circulation (2006) 113;1101-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490819

Coronary stenosis detection by 16-slice computed tomography in heart transplant patients: comparison with conventional angiography and impact on clinical management G. Romeo, L. Houyel, C. Y. Angel, P. Brenot, J. Y. Riou and J. F. Paul

J Am Coll Cardiol (2005) 45;1826-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15936614

Meta-analysis of comparative diagnostic performance of magnetic resonance imaging and multislice computed tomography for noninvasive coronary angiography J. D. Schuijf, J. J. Bax, L. J. Shaw, A. de Roos, H. J. Lamb, E. E. van der Wall and W. Wijns

Am Heart J (2006) 151;404-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442907

Troponin elevation after percutaneous coronary intervention directly represents the extent of irreversible myocardial injury: insights from cardiovascular magnetic resonance imaging J. B. Selvanayagam, I. Porto, K. Channon, S. E. Petersen, J. M. Francis, S. Neubauer and A. P. Banning

Circulation (2005) 111;1027-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15723982

Late coronary artery recanalization effects on left ventricular remodelling and contractility by magnetic resonance imaging J. C. Silva, C. E. Rochitte, J. S. Junior, J. Tsutsui, J. Andrade, E. E. Martinez, P. J. Moffa, J. C. Menegheti, R. Kalil-Filho, J. F. Ramires and J. C. Nicolau

Eur Heart J (2005) 26;36-43

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15615797

Very early cardiac magnetic resonance imaging for quantification of myocardial tissue

perfusion in patients receiving tirofiban before percutaneous coronary intervention for ST-elevation myocardial infarction H. Steen, S. Lehrke, U. K. Wiegand, C. Merten, L. Schuster, G. Richardt, C. Kulke, H. B. Gehl, J. A. Lima, H. A. Katus and E. Giannitsis
Am Heart J (2005) 149;564

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864217

Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty: a study performed with contrast-enhanced magnetic resonance G. Tarantini, L. Cacciavillani, F. Corbetti, A. Ramondo, M. P. Marra, E. Bacchiega, M. Napodano, C. Bilato, R. Razzolini and S. Illiceto

J Am Coll Cardiol (2005) 46;1229-35

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16198836

Noninvasive assessment of coronary vasodilation using magnetic resonance angiography M. Terashima, C. H. Meyer, B. G. Keeffe, E. J. Putz, E. de la

Pena-Almaguer, P. C. Yang, B. S. Hu, D. G. Nishimura and M. V. McConnell

J Am Coll Cardiol (2005) 45;104-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629383

Effect of lipid-lowering therapy with atorvastatin on atherosclerotic aortic plaques detected by noninvasive magnetic resonance imaging A. Yonemura, Y. Momiyama, Z. A. Fayad, M. Ayaori, R. Ohmori, K. Higashi, T. Kihara, S. Sawada, N. Iwamoto, M. Ogura, H. Taniguchi, M. Kusahara, M. Nagata, H. Nakamura, S. Tamai and F. Ohsuzu

J Am Coll Cardiol (2005) 45;733-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15734619