

Increased Risk of Acute Myocardial Infarction and Elevated Levels of C-Reactive Protein in Carriers of the Thr-87 Variant of the Atp Receptor P2y11 S. Amisten, et al. Eur Heart J (2007) 28;13-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17135283](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17135283)

Increased Risk of Acute Myocardial Infarction and Elevated Levels of C-Reactive Protein in Carriers of the Thr-87 Variant of the Atp Receptor P2y11 S. Amisten, et al. Eur Heart J (2007) 28;13-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17135283](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17135283)

Genetic Polymorphisms of Platelet Glycoprotein Ia and the Risk for Premature Myocardial Infarction: Effects on the Release of Scd40l During the Acute Phase of Premature Myocardial Infarction C. Antoniades, et al. J Am Coll Cardiol (2006) 47;1959-66

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16697311](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16697311)

Genetic Polymorphisms of Platelet Glycoprotein Ia and the Risk for Premature Myocardial Infarction: Effects on the Release of Scd40l During the Acute Phase of Premature Myocardial Infarction C. Antoniades, et al. J Am Coll Cardiol (2006) 47;1959-66

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16697311](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16697311)

Effects of Clopidogrel on Soluble Cd40 Ligand and on High-Sensitivity C-Reactive Protein in Patients with Stable Coronary Artery Disease R. R. Azar, et al. Am Heart J (2006) 151;521 e1-521 e4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442924](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442924)

Comparative Impact of Multiple Biomarkers and N-Terminal Pro-Brain Natriuretic Peptide in the Context of Conventional Risk Factors for the Prediction of Recurrent Cardiovascular Events in the Heart Outcomes Prevention Evaluation (Hope) Study S. Blankenberg, et al. Circulation (2006) 114;201-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16831981](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16831981)

Homocysteine Lowering and Cardiovascular Events after Acute Myocardial Infarction K. H. Bonaa, et al. N Engl J Med (2006) 354;1578-88

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16531614](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16531614)

Homocysteine Lowering and Cardiovascular Events after Acute Myocardial Infarction K. H. Bonaa, et al. N Engl J Med (2006) 354;1578-88

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16531614](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16531614)

High-Dose Atorvastatin Improves Hypercholesterolemic Coronary Endothelial Dysfunction without Improving the Angiogenic Response M. Boodhwani, et al. Circulation (2006) 114;1402-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16820608](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16820608)

Relation of Various Plasma Growth Factor Levels in Patients with Stable Angina Pectoris and Total Occlusion of a Coronary Artery to the Degree of Coronary Collaterals C. Briguori, et al. Am J Cardiol (2006) 97;472-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16461039](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461039)

Enhanced Inflammatory Response to Coronary Stenting Marks the Development of Clinically Relevant Restenosis A. M. Caixeta, et al. Catheter Cardiovasc Interv (2007) 69;500-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17285569](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17285569)

Dimethyl Sulfoxide Inhibits Tissue Factor Expression, Thrombus Formation, and Vascular Smooth Muscle Cell Activation: A Potential Treatment Strategy for Drug-Eluting Stents G. G. Camici, et al. Circulation (2006) 114;1512-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17000906](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17000906)

Usefulness of the White Blood Cell Count as a Predictor of Angiographic Findings in an Unselected Population Referred for Coronary Angiography E. Cavusoglu, et al. Am J Cardiol (2006) 98;1189-93

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17056325](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17056325)

A Modified Balloon Crush Approach Improves Side Branch Access and Side Branch Stent Apposition During Crush Stenting of Coronary Bifurcation Lesions N. Collins and V. Dzavik Catheter Cardiovasc Interv (2006) 68;365-71

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16892432](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16892432)

Elevated Matrix Metalloproteinase-9 Associated with Stroke or Cardiovascular Death in Patients with Carotid Stenosis N. Eldrup, et al. Circulation (2006) 114;1847-54

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17030690](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17030690)

Interleukin-6 and the Risk of Future Cardiovascular Events in Patients with Angina Pectoris and/or Healed Myocardial Infarction E. Z. Fisman, et al. Am J Cardiol (2006) 98;14-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16784912](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16784912)

The Significance of Circulating Levels of Both Cardiac Troponin I and High Sensitivity C Reactive Protein for the Prediction of Intravenous Thrombolysis Outcome in Patients with ST-Segment Elevation Myocardial Infarction S. G. Foussas, et al. Heart (2007)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17344331](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17344331)

The Significance of Circulating Levels of Both Cardiac Troponin I and High Sensitivity C Reactive Protein for the Prediction of Intravenous Thrombolysis Outcome in Patients with ST-Segment Elevation Myocardial Infarction S. G. Foussas, et al. Heart (2007)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17344331](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17344331)

Long-Term Prognostic Significance of High-Sensitivity C-Reactive Protein before and after Coronary Angioplasty in Patients with Stable Angina Pectoris O. Gach, et al. Am J

Cardiol (2007) 99;31-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17196457](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17196457)

Elevated Creatine Kinase-Mb with Normal Creatine Kinase Predicts Worse Outcomes in Patients with Acute Coronary Syndromes: Results from 4 Large Clinical Trials J. M. Galla, et al. Am Heart J (2006) 151;16-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16368286](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16368286)

C-Reactive Protein, Clinical Outcome, and Restenosis Rates after Implantation of Different Drug-Eluting Stents A. Gaspardone, et al. Am J Cardiol (2006) 97;1311-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16635602](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16635602)

Comparison of Effects of Bare Metal Versus Drug-Eluting Stent Implantation on Biomarker Levels Following Percutaneous Coronary Intervention for Non-ST-Elevation Acute Coronary Syndrome C. M. Gibson, et al. Am J Cardiol (2006) 97;1473-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16679086](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16679086)

Association between Thrombolysis in Myocardial Infarction Myocardial Perfusion Grade, Biomarkers, and Clinical Outcomes among Patients with Moderate- to High-Risk Acute Coronary Syndromes: Observations from the Randomized Trial to Evaluate the Relative Protection against Post-Pci Microvascular Dysfunction and Post-Pci Ischemia among Antiplatelet and Antithrombotic Agents-Thrombolysis in Myocardial Infarction 30 (Protect-TIMI 30) C. M. Gibson, et al. Am Heart J (2006) 152;756-61

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16996854](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16996854)

Statin Use and Functional Decline in Patients with and without Peripheral Arterial Disease J. Giri, et al. J Am Coll Cardiol (2006) 47;998-1004

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16516084](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516084)

Preprocedural C-Reactive Protein Levels Predict Myocardial Necrosis after Successful Coronary Stenting in Patients with Stable Angina A. Goldberg, et al. Am Heart J (2006) 151;1265-70

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16781234](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16781234)

The Diagnostic and Prognostic Impact of the Redefinition of Acute Myocardial Infarction: Lessons from the Global Registry of Acute Coronary Events (Grace) S. G. Goodman, et al. Am Heart J (2006) 151;654-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16504627](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16504627)

Association of Paraoxonase-1 Activity and Concentration with Angiographic Severity and Extent of Coronary Artery Disease M. Graner, et al. J Am Coll Cardiol (2006) 47;2429-35

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16781370](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16781370)

Relation between Lipoprotein(a) and Fibrinogen and Serial Intravascular Ultrasound Plaque Progression in Left Main Coronary Arteries M. Hartmann, et al. J Am Coll

Cardiol (2006) 48;446-52

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16875967](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16875967)

Time Course of C-Reactive Protein Reduction with Simvastatin Therapy in Patients with Type 2 Diabetes Mellitus T. L. Hernandez, et al. Am J Cardiol (2006) 98;1656-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17145229](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17145229)

Usefulness of Plasma Brain Natriuretic Peptide Concentration for Predicting Subsequent Left Ventricular Remodeling after Coronary Angioplasty in Patients with Acute Myocardial Infarction A. Hirayama, et al. Am J Cardiol (2006) 98;453-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16893696](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16893696)

Usefulness of Plasma Brain Natriuretic Peptide Concentration for Predicting Subsequent Left Ventricular Remodeling after Coronary Angioplasty in Patients with Acute Myocardial Infarction A. Hirayama, et al. Am J Cardiol (2006) 98;453-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16893696](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16893696)

Relation of Soft Plaque and Elevated Preprocedural High-Sensitivity C-Reactive Protein Levels to Incidence of in-Stent Restenosis after Successful Coronary Artery Stenting Y. J. Hong, et al. Am J Cardiol (2006) 98;341-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16860020](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16860020)

Usefulness of Combined White Blood Cell Count and Plasma Glucose for Predicting in-Hospital Outcomes after Acute Myocardial Infarction M. Ishihara, et al. Am J Cardiol (2006) 97;1558-63

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16728213](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16728213)

Usefulness of Combined White Blood Cell Count and Plasma Glucose for Predicting in-Hospital Outcomes after Acute Myocardial Infarction M. Ishihara, et al. Am J Cardiol (2006) 97;1558-63

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16728213](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16728213)

Troponin-T and N-Terminal Pro-B-Type Natriuretic Peptide Predict Mortality Benefit from Coronary Revascularization in Acute Coronary Syndromes: A Gusto-Iv Substudy S. K. James, et al. J Am Coll Cardiol (2006) 48;1146-54

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16978997](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16978997)

Improved Identification of Patients with Coronary Artery Disease by the Use of New Lipid and Lipoprotein Biomarkers N. Johnston, et al. Am J Cardiol (2006) 97;640-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16490429](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490429)

Early Invasive Treatment Benefits Patients with Renal Dysfunction in Unstable Coronary Artery Disease N. Johnston, et al. Am Heart J (2006) 152;1052-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17161052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17161052)

Relation of C-Reactive Protein Level and Long-Term Risk of Death or Myocardial

Infarction Following Percutaneous Coronary Intervention with a Sirolimus-Eluting Stent  
J. Karha, et al. Am J Cardiol (2006) 98;616-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923447](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923447)

Relation of C-Reactive Protein Level and Long-Term Risk of Death or Myocardial Infarction Following Percutaneous Coronary Intervention with a Sirolimus-Eluting Stent  
J. Karha, et al. Am J Cardiol (2006) 98;616-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923447](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923447)

Optimizing Use of Revascularization and Clinical Outcomes in St-Elevation Myocardial Infarction: Insights from the Gusto-V Trial P. Kaul, et al. Eur Heart J (2006) 27;1198-206

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16608859](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16608859)

Optimizing Use of Revascularization and Clinical Outcomes in St-Elevation Myocardial Infarction: Insights from the Gusto-V Trial P. Kaul, et al. Eur Heart J (2006) 27;1198-206

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16608859](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16608859)

The Impact of the Esc/Acc Redefinition of Myocardial Infarction and New Sensitive Troponin Assays on the Frequency of Acute Myocardial Infarction P. A. Kavsak, et al. Am Heart J (2006) 152;118-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16824840](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16824840)

The Impact of the Esc/Acc Redefinition of Myocardial Infarction and New Sensitive Troponin Assays on the Frequency of Acute Myocardial Infarction P. A. Kavsak, et al. Am Heart J (2006) 152;118-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16824840](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16824840)

Limiting Myocardial Damage During Acute Myocardial Infarction by Inhibiting C-Reactive Protein R. N. Kitsis and I. Jialal N Engl J Med (2006) 355;513-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16885557](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16885557)

Limiting Myocardial Damage During Acute Myocardial Infarction by Inhibiting C-Reactive Protein R. N. Kitsis and I. Jialal N Engl J Med (2006) 355;513-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16885557](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16885557)

Serum Concentrations of Adiponectin and Risk of Type 2 Diabetes Mellitus and Coronary Heart Disease in Apparently Healthy Middle-Aged Men: Results from the 18-Year Follow-up of a Large Cohort from Southern Germany W. Koenig, et al. J Am Coll Cardiol (2006) 48;1369-77

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17010797](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17010797)

Combined Prognostic Utility of ST Segment in Lead aVR and Troponin T on Admission in Non-ST-Segment Elevation Acute Coronary Syndromes M. Kosuge, et al. Am J Cardiol (2006) 97;334-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442391](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442391)

Combined Prognostic Utility of ST Segment in Lead AVR and Troponin T on Admission in Non-ST-Segment Elevation Acute Coronary Syndromes M. Kosuge, et al. Am J Cardiol (2006) 97;334-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442391](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442391)

Prediction of Coronary Heart Disease in a Population with High Prevalence of Diabetes and Albuminuria: The Strong Heart Study E. T. Lee, et al. Circulation (2006) 113;2897-905

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16769914](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16769914)

Intense Vasoconstriction in Response to Aspirate from Stented Saphenous Vein Aortocoronary Bypass Grafts K. Leineweber, et al. J Am Coll Cardiol (2006) 47;981-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16516081](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516081)

Plasma Phospholipid Trans Fatty Acids, Fatal Ischemic Heart Disease, and Sudden Cardiac Death in Older Adults: The Cardiovascular Health Study R. N. Lemaitre, et al. Circulation (2006) 114;209-15

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16818809](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16818809)

Elevated Placental Growth Factor Levels Are Associated with Adverse Outcomes at Four-Year Follow-up in Patients with Acute Coronary Syndromes T. Lenderink, et al. J Am Coll Cardiol (2006) 47;307-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16412852](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412852)

Matrix Metalloproteinase-7 Affects Connexin-43 Levels, Electrical Conduction, and Survival after Myocardial Infarction M. L. Lindsey, et al. Circulation (2006) 113;2919-28

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16769909](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16769909)

Frequency of Sudden Cardiac Death among Acute Myocardial Infarction Survivors with Optimized Medical and Revascularization Therapy T. H. Makikallio, et al. Am J Cardiol (2006) 97;480-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16461041](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461041)

Frequency of Sudden Cardiac Death among Acute Myocardial Infarction Survivors with Optimized Medical and Revascularization Therapy T. H. Makikallio, et al. Am J Cardiol (2006) 97;480-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16461041](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461041)

Significance of Total and Differential Leucocyte Count in Patients with Acute Myocardial Infarction Treated with Primary Coronary Angioplasty M. Mariani, et al. Eur Heart J (2006) 27;2511-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923741](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923741)

Significance of Total and Differential Leucocyte Count in Patients with Acute Myocardial Infarction Treated with Primary Coronary Angioplasty M. Mariani, et al. Eur Heart J (2006) 27;2511-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923741](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923741)

Role of Endogenous Fas (Cd95/Apo-1) Ligand in Balloon-Induced Apoptosis, Inflammation, and Neointima Formation C. M. Matter, et al. *Circulation* (2006) 113;1879-87

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16606788](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16606788)

Riboflavin Lowers Homocysteine in Individuals Homozygous for the Mthfr 677c->T Polymorphism H. McNulty, et al. *Circulation* (2006) 113;74-80

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16380544](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16380544)

Comparison of Aspirin Resistance in Type 1 Versus Type 2 Diabetes Mellitus S. S. Mehta, et al. *Am J Cardiol* (2006) 97;567-70

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16461058](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16461058)

Relationship between Homocysteine and Mortality in Chronic Kidney Disease V. Menon, et al. *Circulation* (2006) 113;1572-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16549639](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16549639)

Role of Prophylactic Intra-Aortic Balloon Pump in High-Risk Patients Undergoing Percutaneous Coronary Intervention S. Mishra, et al. *Am J Cardiol* (2006) 98;608-12

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923445](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923445)

Additive Value of Immunoassay-Measured Fibrinogen and High-Sensitivity C-Reactive Protein Levels for Predicting Incident Cardiovascular Events S. Mora, et al. *Circulation* (2006) 114;381-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16864722](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16864722)

Clinical Relevance of C-Reactive Protein During Follow-up of Patients with Acute Coronary Syndromes in the Aggrastat-to-Zocor Trial D. A. Morrow, et al. *Circulation* (2006) 114;281-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16847150](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16847150)

The Reduction of Inflammatory Biomarkers by Statin, Fibrate, and Combination Therapy among Diabetic Patients with Mixed Dyslipidemia: The Diacor (Diabetes and Combined Lipid Therapy Regimen) Study J. B. Muhlestein, et al. *J Am Coll Cardiol* (2006) 48;396-401

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16843192](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16843192)

Nt-Probrain Natriuretic Peptide Predicts Complexity and Severity of the Coronary Lesions in Patients with Non-ST-Elevation Acute Coronary Syndromes J. L. Navarro Estrada, et al. *Am Heart J* (2006) 151;1093 e1-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16644341](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16644341)

Frequency and Clinical Implications of Discordant Creatine Kinase-Mb and Troponin Measurements in Acute Coronary Syndromes L. K. Newby, et al. *J Am Coll Cardiol*

(2006) 47;312-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16412853](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412853)

Endothelin-1 and Acute Myocardial Infarction: A No-Reflow Mediator after Successful Percutaneous Myocardial Revascularization G. Niccoli, et al. *Eur Heart J* (2006) 27;1793-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16829540](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16829540)

Endothelin-1 and Acute Myocardial Infarction: A No-Reflow Mediator after Successful Percutaneous Myocardial Revascularization G. Niccoli, et al. *Eur Heart J* (2006) 27;1793-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16829540](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16829540)

Prognostic Utility of Heart-Type Fatty Acid Binding Protein in Patients with Acute Coronary Syndromes M. O'Donoghue, et al. *Circulation* (2006) 114;550-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16880323](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16880323)

Lipoprotein-Associated Phospholipase A2 and Its Association with Cardiovascular Outcomes in Patients with Acute Coronary Syndromes in the Prove It-Timi 22 (Pravastatin or Atorvastatin Evaluation and Infection Therapy-Thrombolysis in Myocardial Infarction) Trial M. O'Donoghue, et al. *Circulation* (2006) 113;1745-52

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16537575](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16537575)

Prognostic Value of C-Reactive Protein and Cardiac Troponin I in Primary Percutaneous Interventions for St-Elevation Myocardial Infarction P. Ohlmann, et al. *Am Heart J* (2006) 152;1161-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17161070](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17161070)

Prognostic Value of C-Reactive Protein and Cardiac Troponin I in Primary Percutaneous Interventions for St-Elevation Myocardial Infarction P. Ohlmann, et al. *Am Heart J* (2006) 152;1161-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17161070](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17161070)

Plasma Adiponectin Levels Are Associated with Coronary Lesion Complexity in Men with Coronary Artery Disease F. Otsuka, et al. *J Am Coll Cardiol* (2006) 48;1155-62

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16978998](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16978998)

D-Dimer Testing to Determine the Duration of Anticoagulation Therapy G. Palareti, et al. *N Engl J Med* (2006) 355;1780-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17065639](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17065639)

Prognostic Impact of Preprocedural C-Reactive Protein Levels on Six-Month Angiographic and One-Year Clinical Outcomes after Drug-Eluting Stent Implantation D. W. Park, et al. *Heart* (2007)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17309906](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17309906)

Expression of Heat Shock Protein 27 in Human Atherosclerotic Plaques and Increased Plasma Level of Heat Shock Protein 27 in Patients with Acute Coronary Syndrome H. K. Park, et al. *Circulation* (2006) 114;886-93

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923754](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923754)

Isolated Elevation in Troponin T after Percutaneous Coronary Intervention Is Associated with Higher Long-Term Mortality A. Prasad, et al. *J Am Coll Cardiol* (2006) 48;1765-70

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17084247](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17084247)

Impact of Percutaneous Coronary Intervention on the Levels of Interleukin-6 and C-Reactive Protein in the Coronary Circulation of Subjects with Coronary Artery Disease M. M. Ramadan, et al. *Am J Cardiol* (2006) 98;915-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16996873](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16996873)

Association of Hemoglobin a(1c) Level with the Severity of Coronary Artery Disease in Patients with Diabetes Mellitus G. Ravipati, et al. *Am J Cardiol* (2006) 97;968-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16563896](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16563896)

Comparison of B-Type Natriuretic Peptides for Assessment of Cardiac Function and Prognosis in Stable Ischemic Heart Disease M. Richards, et al. *J Am Coll Cardiol* (2006) 47;52-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16386664](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16386664)

Usefulness of Preprocedural Serum N-Terminal Pro-Brain Natriuretic Peptide Levels to Predict Long-Term Outcome after Percutaneous Coronary Intervention in Patients with Normal Troponin T Levels N. Saleh, et al. *Am J Cardiol* (2006) 97;830-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16516584](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516584)

Prognostic Usefulness of White Blood Cell Count on Admission and One-Year Outcome in Patients with Non-ST-Segment Elevation Acute Chest Pain J. Sanchis, et al. *Am J Cardiol* (2006) 98;885-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16996867](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16996867)

Thromboxane-Dependent Cd40 Ligand Release in Type 2 Diabetes Mellitus F. Santilli, et al. *J Am Coll Cardiol* (2006) 47;391-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16412866](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412866)

Serum Tenascin-C Might Be a Novel Predictor of Left Ventricular Remodeling and Prognosis after Acute Myocardial Infarction A. Sato, et al. *J Am Coll Cardiol* (2006) 47;2319-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16750702](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16750702)

Serum Tenascin-C Might Be a Novel Predictor of Left Ventricular Remodeling and Prognosis after Acute Myocardial Infarction A. Sato, et al. *J Am Coll Cardiol* (2006) 47;2319-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16750702](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16750702)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16750702](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16750702)

[n&list\\_uids=16750702](#)

Adiponectin and Coronary Heart Disease: A Prospective Study and Meta-Analysis N. Sattar, et al. *Circulation* (2006) 114;623-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16894037](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16894037)

B-Type Natriuretic Peptide and the Risk of Cardiovascular Events and Death in Patients with Stable Angina: Results from the Atherogene Study R. Schnabel, et al. *J Am Coll Cardiol* (2006) 47;552-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16458135](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458135)

Interleukin-8 Is Associated with Circulating Cd133+ Progenitor Cells in Acute Myocardial Infarction K. Schomig, et al. *Eur Heart J* (2006) 27;1032-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16455670](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16455670)

Interleukin-8 Is Associated with Circulating Cd133+ Progenitor Cells in Acute Myocardial Infarction K. Schomig, et al. *Eur Heart J* (2006) 27;1032-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16455670](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16455670)

Comparison of Apolipoprotein-B/Apolipoprotein-Ai in Subjects with Versus without the Metabolic Syndrome J. Sierra-Johnson, et al. *Am J Cardiol* (2006) 98;1369-73

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17134631](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17134631)

Impact of C-Reactive Protein and Fibrinogen on Cardiovascular Prognosis in Patients with Stable Angina Pectoris: The Atherogene Study J. M. Sinning, et al. *Eur Heart J* (2006) 27;2962-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17132649](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17132649)

Ventricular Ectopy: Impact of Self-Reported Stress after Myocardial Infarction P. J. Smith, et al. *Am Heart J* (2007) 153;133-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17174651](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17174651)

Ancillary Studies in the Bypass Angioplasty Revascularization Investigation 2 Diabetes (Bari 2d) Trial: Synergies and Opportunities B. E. Sobel *Am J Cardiol* (2006) 97;53G-58G

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16813738](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16813738)

Cardiac Troponin T at 96 Hours after Acute Myocardial Infarction Correlates with Infarct Size and Cardiac Function H. Steen, et al. *J Am Coll Cardiol* (2006) 48;2192-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17161244](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17161244)

Relation of Microalbuminuria and Coronary Artery Disease in Patients with and without Diabetes Mellitus R. Sukhija, et al. *Am J Cardiol* (2006) 98;279-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16860009](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16860009)

Increased Cardiac Adenylyl Cyclase Expression Is Associated with Increased Survival after Myocardial Infarction T. Takahashi, et al. *Circulation* (2006) 114;388-96

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16864723](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16864723)

Prognostic Value of Preoperative Cardiac Troponin I in Patients Undergoing Emergency Coronary Artery Bypass Surgery with Non-ST-Elevation or ST-Elevation Acute Coronary Syndromes M. Thielmann, et al. *Circulation* (2006) 114;1448-53

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16820617](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16820617)

Oxidized Phospholipids Predict the Presence and Progression of Carotid and Femoral Atherosclerosis and Symptomatic Cardiovascular Disease: Five-Year Prospective Results from the Bruneck Study S. Tsimikas, et al. *J Am Coll Cardiol* (2006) 47;2219-28

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16750687](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16750687)

Usefulness of Preprocedural Soluble Cd40 Ligand for Predicting Restenosis after Percutaneous Coronary Intervention in Patients with Stable Coronary Artery Disease S. Turker, et al. *Am J Cardiol* (2006) 97;198-202

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442363](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442363)

Apolipoprotein E Genotype and Circulating Interleukin-10 Levels in Patients with Stable and Unstable Coronary Artery Disease D. N. Tziakas, et al. *J Am Coll Cardiol* (2006) 48;2471-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17174184](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17174184)

Usefulness of Preoperative C-Reactive Protein and Soluble Intercellular Adhesion Molecule-1 Level for Predicting Future Cardiovascular Events after Coronary Artery Bypass Grafting P. van der Harst, et al. *Am J Cardiol* (2006) 97;1697-701

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16765116](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16765116)

Multiple Biomarkers for the Prediction of First Major Cardiovascular Events and Death T. J. Wang, et al. *N Engl J Med* (2006) 355;2631-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17182988](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17182988)

Vkorc1 Haplotypes Are Associated with Arterial Vascular Diseases (Stroke, Coronary Heart Disease, and Aortic Dissection) Y. Wang, et al. *Circulation* (2006) 113;1615-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16549638](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16549638)

A Model for Troponin I as a Quantitative Predictor of in-Hospital Mortality D. A. Waxman, et al. *J Am Coll Cardiol* (2006) 48;1755-62

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17084245](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17084245)

Specific Temporal Profile of Matrix Metalloproteinase Release Occurs in Patients after Myocardial Infarction: Relation to Left Ventricular Remodeling C. S. Webb, et al. *Circulation* (2006) 114;1020-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16923753](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16923753)

Short- and Long-Term Risk Stratification in Acute Coronary Syndromes: The Added Value of Quantitative ST-Segment Depression and Multiple Biomarkers C. M.

Westerhout, et al. *J Am Coll Cardiol* (2006) 48:939-47  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16949483](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16949483)

Integration of B-Type Natriuretic Peptide Levels with Clinical Data and Exercise Testing for Predicting Coronary Artery Disease T. Wolber, et al. *Am J Cardiol* (2006) 98;764-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16950181](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16950181)

Impact of Low High-Density Lipoproteins on in-Hospital Events and One-Year Clinical Outcomes in Patients with Non-ST-Elevation Myocardial Infarction Acute Coronary Syndrome Treated with Drug-Eluting Stent Implantation R. M. Wolfram, et al. *Am J Cardiol* (2006) 98;711-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16950168](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16950168)

Prognostic Value of Growth-Differentiation Factor-15 in Patients with Non-ST-Elevation Acute Coronary Syndrome K. C. Wollert, et al. *Circulation* (2007) 115;962-71  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17283261](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17283261)

Is Plasma Oxidized Low-Density Lipoprotein, Measured with the Widely Used Antibody 4e6, an Independent Predictor of Coronary Heart Disease among U.S. Men and Women? T. Wu, et al. *J Am Coll Cardiol* (2006) 48;973-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16949489](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16949489)

Detection of Von Willebrand Factor and Tissue Factor in Platelets-Fibrin Rich Coronary Thrombi in Acute Myocardial Infarction A. Yamashita, et al. *Am J Cardiol* (2006) 97;26-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16377278](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377278)

Detection of Von Willebrand Factor and Tissue Factor in Platelets-Fibrin Rich Coronary Thrombi in Acute Myocardial Infarction A. Yamashita, et al. *Am J Cardiol* (2006) 97;26-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16377278](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377278)

Impact of Clopidogrel on Suppression of Circulating Levels of Soluble Cd40 Ligand in Patients with Unstable Angina Undergoing Coronary Stenting H. K. Yip, et al. *Am J Cardiol* (2006) 97;192-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442361](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442361)

Troponin I as a Predictor of Coronary Heart Disease and Mortality in 70-Year-Old Men: A Community-Based Cohort Study B. Zethelius, et al. *Circulation* (2006) 113;1071-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16490824](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490824)