

Incidence of coronary stent thrombosis based on academic research consortium definitions R. J. Applegate, M. T. Sacrinty, W. C. Little, R. M. Santos, S. K. Gandhi and M. A. Kutcher *Am J Cardiol* (2008) 102; 683-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18773988](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773988)

Adjusted clopidogrel loading doses according to vasodilator-stimulated phosphoprotein phosphorylation index decrease rate of major adverse cardiovascular events in patients with clopidogrel resistance: a multicenter randomized prospective study L. Bonello, L. Camoin-Jau, S. Arques, C. Boyer, D. Panagides, O. Wittenberg, M. C. Simeoni, P. Barragan, F. Dignat-George and F. Paganelli *J Am Coll Cardiol* (2008) 51; 1404-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18387444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18387444)

Long-term outcomes after percutaneous coronary intervention of bifurcation narrowings N. Collins, P. H. Seidelin, P. Daly, J. Ivanov, A. Barolet, K. Mackie, S. Bui, L. Schwartz and V. Dzavik *Am J Cardiol* (2008) 102; 404-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678296](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678296)

Comparison of safety, efficacy, and outcome of successful versus unsuccessful percutaneous coronary intervention in "true" chronic total occlusions A. de Labriolle, L. Bonello, P. Roy, G. Lemesle, D. H. Steinberg, Z. Xue, K. Kaneshige, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard, J. Lindsay and R. Waksman *Am J Cardiol* (2008) 102; 1175-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18940287](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940287)

Late thrombosis of paclitaxel-eluting stents: long-term incidence, clinical consequences, and risk factors in a cohort of 604 patients X. Flores-Rios, R. Marzoa-Rivas, J. P. Abugattas-de Torres, P. Pinon-Esteban, G. Aldama-Lopez, J. Salgado-Fernandez, R. Calvino-Santos, J. M. Vazquez-Rodriguez, N. Vazquez-Gonzalez and A. Castro-Beiras *Am Heart J* (2008) 155; 648-53

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18371471](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371471)

Comparison of stent thrombosis, myocardial infarction, and mortality following drug-eluting versus bare-metal stent coronary intervention in patients with diabetes mellitus M. Maeng, L. O. Jensen, A. Kalsoft, H. H. Hansen, M. Bottcher, J. F. Lassen, P. Thayssen, L. R. Krusell, K. Rasmussen, L. Pedersen, H. T. Sorensen, S. P. Johnsen and L. Thuesen *Am J Cardiol* (2008) 102; 165-72

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602515](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602515)

Late coronary intervention for totally occluded left anterior descending coronary arteries in stable patients after myocardial infarction: Results from the Occluded Artery Trial (OAT) L. A. Malek, H. R. Reynolds, S. A. Forman, C. Vozzi, G. B. Mancini, J. K. French, M. Dziarmaga, J. P. Renkin, J. Kochman, G. A. Lamas and J. S. Hochman *Am Heart J* (2009) 157; 724-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332202](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332202)

Correlates of late and very late thrombosis of drug eluting stents G. J. Mishkel, A. L.

Moore, S. Markwell and M. E. Shelton *Am Heart J* (2008) 156; 141-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18585509](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585509)

Effectiveness of primary percutaneous coronary interventions for stent thrombosis G. Parodi, G. Memisha, B. Bellandi, R. Valenti, A. Migliorini, N. Carrabba, R. Vergara and D. Antonucci *Am J Cardiol* (2009) 103; 913-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19327415](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327415)

Observations and outcomes of definite and probable drug-eluting stent thrombosis seen at a single hospital in a four-year period T. L. Pinto Slottow, D. H. Steinberg, P. K. Roy, A. N. Buch, T. Okabe, Z. Xue, K. Kaneshige, R. Torguson, J. Lindsay, A. D. Pichard, L. F. Satler, W. O. Suddath, K. M. Kent and R. Waksman *Am J Cardiol* (2008) 102; 298-303

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638590](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638590)

Clinical, procedural, and pharmacologic correlates of acute and subacute stent thrombosis: results of a multicenter case-control study with 145 thrombosis events M. J. Rinaldi, A. J. Kirtane, R. N. Piana, R. P. Caputo, P. C. Gordon, J. J. Lopez, H. L. Dauerman, T. J. Ryan, Jr., F. J. Kiernan, D. E. Cutlip, K. K. Ho, C. M. Gibson, S. A. Murphy and D. J. Cohen *Am Heart J* (2008) 155; 654-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18371472](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371472)

Incidence, distribution, and prognostic impact of occluded culprit arteries among patients with non-ST-elevation acute coronary syndromes undergoing diagnostic angiography T. Y. Wang, M. Zhang, Y. Fu, P. W. Armstrong, L. K. Newby, C. M. Gibson, D. J. Moliterno, F. Van de Werf, H. D. White, R. A. Harrington and M. T. Roe *Am Heart J* (2009) 157; 716-23

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332201](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332201)

Rates of stent thrombosis in bare-metal versus drug-eluting stents (from a large Australian multicenter registry) B. P. Yan, S. J. Duffy, D. J. Clark, J. Lefkovits, R. Warren, R. Gurvitch, R. Lew, M. Sebastian, A. Brennan, N. Andrianopoulos, C. M. Reid and A. E. Ajani *Am J Cardiol* (2008) 101; 1716-22

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18549846](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549846)