

Percutaneous intervention for chronic total occlusion of the internal iliac artery for unrelenting buttock claudication S. Adlakha, M. Burket and C. Cooper *Catheter Cardiovasc Interv* (2008)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19213070](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213070)

Complication rate of diagnostic carotid angiography performed by interventional cardiologists H. Al-Ameri, M. L. Thomas, A. Yoon, G. S. Mayeda, S. Burstein, R. A. Kloner and D. M. Shavelle *Catheter Cardiovasc Interv* (2009) 73; 661-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19180659](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19180659)

Treatment of acute limb ischemia with a percutaneous mechanical thrombectomy-based endovascular approach: 5-year limb salvage and survival results from a single center series G. M. Ansel, C. F. Botti, Jr. and M. J. Silver *Catheter Cardiovasc Interv* (2008) 72; 325-30  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18726955](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18726955)

Failed endothelialisation of a percutaneous atrial septal defect closure device Z. Astroulakis, A. El-Gamel and J. M. Hill *Heart* (2008) 94; 580  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18411351](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18411351)

Carotid stenting versus endarterectomy C. Balucani and C. Cordonnier *N Engl J Med* (2008) 359; 311; author reply 12-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18635439](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18635439)

Carotid artery stenosis: tailoring treatment according to risk profile J. Belardi *Catheter Cardiovasc Interv* (2009) 73; 137-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19156874](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156874)

Symptomatic carotid artery stenosis: the dilemma for a reasonable selection of carotid stenting or endarterectomy P. Bergeron *Eur Heart J* (2008) 29; 7-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18167365](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18167365)

Aortic intramural haematoma A. F. Bolger *Heart* (2008) 94; 1670-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19011143](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19011143)

Coil embolisation for diffuse pulmonary arteriovenous malformations S. J. Chen and J. K. Wang *Heart* (2008) 94; 596  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18411353](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18411353)

Impact of aortic stenting on peripheral vascular function and daytime systolic blood pressure in adult coarctation S. S. Chen, A. E. Donald, C. Storry, J. P. Halcox, P. Bonhoeffer and J. E. Deanfield *Heart* (2008) 94; 919-24  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17686804](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17686804)

Carotid artery stenting in elderly patients: importance of case selection P. T. Chiam, G. S. Roubin, S. S. Iyer, R. M. Green, D. E. Soffer, C. Brennan and J. J. Vittek *Catheter*

Cardiovasc Interv (2008) 72; 318-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18726954](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18726954)

Endovascular repair of popliteal artery aneurysms with Anaconda limbs: technique and early results C. S. Cina, R. Moore, R. Maggisano, D. Kucey, A. Dueck and T. Rapanos Catheter Cardiovasc Interv (2008) 72; 716-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18942132](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18942132)

Contemporary management of descending thoracic and thoracoabdominal aortic aneurysms: endovascular versus open M. F. Conrad and R. P. Cambria Circulation (2008) 117; 841-52

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18268161](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268161)

Acute renal artery embolism treated with a cardiac thrombectomy catheter C. Critoph, J. Radvan and D. Shepherd Heart (2008) 94; 462

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18347376](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18347376)

Endovascular infrarenal abdominal aortic aneurysm repair M. Davis and P. R. Taylor Heart (2008) 94; 222-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18195126](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18195126)

Local paclitaxel delivery in peripheral vascular disease N. Diehm, I. Baumgartner and P. Juni N Engl J Med (2008) 358; 2406-7; author reply 07

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18512273](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18512273)

Endovascular vs. open repair of abdominal aortic aneurysms M. D. Eisner N Engl J Med (2008) 358; 2644-5; author reply 45

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18550882](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550882)

Carotid artery dissection: endovascular treatment. Report of 12 patients M. Fava, L. Meneses, S. Loyola, J. Tevah, H. Bertoni, I. Huete and P. Mellado Catheter Cardiovasc Interv (2008) 71; 694-700

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18360842](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360842)

Ductal stenting for restricted pulmonary blood flow in neonates: 15 years on but still a very limited place in clinical practice J. L. Gibbs Heart (2008) 94; 834-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18552221](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18552221)

Acute aortic dissection J. Golledge and K. A. Eagle Lancet (2008) 372; 55-66

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18603160](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18603160)

Contemporary analysis of descending thoracic and thoracoabdominal aneurysm repair: a comparison of endovascular and open techniques R. K. Greenberg, Q. Lu, E. E. Roselli, L. G. Svensson, M. C. Moon, A. V. Hernandez, J. Dowdall, M. Cury, C. Francis, K. Pfaff, D. G. Clair, K. Ouriel and B. W. Lytle Circulation (2008) 118; 808-17

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18678769

Endovascular repair of thoracoabdominal aneurysms R. K. Greenberg and B. Lytle  
Circulation (2008) 117; 2288-96

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18443250](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18443250)

Endovascular repair of abdominal aortic aneurysm R. M. Greenhalgh and J. T. Powell N Engl J Med (2008) 358; 494-501

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18234753](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18234753)

Safety of carotid artery stenting for symptomatic carotid artery disease: a meta-analysis H. S. Gurm, B. K. Nallamothu and J. Yadav Eur Heart J (2008) 29; 113-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17881346](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17881346)

Atherosclerotic plaque composition and occurrence of restenosis after carotid endarterectomy W. E. Hellings, F. L. Moll, J. P. De Vries, R. G. Ackerstaff, K. A. Seldenrijk, R. Met, E. Velema, W. J. Derksen, D. P. De Kleijn and G. Pasterkamp JAMA (2008) 299; 547-54

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18252885](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18252885)

The off-versus on-label use of medical devices in interventional cardiovascular medicine?: Clarifying the ambiguity between regulatory labeling and clinical decision making, part III: structural heart disease interventions R. Holzer and Z. Hijazi Catheter Cardiovasc Interv (2008) 72; 848-52

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19006259](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19006259)

Carotid artery revascularization in high surgical risk patients with the NexStent and the Filterwire EX/EZ: 1-year results in the CABERNET trial L. N. Hopkins, S. Myla, E. Grube, J. C. Wehman, E. I. Levy, R. M. Bersin, J. D. Joye, D. J. Allocco, L. Kelley and D. S. Baim Catheter Cardiovasc Interv (2008) 71; 950-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412236](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412236)

Carotid artery revascularization in high-surgical-risk patients using the Carotid WALLSTENT and FilterWire EX/EZ: 1-year outcomes in the BEACH Pivotal Group S. S. Iyer, C. J. White, L. N. Hopkins, B. T. Katzen, R. Safian, M. H. Wholey, W. A. Gray, R. Ciocca, W. B. Bachinsky, G. Ansel, J. D. Joye and M. E. Russell J Am Coll Cardiol (2008) 51; 427-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18222352](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18222352)

Inadvertent subclavian artery catheter placement complicated by stroke: endovascular management and review B. S. Jahromi, R. P. Tummala and E. I. Levy Catheter Cardiovasc Interv (2009) 73; 706-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19309701](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309701)

Complete versus partial distal embolic protection during renal artery stenting K. Kanjwal, S. Haller, M. Steffes, R. Virmani, J. I. Shapiro, M. W. Burket, C. J. Cooper and W. R. Colyer, Jr. Catheter Cardiovasc Interv (2008)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19198007](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19198007)

Carotid endarterectomy and statin therapy in the management of patients with carotid artery disease J. R. Kapoor JAMA (2008) 300; 2117-8; author reply 19

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19001620](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001620)

Routine stent implantation vs. percutaneous transluminal angioplasty in femoropopliteal artery disease: a meta-analysis of randomized controlled trials C. Kasapis, P. K. Henke, S. J. Chetcuti, G. C. Koenig, J. E. Rectenwald, V. N. Krishnamurthy, P. M. Grossman and H. S. Gurm Eur Heart J (2009) 30; 44-55

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19028778](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19028778)

Novel use of ultrasound guidance for recanalization of iliac, femoral, and popliteal arteries D. Kawasaki, T. Tsujino, K. Fujii, M. Masutani, M. Ohyanagi and T. Masuyama Catheter Cardiovasc Interv (2008) 71; 727-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412065](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412065)

Optimal treatment of carotid artery disease E. I. Levy, J. Mocco, R. M. Samuelson, R. D. Ecker, B. S. Jahromi and L. N. Hopkins J Am Coll Cardiol (2008) 51; 979-85

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325435](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325435)

Carotid endarterectomy and statin therapy in the management of patients with carotid artery disease L. Mascitelli, F. Pezzetta and M. R. Goldstein JAMA (2008) 300; 2118; author reply 19

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19001621](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001621)

Endovascular balloon occlusion for catheter-induced large artery perforation in the catheterization laboratory J. B. Masson, S. Al Bugami and J. G. Webb Catheter Cardiovasc Interv (2009) 73; 514-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19133684](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133684)

State of the art: management of iliac artery aneurysmal disease J. Michael Bacharach and D. P. Slovut Catheter Cardiovasc Interv (2008) 71; 708-14

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18360870](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360870)

Antiplatelet therapy after endovascular intervention: Does combination therapy really work and what is the optimum duration of therapy? R. V. Milani Catheter Cardiovasc Interv (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19213064](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213064)

Novel technique using the Outback LTD catheter for a common iliac artery occlusion T. A. Mixon Catheter Cardiovasc Interv (2009) 73; 415-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19133688](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133688)

Optimal treatment of renal artery in-stent restenosis: repeat stent placement versus angioplasty alone Z. M. N'Dandu, R. A. Badawi, C. J. White, M. A. Grise, J. P. Reilly, J.

S. Jenkins, T. J. Collins and S. R. Ramee Catheter Cardiovasc Interv (2008) 71; 701-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18360868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360868)

Trends in the use of percutaneous closure of patent foramen ovale and atrial septal defect in adults, 1998-2004 A. R. Opatowsky, M. J. Landzberg, S. E. Kimmel and G. D. Webb JAMA (2008) 299; 521-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18252881](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18252881)

The pharmacokinetics of Biolimus A9 after elution from the Nobori stent in patients with coronary artery disease: the NOBORI PK study M. Ostojic, D. Sagic, R. Jung, Y. L. Zhang, M. Nedeljkovic, L. Mangovski, S. Stojkovic, D. Debeljacki, M. Colic, B. Beleslin, B. Milosavljevic, D. Orlic, D. Topic, N. Karanovic, D. Paunovic and U. Christians Catheter Cardiovasc Interv (2008) 72; 901-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19016466](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19016466)

Catheter-based treatment of the subclavian and innominate arteries S. N. Patel, C. J. White, T. J. Collins, G. A. Daniel, J. S. Jenkins, J. P. Reilly, R. F. Morris and S. R. Ramee Catheter Cardiovasc Interv (2008) 71; 963-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18383169](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18383169)

Does optical coherence tomography identify arterial healing after stenting? An in vivo comparison with histology, in a rabbit carotid model F. Prati, M. Zimarino, E. Stabile, G. Pizzicannella, T. Fouad, R. Rabozzi, A. Filippini, J. Pizzicannella, M. Cera and R. De Caterina Heart (2008) 94; 217-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17639100](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17639100)

Clinical follow-up in endovascular treatment for TASC C-D lesions in femoro-popliteal segment M. Rabellino, T. Zander, S. Baldi, L. Garcia Nielsen, F. J. Aragon-Sanchez, I. Zerolo, R. Llorens and M. Maynar Catheter Cardiovasc Interv (2009) 73; 701-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19309709](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309709)

Geographic differences in clinical presentation, treatment, and outcomes in type A acute aortic dissection (from the International Registry of Acute Aortic Dissection) A.

Raghupathy, C. A. Nienaber, K. M. Harris, T. Myrmel, R. Fattori, U. Sechtem, J. Oh, S. Trimarchi, J. V. Cooper, A. Booher, K. Eagle, E. Isselbacher and E. Bossone Am J Cardiol (2008) 102; 1562-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026315](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026315)

Endovascular carotid artery stenting and early coronary artery bypass grafting for asymptomatic carotid artery stenosis: long-term outcomes and neurologic events P. S. Ranaweera, B. C. Bigelow, M. C. Leary, R. de la Torre, F. Sellke and L. A. Garcia Catheter Cardiovasc Interv (2009) 73; 139-42

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19156875](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156875)

Orbital atherectomy for infrapopliteal disease: device concept and outcome data for the OASIS trial R. D. Safian, K. Niazi, J. P. Runyon, D. Dulas, B. Weinstock, V. Ramaiah

and R. Heuser *Catheter Cardiovasc Interv* (2009) 73; 406-12  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19213094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213094)

Local paclitaxel delivery in peripheral vascular disease M. Schillinger and E. Minar *N Engl J Med* (2008) 358; 2406; author reply 07  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18509128](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18509128)

Long-term outcome of prophylactic coronary revascularization in cardiac high-risk patients undergoing major vascular surgery (from the randomized DECREASE-V Pilot Study) O. Schouten, J. P. van Kuijk, W. J. Flu, T. A. Winkel, G. M. Welten, E. Boersma, H. J. Verhagen, J. J. Bax and D. Poldermans *Am J Cardiol* (2009) 103; 897-901  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19327412](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327412)

Multiple mechanisms affect the clopidogrel response G. Siasos, D. Tousoulis and C. Stefanadis *J Am Coll Cardiol* (2009) 53; 900-1; author reply 01  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19264256](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19264256)

Results after balloon angioplasty or stenting of atherosclerotic subclavian artery obstruction S. Sixt, A. Rastan, U. Schwarzwald, K. Burgelin, E. Noory, T. Schwarz, U. Beschoner, U. Frank, C. Muller, M. Hauk, O. Leppanen, K. Hauswald, R. Brantner, T. Nazary, F. J. Neumann and T. Zeller *Catheter Cardiovasc Interv* (2009) 73; 395-403  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19214979](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19214979)

Efficacy of cilostazol after endovascular therapy for femoropopliteal artery disease in patients with intermittent claudication Y. Soga, H. Yokoi, T. Kawasaki, H. Nakashima, M. Tsurugida, Y. Hikichi and M. Nobuyoshi *J Am Coll Cardiol* (2009) 53; 48-53  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19118724](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19118724)

Carotid stenting versus endarterectomy C. Stollberger and J. Finsterer *N Engl J Med* (2008) 359; 311-2; author reply 12-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18642412](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18642412)

Endovascular management of thoracic dissections W. Swee and M. D. Dake *Circulation* (2008) 117; 1460-73  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18347222](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18347222)

Local delivery of paclitaxel to inhibit restenosis during angioplasty of the leg G. Tepe, T. Zeller, T. Albrecht, S. Heller, U. Schwarzwald, J. P. Beregi, C. D. Claussen, A. Oldenburg, B. Scheller and U. Speck *N Engl J Med* (2008) 358; 689-99  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18272892](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18272892)

Stent implantation for adult aortic coarctation B. V. Thanopoulos, N. Eleftherakis, K. Tzanos, I. Skoularigis and F. Triposkiadis *J Am Coll Cardiol* (2008) 52; 1815-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19022163](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19022163)

Treatment of aortic arch aneurysm with a NuMED-covered stent and restoration of flow

to excluded left subclavian artery: perforation and dilation of e-PTFE can be done! S. F. Tsai, S. L. Hill and J. P. Cheatham *Catheter Cardiovasc Interv* (2009) 73; 385-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19133685](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133685)

Effect of statin therapy on mortality in patients with peripheral arterial disease and comparison of those with versus without associated chronic obstructive pulmonary disease Y. R. van Gestel, S. E. Hoeks, D. D. Sin, C. Simsek, G. M. Welten, O. Schouten, H. Stam, F. W. Mertens, R. T. van Domburg and D. Poldermans *Am J Cardiol* (2008) 102; 192-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602520](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602520)

Images in cardiovascular medicine. Aneurysm rupture after stent grafting: value of dynamic imaging J. van Prehn, J. A. van Herwaarden, M. Prokop, B. E. Muhs, F. L. Moll and H. J. Verhagen *Circulation* (2009) 119; e232

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19289644](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19289644)

Carotid artery stent placement is safe in the very elderly (> or =80 years) C. A. Velez, C. J. White, J. P. Reilly, J. S. Jenkins, T. J. Collins, M. A. Grise, P. W. McMullan and S. R. Ramee *Catheter Cardiovasc Interv* (2008) 72; 303-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18726941](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18726941)

Inhibition of restenosis in femoropopliteal arteries: paclitaxel-coated versus uncoated balloon: femoral paclitaxel randomized pilot trial M. Werk, S. Langner, B. Reinkensmeier, H. F. Boettcher, G. Tepe, U. Dietz, N. Hosten, B. Hamm, U. Speck and J. Ricke *Circulation* (2008) 118; 1358-65

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18779447](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18779447)

The Carotid Artery Revascularization and Endarterectomy (CARE) registry: objectives, design, and implications C. J. White, H. V. Anderson, R. G. Brindis, C. U. Cates, D. J. Cohen, K. Ho, L. N. Hopkins, M. R. Jaff, W. J. Koroshetz and K. A. Rosenfield *Catheter Cardiovasc Interv* (2008) 71; 721-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412064](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412064)

Epidemiological study on the effect of pre-hypertension and family history of hypertension on cardiac autonomic function J. S. Wu, F. H. Lu, Y. C. Yang, T. S. Lin, J. J. Chen, C. H. Wu, Y. H. Huang and C. J. Chang *J Am Coll Cardiol* (2008) 51; 1896-901

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18466806](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18466806)

Stenting for a symptomatic posterior cerebral artery stenosis G. Xu, L. Zheng, Z. Zhou and X. Liu *Catheter Cardiovasc Interv* (2008)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19133669](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133669)

Carotid stenting versus endarterectomy J. T. Yu and L. Tan *N Engl J Med* (2008) 359; 312; author reply 12-3

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18642413](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18642413)

Carotid artery stenting: Do procedural complications relate to the side intervened upon?: results From the Carotid Artery Stent (CAS)-Registry of the Arbeitsgemeinschaft Leitende Kardiologische Krankenhausärzte (ALKK) R. Zahn, T. Ischinger, M. Hochadel, B. Mark, U. Zeymer, W. Schmalz, A. Schramm, K. E. Hauptmann, H. Seggewiss, I. Janicke, H. Mudra and J. Senges Catheter Cardiovasc Interv (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360877](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360877)