

Effects of metoprolol therapy on cardiac troponin-I levels after elective percutaneous coronary interventions I. Atar, M. E. Korkmaz, I. A. Atar, O. Gulmez, B. Ozin, H. Bozbas, T. Erol, A. Aydinalp, A. Yildirir, M. Yucel and H. Muderrisoglu

Eur Heart J (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16415095](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16415095)

Effects of clopidogrel on soluble CD40 ligand and on high-sensitivity C-reactive protein in patients with stable coronary artery disease R. R. Azar, R. Kassab, A. Zoghbi, S. Aboujaoude, H. El-Osta, P. Ghorra, M. Germanos and E. Salame

Am Heart J (2006) 151;521 e1-521 e4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442924](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442924)

Glucose-insulin-potassium infusion in acute myocardial infarction: a hemodynamic study A. Bergstra, T. Snilaas, A. F. van den Heuvel, I. C. van der Horst and F. Zijlstra

Am Heart J (2006) 151;345-51

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442897](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442897)

Efficacy and safety of oral sirolimus to inhibit in-stent intimal hyperplasia F. S. Brito, Jr., W. C. Rosa, J. A. Arruda, H. Tedesco, J. O. Pestana and V. C. Lima

Catheter Cardiovasc Interv (2005) 64;413-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15789385](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15789385)

The benefit of cholesterol-lowering medications after coronary revascularization: a population study J. M. Brophy, P. Brassard and C. Bourgault

Am Heart J (2005) 150;282-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16086931](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086931)

Tibolone improves myocardial perfusion in postmenopausal women with ischemic heart disease: an open-label exploratory pilot study R. Campisi, J. Camilletti, A. Mele, J.

Erriest, P. Pedroni and A. Guiglioni

J Am Coll Cardiol (2006) 47;559-64

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16458136](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458136)

Ranolazine is associated with cardiovascular and metabolic improvement: a win-win for patients with diabetes R. Cooper-Dehoff and C. J. Pepine

Eur Heart J (2006) 27;5-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16267073](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16267073)

Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction G. H. Gislason, J. N. Rasmussen, S. Z. Abildstrom, N. Gadsboll, P. Buch, J. Friberg, S. Rasmussen, L. Kober, S. Stender, M. Madsen and C. Torp-Pedersen

Eur Heart J (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16399775](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16399775)

Efficacy and safety of a once-daily graded-release diltiazem formulation dosed at

bedtime compared to placebo and to morning dosing in chronic stable angina pectoris S. P. Glasser, T. J. Gana, L. G. Pascual and K. S. Albert

Am Heart J (2005) 149;e1-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15846251](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846251)

Clopidogrel effect on platelet reactivity in patients with stent thrombosis: results of the CREST Study P. A. Gurbel, K. P. Bliden, W. Samara, J. A. Yoho, K. Hayes, M. Z.

Fissha and U. S. Tantry

J Am Coll Cardiol (2005) 46;1827-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16286166](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16286166)

Angiotensin-converting enzyme inhibitor as a risk factor for the development of anemia, and the impact of incident anemia on mortality in patients with left ventricular dysfunction A. Ishani, E. Weinhandl, Z. Zhao, D. T. Gilbertson, A. J. Collins, S. Yusuf and C. A. Herzog

J Am Coll Cardiol (2005) 45;391-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15680718](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15680718)

Impact of a single intravenous administration of nicorandil before reperfusion in patients with ST-segment-elevation myocardial infarction H. Ishii, S. Ichimiya, M. Kanashiro, T. Amano, K. Imai, T. Murohara and T. Matsubara

Circulation (2005) 112;1284-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16116055](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16116055)

Chronic pre-treatment of statins is associated with the reduction of the no-reflow phenomenon in the patients with reperfused acute myocardial infarction K. Iwakura, H. Ito, S. Kawano, A. Okamura, T. Kurotobi, M. Date, K. Inoue and K. Fujii

Eur Heart J (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16401674](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16401674)

Effects of glucose-insulin-potassium infusion on ST-elevation myocardial infarction in patients treated with thrombolytic therapy G. Krljanac, Z. Vasiljevic, M. Radovanovic, G. Stankovic, N. Milic, B. Stefanovic, J. Kostic, P. Mitrovic, N. Radovanovic, M. Dragovic, J. Marinkovic and A. Karadzic

Am J Cardiol (2005) 96;1053-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16214437](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214437)

Hormone therapy, C-reactive protein, and progression of atherosclerosis: data from the Estrogen Replacement on Progression of Coronary Artery Atherosclerosis (ERA) trial S. G. Lakoski, B. Brosnihan and D. M. Herrington

Am Heart J (2005) 150;907-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16290959](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290959)

Beta2-adrenergic receptor genotype and survival among patients receiving beta-blocker therapy after an acute coronary syndrome D. E. Lanfear, P. G. Jones, S. Marsh, S. Cresci, H. L. McLeod and J. A. Spertus

Jama (2005) 294;1526-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16189366](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16189366)

Impact of combined pharmacologic treatment with clopidogrel and a statin on outcomes of patients with non-ST-segment elevation acute coronary syndromes: perspectives from a large multinational registry M. J. Lim, F. A. Spencer, J. M. Gore, O. H. Dabbous, G. Agnelli, E. M. Kline-Rogers, D. Dibenedetto, K. A. Eagle and R. H. Mehta

Eur Heart J (2005) 26;1063-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15716281](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15716281)

Atorvastatin has an important acute anti-inflammatory effect in patients with acute coronary syndrome: results of a randomized, double-blind, placebo-controlled study S. M. Macin, E. R. Perna, E. F. Farias, V. Franciosi, J. R. Cialzeta, M. Brizuela, F. Medina, C. Tajer, H. Doval and R. Badaracco

Am Heart J (2005) 149;451-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15864233](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864233)

Association of intravenous morphine use and outcomes in acute coronary syndromes: results from the CRUSADE Quality Improvement Initiative T. J. Meine, M. T. Roe, A. Y. Chen, M. R. Patel, J. B. Washam, E. M. Ohman, W. F. Peacock, C. V. Pollack, Jr., W. B. Gibler and E. D. Peterson

Am Heart J (2005) 149;1043-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15976786](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976786)

Improvement in microvascular reflow and reduction of infarct size with adenosine in patients undergoing primary coronary stenting A. Micari, T. A. Belcik, E. A. Balcells, E. Powers, K. Wei, S. Kaul and J. R. Lindner

Am J Cardiol (2005) 96;1410-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16275189](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16275189)

Quantitative relation between hemodynamic changes during intravenous adenosine infusion and the magnitude of coronary hyperemia: implications for myocardial perfusion imaging R. K. Mishra, S. Dorbala, G. Logsetty, A. Hassan, T. Heinonen, H. R. Schelbert and M. F. Di Carli

J Am Coll Cardiol (2005) 45;553-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15708703](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708703)

Caffeine decreases exercise-induced myocardial flow reserve M. Namdar, P. Koepfli, R. Grathwohl, P. T. Siegrist, M. Klaingutti, T. Schepis, R. Delaloye, C. A. Wyss, S. P. Fleischmann, O. Gaemperli and P. A. Kaufmann

J Am Coll Cardiol (2006) 47;405-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16412869](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16412869)

Effect of Very High-Intensity Statin Therapy on Regression of Coronary Atherosclerosis: The ASTEROID Trial S. E. Nissen, S. J. Nicholls, I. Sipahi, P. Libby, J. S. Raichlen, C. M. Ballantyne, J. Davignon, R. Erbel, J. C. Fruchart, J. C. Tardif, P. Schoenhagen, T.

Crowe, V. Cain, K. Wolski, M. Goormastic and E. M. Tuzcu  
Jama (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16533939](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16533939)

Enalapril suppresses ventricular remodeling more effectively than losartan in patients with acute myocardial infarction H. Onodera, T. Matsunaga, Y. Tamura, N. Maeda, T. Higuma, S. Sasaki, Y. Mori, F. Yoshimachi, H. Ishizaka, H. Hanada, T. Osanai and K. Okumura

Am Heart J (2005) 150;689

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16209966](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16209966)

Effects of the nitric oxide donor nitroprusside on no-reflow phenomenon during coronary interventions for acute myocardial infarction V. Pasceri, C. Pristipino, F. Pelliccia, A. Granatelli, G. Speciale, A. Roncella, B. Pironi, M. Capasso and G. Richichi

Am J Cardiol (2005) 95;1358-61

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15904643](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15904643)

Left ventricular remodeling after primary coronary angioplasty in patients treated with abciximab or intracoronary adenosine A. S. Petronio, M. De Carlo, N. Ciabatti, G.

Amoroso, U. Limbruno, C. Palagi, V. Di Bello, M. F. Romano and M. Mariani

Am Heart J (2005) 150;1015

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16290987](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16290987)

Early and late benefits of high-dose atorvastatin in patients with acute coronary syndromes: results from the PROVE IT-TIMI 22 trial K. K. Ray, C. P. Cannon, C. H. McCabe, R. Cairns, A. M. Tonkin, F. M. Sacks, G. Jackson and E. Braunwald

J Am Coll Cardiol (2005) 46;1405-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16226162](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16226162)

C-reactive protein levels and outcomes after statin therapy P. M. Ridker, C. P. Cannon, D. Morrow, N. Rifai, L. M. Rose, C. H. McCabe, M. A. Pfeffer and E. Braunwald

N Engl J Med (2005) 352;20-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15635109](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15635109)

Infarct-Related Coronary Artery Patency and Medication Use Prior to ST-Segment Elevation Myocardial Infarction C. R. Robinson, J. L. Martin, L. Zhang, R. M. Canham, S. M. Abdullah, J. E. Cigarroa, L. D. Hillis, S. A. Murphy, D. K. McGuire, J. A. de Lemos and E. C. Keeley

Am J Cardiol (2006) 97;7-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16377273](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377273)

A randomized, double-blinded, placebo-controlled multicenter trial of adenosine as an adjunct to reperfusion in the treatment of acute myocardial infarction (AMISTAD-II) A. M. Ross, R. J. Gibbons, G. W. Stone, R. A. Kloner and R. W. Alexander

J Am Coll Cardiol (2005) 45;1775-80

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=15936605

Rapid desensitization procedure for patients with aspirin hypersensitivity undergoing coronary stenting S. Silberman, C. Neukirch-Stoop and P. G. Steg

Am J Cardiol (2005) 95;509-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15695141](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15695141)

Direct thrombin inhibitors in acute coronary syndromes: effect in patients undergoing early percutaneous coronary intervention P. R. Sinnnaeve, J. Simes, S. Yusuf, J. Garg, S. Mehta, J. Eikelboom, J. A. Bittl, P. Serruys, E. J. Topol and C. B. Granger

Eur Heart J (2005) 26;2396-403

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16214829](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16214829)

Early initiation of lipid-lowering therapy for acute coronary syndromes improves compliance with guideline recommendations: observations from the Orbofiban in Patients with Unstable Coronary Syndromes (OPUS-TIMI 16) trial C. S. Smith, C. P. Cannon, C. H. McCabe, S. A. Murphy, J. Bentley and E. Braunwald

Am Heart J (2005) 149;444-50

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15864232](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15864232)

Prognostic significance of blood markers of inflammation in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty and effects of pexelizumab, a C5 inhibitor: a substudy of the COMMA trial P. Theroux, P. W. Armstrong, K. W. Mahaffey, J. S. Hochman, K. J. Malloy, S. Rollins, J. C. Nicolau, J. Lavoie, T. M. Luong, J. Burchenal and C. B. Granger

Eur Heart J (2005) 26;1964-70

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15872036](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15872036)

ST-segment elevation resolution and outcome in patients treated with primary angioplasty and glucose-insulin-potassium infusion I. C. van der Horst, G. De Luca, J. P. Ottervanger, M. J. de Boer, J. C. Hoornje, H. Suryapranata, J. H. Dambrink, A. T. Gosselink, F. Zijlstra and A. W. van 't Hof

Am Heart J (2005) 149;1135

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15976800](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976800)

Glucose-insulin-potassium and reperfusion in acute myocardial infarction: rationale and design of the Glucose-Insulin-Potassium Study-2 (GIPS-2) I. C. van der Horst, J. R. Timmer, J. P. Ottervanger, H. J. Bilo, R. O. Gans, M. J. de Boer and F. Zijlstra

Am Heart J (2005) 149;585-91

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15990738](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15990738)

Effect of intracoronary aqueous oxygen on left ventricular remodeling after anterior wall ST-elevation acute myocardial infarction H. M. Warda, J. J. Bax, J. G. Bosch, D. E. Atsma, J. W. Jukema, E. E. van der Wall, A. van der Laarse, M. J. Schalij and P. V. Oemrawsingh

Am J Cardiol (2005) 96;22-4

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=15979426

A tale of two trials: a comparison of the post-acute coronary syndrome lipid-lowering trials A to Z and PROVE IT-TIMI 22 S. D. Wiviott, J. A. de Lemos, C. P. Cannon, M. Blazing, S. A. Murphy, C. H. McCabe, R. Califf and E. Braunwald  
Circulation (2006) 113;1406-14

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&n&list\\_uids=16534008](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&n&list_uids=16534008)