

Comparison of paclitaxel- and sirolimus-eluting stents in everyday clinical practice: the SORT OUT II randomized trial A. M. Galloe, L. Thuesen, H. Kelbaek, P. Thayssen, K. Rasmussen, P. R. Hansen, N. Bligaard, K. Saunamaki, A. Junker, J. Aaroe, U. Abildgaard, J. Ravkilde, T. Engstrom, J. S. Jensen, H. R. Andersen, H. E. Botker, S. Galatius, S. D. Kristensen, J. K. Madsen, L. R. Krusell, S. Z. Abildstrom, G. B. Stephansen and J. F. Lassen JAMA (2008) 299; 409-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18230778

Survival and neurologic recovery in patients with ST-segment elevation myocardial infarction resuscitated from cardiac arrest V. R. Hosmane, N. G. Mustafa, V. K. Reddy, C. L. t. Reese, A. DiSabatino, P. Kolm, J. T. Hopkins, W. S. Weintraub and E. Rahman J Am Coll Cardiol (2009) 53; 409-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19179198