

Bypass versus angioplasty in severe ischaemia of the leg (BASIL): multicentre, randomised controlled trial D. J. Adam, J. D. Beard, T. Cleveland, J. Bell, A. W. Bradbury, J. F. Forbes, F. G. Fowkes, I. Gillespie, C. V. Ruckley, G. Raab and H. Storkey

Lancet (2005) 366;1925-34

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16325694

Predictors of poor mid-term health related quality of life after primary isolated coronary artery bypass grafting surgery S. Al-Ruzzeh, T. Athanasiou, O. Mangoush, J. Wray, T. Modine, S. George and M. Amrani

Heart (2005) 91;1557-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16287740

Indications for angiography subsequent to coronary artery bypass grafting P. Alter, S. Vogt, M. Herzum, M. Irqsusi, H. Rupp, B. Maisch and R. Moosdorff

Am Heart J (2005) 149;1082-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15976792

Five year clinical effect of coronary stenting and coronary artery bypass grafting in renal insufficient patients with multivessel coronary artery disease: insights from ARTS trial J. Aoki, A. T. Ong, A. Hoye, L. A. van Herwerden, J. E. Sousa, A. Jatene, J. J. Bonnier, J. P. Schonberger, N. Buller, R. Bonser, W. Lindeboom, F. Unger and P. W. Serruys

Eur Heart J (2005) 26;1488-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15860519

Hemodynamic and vascular effects of ventricular sourcing by stent-based ventricle to coronary artery bypass in patients with multivessel disease undergoing coronary artery bypass surgery P. Boekstegers, P. Raake, R. Hinkel, T. Pohl, C. Kupatt, A. Knez, F.

Christ, S. Eifert, G. Steinbeck, B. Reichart and C. Vicol

Circulation (2005) 112;I304-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159836

Directional coronary atherectomy plus stent implantation vs. left internal mammary artery bypass grafting for isolated proximal stenosis of the left anterior descending coronary artery N. Brambilla, A. Repetto, E. Bramucci, U. Canosi, M. Ferrario, L. Angoli, M. Aiello, M. Rinaldi, C. Klersy, M. Vigano and L. Tavazzi

Catheter Cardiovasc Interv (2005) 64;45-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619302

Preoperative aspirin therapy is associated with improved postoperative outcomes in patients undergoing coronary artery bypass grafting K. A. Bybee, B. D. Powell, U. Valeti, A. G. Rosales, S. L. Kopecky, C. Mullany and R. S. Wright

Circulation (2005) 112;I286-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159833

Staged initial percutaneous coronary intervention followed by valve surgery ("hybrid

- approach") for patients with complex coronary and valve disease J. G. Byrne, M. Leacche, D. Unic, J. D. Rawn, D. I. Simon, C. D. Rogers and L. H. Cohn
J Am Coll Cardiol (2005) 45;14-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15629366
- Impact of renal dysfunction on outcomes of coronary artery bypass surgery: results from the Society of Thoracic Surgeons National Adult Cardiac Database W. A. Cooper, S. M. O'Brien, V. H. Thourani, R. A. Guyton, C. R. Bridges, L. A. Szczech, R. Petersen and E. D. Peterson
Circulation (2006) 113;1063-70
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490821
- Cardiac revascularization in specialty and general hospitals P. Cram, G. E. Rosenthal and M. S. Vaughan-Sarrazin
N Engl J Med (2005) 352;1454-62
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15814881
- Hybrid revascularization strategy: a pilot study on the association of robotically enhanced minimally invasive direct coronary artery bypass surgery and fractional flow reserve-guided percutaneous coronary intervention G. Davidavicius, F. Van Praet, S. Mansour, F. Casselman, J. Bartunek, I. Degrieck, F. Wellens, R. De Geest, H. Vanermen, W. Wijns and B. De Bruyne
Circulation (2005) 112;I317-22
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159838
- Improving the quality of coronary bypass surgery with intraoperative angiography: validation of a new technique N. D. Desai, S. Miwa, D. Kodama, G. Cohen, G. T. Christakis, B. S. Goldman, M. O. Baerlocher, M. P. Pelletier and S. E. Fremes
J Am Coll Cardiol (2005) 46;1521-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16226178
- Use of stress testing early after coronary artery bypass graft surgery M. J. Eisenberg, K. Wou, H. Nguyen, R. Duerr, M. Del Core, D. Fourchy, T. Huynh, E. Lader, F. J. Rogers, R. Chaudhry, K. Okrainec and L. Pilote
Am J Cardiol (2006) 97;810-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516581
- Gender differences in outcomes after hospital discharge from coronary artery bypass grafting V. Guru, S. E. Fremes, P. C. Austin, E. H. Blackstone and J. V. Tu
Circulation (2006) 113;507-16
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16449730
- Long-term outcomes of coronary-artery bypass grafting versus stent implantation E. L. Hannan, M. J. Racz, G. Walford, R. H. Jones, T. J. Ryan, E. Bennett, A. T. Culliford, O. W. Isom, J. P. Gold and E. A. Rose
N Engl J Med (2005) 352;2174-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15917382

Risk stratification of in-hospital mortality for coronary artery bypass graft surgery E. L. Hannan, C. Wu, E. V. Bennett, R. E. Carlson, A. T. Culliford, J. P. Gold, R. S. Higgins, O. W. Isom, C. R. Smith and R. H. Jones
J Am Coll Cardiol (2006) 47;661-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16458152

Percutaneous coronary intervention with drug-eluting stent implantation vs. minimally invasive direct coronary artery bypass (MIDCAB) in patients with left anterior descending coronary artery stenosis S. J. Hong, D. S. Lim, H. S. Seo, Y. H. Kim, W. J. Shim, C. G. Park, D. J. Oh and Y. M. Ro
Catheter Cardiovasc Interv (2005) 64;75-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619278

Staged carotid artery stenting and coronary artery bypass graft surgery: Initial results from a single center J. C. Kovacic, P. R. Roy, D. W. Baron and D. W. Muller
Catheter Cardiovasc Interv (2006) 67;142-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16342270

Comparison of coronary artery bypass surgery with percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease M. S. Lee, N. Kapoor, F. Jamal, L. Czer, J. Aragon, J. Forrester, S. Kar, S. Dohad, R. Kass, N. Eigler, A. Trento, P. K. Shah and R. R. Makkar
J Am Coll Cardiol (2006) 47;864-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16487857

A new anatomic score for prognosis after cardiac catheterization in patients with previous bypass surgery L. Liao, D. F. Kong, L. K. Shaw, M. H. Sketch, Jr., C. A. Milano, K. L. Lee and D. B. Mark
J Am Coll Cardiol (2005) 46;1684-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16256869

Comparing long-term survival of patients with multivessel coronary disease after CABG or PCI: analysis of BARI-like patients in northern New England D. J. Malenka, B. J. Leavitt, M. J. Hearne, J. F. Robb, Y. R. Baribeau, T. J. Ryan, R. E. Helm, M. A. Kellett, H. L. Dauerman, L. J. Dacey, M. T. Silver, P. N. VerLee, P. W. Weldner, B. D. Hettleman, E. M. Olmstead, W. D. Piper and G. T. O'Connor
Circulation (2005) 112;I371-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159849

Outcomes following elective percutaneous coronary intervention without on-site surgical backup in a community hospital A. Paraschos, D. Callwood, M. B. Wightman, J. E. Tcheng, H. R. Phillips, G. L. Stiles, J. M. Daniel and M. H. Sketch, Jr.
Am J Cardiol (2005) 95;1091-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159849

n&list_uids=15842979

Rescue percutaneous coronary intervention early after coronary artery bypass grafting in the drug-eluting stent era M. J. Price, L. Housman and P. S. Teirstein

Am J Cardiol (2006) 97;789-91

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16516577

Five-year follow-up of the Argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II) A. E. Rodriguez, J. Baldi, C. Fernandez Pereira, J. Navia, M. Rodriguez Alemparte, A. Delacasa, F. Vigo, D. Vogel, W. O'Neill and I. F. Palacios

J Am Coll Cardiol (2005) 46;582-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098419

Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease: the final analysis of the Arterial Revascularization Therapies Study (ARTS) randomized trial P. W. Serruys, A. T. Ong, L. A. van Herwerden, J. E. Sousa, A. Jatene, J. J. Bonnier, J. P. Schonberger, N. Buller, R. Bonser, C. Disco, B. Backx, P. G. Hugenholtz, B. G. Firth and F. Unger

J Am Coll Cardiol (2005) 46;575-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098418

Off-pump coronary artery bypass surgery for significant left ventricular dysfunction: safety, feasibility, and trends in methodology over time - an early experience E. Sharoni, H. Song, R. Peterson, R. Guyton and J. Puskas

Heart (2005)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15994913

Percutaneous trans-coronary-venous transplantation of autologous skeletal myoblasts in the treatment of post-infarction myocardial contractility impairment: the POZNAN trial T. Siminiak, D. Fiszer, O. Jerzykowska, B. Grygielska, N. Rozwadowska, P. Kalmucki and M. Kurpisz

Eur Heart J (2005) 26;1188-95

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15764613

Improved survival in asymptomatic diabetic patients with high-risk spect imaging treated with coronary artery bypass grafting P. Sorajja, P. Chareonthaitawee, N. Rajagopalan, T. D. Miller, R. L. Frye, D. O. Hodge and R. J. Gibbons

Circulation (2005) 112;I311-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159837

Risk of restenosis and health status outcomes for patients undergoing percutaneous coronary intervention versus coronary artery bypass graft surgery J. A. Spertus, R. Nerella, R. Kettlekamp, J. House, S. Marso, A. M. Borkon and J. S. Rumsfeld

Circulation (2005) 111;768-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15699258

Should aspirin be discontinued before coronary artery bypass surgery? J. C. Sun, M. A. Crowther, T. E. Warkentin, A. Lamy and K. H. Teoh

Circulation (2005) 112;e85-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16103244

Comparison of bare-metal stenting with minimally invasive bypass surgery for stenosis of the left anterior descending coronary artery: a 5-year follow-up H. Thiele, S. Oettel, S. Jacobs, R. Hambrecht, P. Sick, J. F. Gummert, F. W. Mohr, G. Schuler and V. Falk

Circulation (2005) 112;3445-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16316966

The impact of preoperative thrombolysis on long-term survival after coronary artery bypass grafting I. K. Toumpoulis, C. E. Anagnostopoulos, D. G. Katritsis, J. J. DeRose, Jr. and D. G. Swistel

Circulation (2005) 112;I351-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159845

Immediate and one-year outcome of percutaneous intervention of saphenous vein graft disease with paclitaxel-eluting stents K. Tsuchida, A. T. Ong, J. Aoki, C. A. van

Mieghem, G. A. Rodriguez-Granillo, M. Valgimigli, G. Sianos, E. Regar, E. P. McFadden, W. J. van der Giessen, P. J. de Feyter, P. P. de Jaegere, R. T. van Domburg and P. W. Serruys

Am J Cardiol (2005) 96;395-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16054466

Comparison of percutaneous coronary intervention and coronary artery bypass grafting after acute myocardial infarction complicated by cardiogenic shock: results from the

Should We Emergently Revascularize Occluded Coronaries for Cardiogenic Shock (SHOCK) trial H. D. White, S. F. Assmann, T. A. Sanborn, A. K. Jacobs, J. G. Webb, L.

A. Sleeper, C. K. Wong, J. T. Stewart, P. E. Aylward, S. C. Wong and J. S. Hochman

Circulation (2005) 112;1992-2001

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16186436

Off-pump coronary artery surgery for reducing mortality and morbidity: meta-analysis of randomized and observational studies D. N. Wijeyasundera, W. S. Beattie, G. Djaiani, V. Rao, M. A. Borger, K. Karkouti and R. J. Cusimano

J Am Coll Cardiol (2005) 46;872-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16139139

Risk-adjusted short- and long-term outcomes for on-pump versus off-pump coronary artery bypass surgery M. L. Williams, L. H. Muhlbauer, J. N. Schroder, J. A. Hata, E. D.

Peterson, P. K. Smith, K. P. Landolfo, R. H. Messier, R. D. Davis and C. A. Milano

Circulation (2005) 112;I366-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159847

Emergency coronary artery bypass surgery for percutaneous coronary interventions:

changes in the incidence, clinical characteristics, and indications from 1979 to 2003 E. H. Yang, R. J. Gmina, R. J. Lennon, D. R. Holmes, Jr., C. S. Rihal and M. Singh

J Am Coll Cardiol (2005) 46;2004-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16325032

Relation between mild renal dysfunction and outcomes after coronary artery bypass grafting R. Zakeri, N. Freemantle, V. Barnett, G. W. Lipkin, R. S. Bonser, T. R. Graham, S. J. Rooney, I. C. Wilson, R. Cramb, B. E. Keogh and D. Pagano

Circulation (2005) 112;I270-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16159830