

1. *Usefulness of the Duke Sudden Cardiac Death risk score for predicting sudden cardiac death in patients with angiographic (>75% narrowing) coronary artery disease*
Atwater, B.D., et al.
Am J Cardiol, 2009. **104**(12): p. 1624-30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19962465
2. *Prior polyvascular disease: risk factor for adverse ischaemic outcomes in acute coronary syndromes*
Bhatt, D.L., et al.
Eur Heart J, 2009. **30**(10): p. 1195-202.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19339264
3. *Prediction of mortality and major cardiac events by exercise echocardiography in patients with normal exercise electrocardiographic testing*
Bouzas-Mosquera, A., et al.
J Am Coll Cardiol, 2009. **53**(21): p. 1981-90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19460612
4. *Usefulness of combining serum uric acid and C-reactive protein for risk stratification of patients with coronary artery disease (Bezafibrate Infarction Prevention [BIP] study)*
Brodov, Y., et al.
Am J Cardiol, 2009. **104**(2): p. 194-8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19576345
5. *Prevalence, predictors, and in-hospital outcomes of non-infarct artery intervention during primary percutaneous coronary intervention for ST-segment elevation myocardial infarction (from the National Cardiovascular Data Registry)*
Cavender, M.A., et al.
Am J Cardiol, 2009. **104**(4): p. 507-13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19660603
6. *Determinants of prolonged QT interval and their contribution to sudden death risk in coronary artery disease: the Oregon Sudden Unexpected Death Study*
Chugh, S.S., et al.

Circulation, 2009. **119**(5): p. 663-70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19171855

7. *Risk factor management after myocardial infarction: reported adherence and outcomes*

Decker, C., et al.

Am Heart J, 2009. **157**(3): p. 556-62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249428

8. *Usefulness of carotid intima-media thickness in patients with diabetes mellitus as a predictor of coronary artery disease*

Djaberi, R., et al.

Am J Cardiol, 2009. **104**(8): p. 1041-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19801021

9. *Left ventricular outflow tract obstruction as a risk factor for sudden cardiac death in hypertrophic cardiomyopathy*

Efthimiadis, G.K., et al.

Am J Cardiol, 2009. **104**(5): p. 695-9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19699347

10. *Growth-Differentiation Factor-15 for Long-Term Risk Prediction in Patients Stabilized After an Episode of Non-ST-Segment-Elevation Acute Coronary Syndrome*

Eggers, K.M., et al.

Circ Cardiovasc Genet, 2010. **3**(1): p. 88-96.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20160200

11. *Plasma triglycerides and cardiovascular events in the Treating to New Targets and Incremental Decrease in End-Points through Aggressive Lipid Lowering trials of statins in patients with coronary artery disease*

Faergeman, O., et al.

Am J Cardiol, 2009. **104**(4): p. 459-63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19660594

12. *Relation between coronary atherosclerotic plaques and traditional risk factors in people with no history of cardiovascular disease undergoing multi-detector computed coronary angiography*
Faletra, F.F., et al.
Heart, 2009. **95**(15): p. 1265-72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19406736

13. *Relation of subcutaneous and visceral adipose tissue to coronary and abdominal aortic calcium (from the Framingham Heart Study)*
Fox, C.S., et al.
Am J Cardiol, 2009. **104**(4): p. 543-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19660609

14. *Percutaneous coronary intervention and 30-day mortality: the British Columbia PCI risk score*
Hamburger, J.N., et al.
Catheter Cardiovasc Interv, 2009. **74**(3): p. 377-85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19681116

15. *Anatomic properties of myocardial bridge predisposing to myocardial infarction*
Ishikawa, Y., et al.
Circulation, 2009. **120**(5): p. 376-83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19620504

16. *Growth-differentiation factor-15 for risk stratification in patients with stable and unstable coronary heart disease: results from the AtheroGene study*
Kempf, T., et al.
Circ Cardiovasc Genet, 2009. **2**(3): p. 286-92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20031597

17. *The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation*
Kim, Y.S., et al.
Catheter Cardiovasc Interv, 2009. **74**(1): p. 58-63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19681116

n&list_uids=19360868

18. *Complement factor H Y402H decreases cardiovascular disease risk in patients with familial hypercholesterolaemia*
Koeijvoets, K.C., et al.
Eur Heart J, 2009. **30**(5): p. 618-23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19098018
19. *Gender-based evaluation of the XIENCE V everolimus-eluting coronary stent system: clinical and angiographic results from the SPIRIT III randomized trial*
Lansky, A.J., et al.
Catheter Cardiovasc Interv, 2009. **74**(5): p. 719-27.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19530147
20. *Insertion/deletion polymorphism in alpha2-adrenergic receptor gene is a genetic risk factor for sudden cardiac death*
Laukkanen, J.A., et al.
Am Heart J, 2009. **158**(4): p. 615-21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19781422
21. *Predictors of heart failure in patients with stable coronary artery disease: a PEACE study*
Lewis, E.F., et al.
Circ Heart Fail, 2009. **2**(3): p. 209-16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19808342
22. *Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor-based approach: the euro heart survey on atrial fibrillation*
Lip, G.Y., et al.
Chest, 2010. **137**(2): p. 263-72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19762550
23. *Association of aortic valve calcification to the presence, extent, and composition of coronary artery plaque burden: from the Rule Out Myocardial Infarction using*

Computer Assisted Tomography (ROMICAT) trial

Mahabadi, A.A., et al.

Am Heart J, 2009. **158**(4): p. 562-8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19781415

24. *Value of blood transfusion in patients with a blood hematocrit of 24% to 30% after percutaneous coronary intervention*

Maluenda, G., et al.

Am J Cardiol, 2009. **104**(8): p. 1069-73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19801026

25. *Depression after coronary artery disease is associated with heart failure*

May, H.T., et al.

J Am Coll Cardiol, 2009. **53**(16): p. 1440-7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19371828

26. *Integrative predictive model of coronary artery calcification in atherosclerosis*

McGeachie, M., et al.

Circulation, 2009. **120**(24): p. 2448-54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19948975

27. *High residual platelet reactivity after clopidogrel loading and long-term clinical outcome after drug-eluting stenting for unprotected left main coronary disease*

Migliorini, A., et al.

Circulation, 2009. **120**(22): p. 2214-21.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19917884

28. *The impact of micro troponin leak on long-term outcomes following elective percutaneous coronary intervention*

Milani, R.V., et al.

Catheter Cardiovasc Interv, 2009. **74**(6): p. 819-22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19670308

29. *Prevalence and prediction of previously unrecognized peripheral arterial disease*

in patients with coronary artery disease: the Peripheral Arterial Disease in Interventional Patients Study

Moussa, I.D., et al.

Catheter Cardiovasc Interv, 2009. **73**(6): p. 719-24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213068

30. *Electrocardiographic amplitudes: a new risk factor for sudden death in hypertrophic cardiomyopathy*

Ostman-Smith, I., et al.

Eur Heart J, 2010. **31**(4): p. 439-49.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19897498

31. *Evaluation of coronary artery calcium screening strategies focused on risk categories: the Dallas Heart Study*

Patel, M.J., et al.

Am Heart J, 2009. **157**(6): p. 1001-9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19464410

32. *Inflammatory biomarkers and the prediction of coronary events among people at intermediate risk: the EPIC-Norfolk prospective population study*

Rana, J.S., et al.

Heart, 2009. **95**(20): p. 1682-7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19587389

33. *Normal weight obesity: a risk factor for cardiometabolic dysregulation and cardiovascular mortality*

Romero-Corral, A., et al.

Eur Heart J, 2009.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19933515

34. *Association of coronary aortic calcium with abdominal aortic calcium detected on lateral dual energy x-ray absorptiometry spine images*

Schousboe, J.T., D. Claflin, and E. Barrett-Connor

Am J Cardiol, 2009. **104**(3): p. 299-304.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19616658

35. *Incidence, risk factors, management and outcomes of coronary artery perforation during percutaneous coronary intervention*
Shimony, A., et al.
Am J Cardiol, 2009. **104**(12): p. 1674-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19962473
36. *The aging process of the heart: obesity is the main risk factor for left atrial enlargement during aging the MONICA/KORA (monitoring of trends and determinations in cardiovascular disease/cooperative research in the region of Augsburg) study*
Stritzke, J., et al.
J Am Coll Cardiol, 2009. **54**(21): p. 1982-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19909880
37. *Multislice computed tomography coronary angiography for risk stratification in patients with an intermediate pretest likelihood*
van Werkhoven, J.M., et al.
Heart, 2009. **95**(19): p. 1607-11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19581272
38. *Predictors of coronary stent thrombosis: the Dutch Stent Thrombosis Registry*
van Werkum, J.W., et al.
J Am Coll Cardiol, 2009. **53**(16): p. 1399-409.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19371823
39. *Association of neutrophil gelatinase-associated lipocalin with the severity of coronary artery disease*
Zografos, T., et al.
Am J Cardiol, 2009. **104**(7): p. 917-20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766756
40. *Adipocytokines and the risk of coronary heart disease in healthy middle aged men: the PRIME Study*
Luc, G., et al.

Int J Obes (Lond), 2010. **34**(1): p. 118-26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19823188

41. *Adoption and maintenance of a Mediterranean diet in patients with coronary heart disease from a Northern European population: a pilot randomised trial of different methods of delivering Mediterranean diet advice*

Logan, K.J., et al.

J Hum Nutr Diet, 2010. **23**(1): p. 30-7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19788708

42. *Coronary score adds prognostic information for patients with acute coronary syndrome*

Huang, G., et al.

Circ J, 2010. **74**(3): p. 490-5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20057158

43. *The effect of obesity on quality of life in patients with diabetes and coronary artery disease*

Hlatky, M.A., et al.

Am Heart J, 2010. **159**(2): p. 292-300.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152229

44. *Erectile dysfunction and depressive mood in men with coronary heart disease*

Lemogne, C., et al.

Int J Cardiol, 2010. **138**(3): p. 277-80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18789827

45. *Health-related quality of life and long-term mortality in patients treated with percutaneous coronary intervention*

Schenkeveld, L., et al.

Am Heart J, 2010. **159**(3): p. 471-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20211311

46. *Heart rate as an independent prognostic risk factor in patients with acute*

myocardial infarction undergoing primary percutaneous coronary intervention
Parodi, G., et al.
Atherosclerosis, 2010.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20226462

47. *Incremental prognostic value of novel left ventricular diastolic indexes for prediction of clinical outcome in patients with ST-elevation myocardial infarction*
Shanks, M., et al.
Am J Cardiol, 2010. **105**(5): p. 592-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20185002

48. *Ischemic ST-segment episodes during the initial 24 hours of ST elevation myocardial infarction predict prognosis at 1 and 5 years*
Ottander, P., et al.
J Electrocardiol, 2010.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20106487

49. *Myocardial infarction and incidence of type 2 diabetes mellitus. Is admission blood glucose an independent predictor for future type 2 diabetes mellitus?*
Meisinger, C., et al.
Am Heart J, 2010. **159**(2): p. 258-63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152224

50. *Predictive value of ST resolution analysis performed immediately versus at ninety minutes after primary percutaneous coronary intervention*
Kumar, S., et al.
Am J Cardiol, 2010. **105**(4): p. 467-74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152240

51. *Prognostic modeling of individual patient risk and mortality impact of ischemic and hemorrhagic complications: assessment from the Acute Catheterization and Urgent Intervention Triage Strategy trial*
Pocock, S.J., et al.
Circulation, 2010. **121**(1): p. 43-51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20026777

52. *Racial differences in women's prodromal and acute symptoms of myocardial infarction*
McSweeney, J.C., et al.
Am J Crit Care, 2010. **19**(1): p. 63-73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20045850
53. *Rationale, design, and baseline data of the Japanese Primary Prevention Project (JPPP)-a randomized, open-label, controlled trial of aspirin versus no aspirin in patients with multiple risk factors for vascular events*
Teramoto, T., et al.
Am Heart J, 2010. **159**(3): p. 361-369 e4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20211296
54. *Type D personality and depressive symptoms are independent predictors of impaired health status following acute myocardial infarction*
Mols, F., E.J. Martens, and J. Denollet
Heart, 2010. **96**(1): p. 30-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19778919
55. *Urinary creatinine excretion rate and mortality in persons with coronary artery disease: the heart and soul study*
Ix, J.H., et al.
Circulation, 2010. **121**(11): p. 1295-303.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20212276
56. *West African and Amerindian ancestry and risk of myocardial infarction and metabolic syndrome in the Central Valley population of Costa Rica*
Ruiz-Narvaez, E.A., et al.
Hum Genet, 2010.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20213474