

1. *Incidence, predictors, and clinical impact of bleeding after transradial coronary stenting and maximal antiplatelet therapy*  
Bertrand, O.F., et al.  
Am Heart J, 2009. **157**(1): p. 164-9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19081414](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19081414)
  
2. *Incidence of early left ventricular thrombus after acute anterior wall myocardial infarction in the primary coronary intervention era*  
Osherov, A.B., et al.  
Am Heart J, 2009. **157**(6): p. 1074-80.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19464419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19464419)
  
3. *Incidence and predictors of stroke associated with percutaneous coronary intervention*  
Aggarwal, A., et al.  
Am J Cardiol, 2009. **104**(3): p. 349-53.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19616666](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19616666)
  
4. *Comparison of effects of primary coronary angioplasty on left ventricular remodeling and heart failure in patients <70 versus > or =70 years with acute myocardial infarction*  
Carrabba, N., et al.  
Am J Cardiol, 2009. **104**(7): p. 926-31.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19766758](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766758)
  
5. *Early risk stratification of patients with cardiogenic shock complicating acute myocardial infarction who undergo percutaneous coronary intervention*  
Garcia-Alvarez, A., et al.  
Am J Cardiol, 2009. **103**(8): p. 1073-7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19361592](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19361592)
  
6. *Impact of the definition utilized on the rate of contrast-induced nephropathy in percutaneous coronary intervention*  
Jabara, R., et al.  
Am J Cardiol, 2009. **103**(12): p. 1657-62.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19766758](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766758)

n&list\_uids=19539072

7. *Role of probucol in preventing contrast-induced acute kidney injury after coronary interventional procedure*

Li, G., et al.

Am J Cardiol, 2009. **103**(4): p. 512-4.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19195512](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195512)

8. *Incidence, risk factors, management and outcomes of coronary artery perforation during percutaneous coronary intervention*

Shimony, A., et al.

Am J Cardiol, 2009. **104**(12): p. 1674-7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19962473](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19962473)

9. *Efficacy of single-bolus administration of sodium bicarbonate to prevent contrast-induced nephropathy in patients with mild renal insufficiency undergoing an elective coronary procedure*

Tamura, A., et al.

Am J Cardiol, 2009. **104**(7): p. 921-5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19766757](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766757)

10. *Comparison of usefulness of simvastatin 20 mg versus 80 mg in preventing contrast-induced nephropathy in patients with acute coronary syndrome undergoing percutaneous coronary intervention*

Xinwei, J., et al.

Am J Cardiol, 2009. **104**(4): p. 519-24.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19660605](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19660605)

11. *Prognostic implications of vascular complications following PCI*

Applegate, R., et al.

Catheter Cardiovasc Interv, 2009. **74**(1): p. 64-73.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19202551](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19202551)

12. *Radial compression guided by mean artery pressure versus standard compression with a pneumatic device (RACOMAP)*

Cubero, J.M., et al.

Catheter Cardiovasc Interv, 2009. **73**(4): p. 467-72.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19229978](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19229978)

13. *Effectiveness of the transradial approach to reduce bleedings in patients undergoing urgent coronary angioplasty with GPIIb/IIIa inhibitors for acute coronary syndromes*

De Carlo, M., et al.

Catheter Cardiovasc Interv, 2009. **74**(3): p. 408-15.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360863](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360863)

14. *Impact of anticoagulation regimens on sheath management and bleeding in patients undergoing elective percutaneous coronary intervention in the STEEPLE trial*

Gallo, R., et al.

Catheter Cardiovasc Interv, 2009. **73**(3): p. 319-25.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19213086](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213086)

15. *Percutaneous coronary intervention in anticoagulated patients via radial artery access*

Helft, G., et al.

Catheter Cardiovasc Interv, 2009. **73**(1): p. 44-7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19089936](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19089936)

16. *Impact of a prolonged delivery inflation time for optimal drug-eluting stent expansion*

Kawasaki, T., et al.

Catheter Cardiovasc Interv, 2009. **73**(2): p. 205-11.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19085915](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19085915)

17. *The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation*

Kim, Y.S., et al.

Catheter Cardiovasc Interv, 2009. **74**(1): p. 58-63.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360868)

18. *Serum creatinine ratio: a novel predictor of mortality after percutaneous coronary intervention in patients with normal and abnormal renal function*  
Kini, A.S., et al.  
Catheter Cardiovasc Interv, 2009. **74**(1): p. 49-55.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19288579](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19288579)
  
19. *A comparison of the transradial and the transfemoral approach in chronic total occlusion percutaneous coronary intervention*  
Rathore, S., et al.  
Catheter Cardiovasc Interv, 2009. **73**(7): p. 883-7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19455660](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19455660)
  
20. *Assisted circulation using the TandemHeart during very high-risk PCI of the unprotected left main coronary artery in patients declined for CABG*  
Vranckx, P., et al.  
Catheter Cardiovasc Interv, 2009. **74**(2): p. 302-10.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360865](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360865)
  
21. *Effect of the novel thienopyridine prasugrel compared with clopidogrel on spontaneous and procedural myocardial infarction in the Trial to Assess Improvement in Therapeutic Outcomes by Optimizing Platelet Inhibition with Prasugrel-Thrombolysis in Myocardial Infarction 38: an application of the classification system from the universal definition of myocardial infarction*  
Morrow, D.A., et al.  
Circulation, 2009. **119**(21): p. 2758-64.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19451347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19451347)
  
22. *Incidence and clinical consequences of distal embolization on the coronary angiogram after percutaneous coronary intervention for ST-elevation myocardial infarction*  
Fokkema, M.L., et al.  
Eur Heart J, 2009. **30**(8): p. 908-15.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19224928](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19224928)

23. *Profile of bleeding and ischaemic complications with bivalirudin and unfractionated heparin after percutaneous coronary intervention*  
Iijima, R., et al.  
Eur Heart J, 2009. **30**(3): p. 290-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19147609](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147609)
24. *Effects of aspirin dose on ischaemic events and bleeding after percutaneous coronary intervention: insights from the PCI-CURE study*  
Jolly, S.S., et al.  
Eur Heart J, 2009. **30**(8): p. 900-7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18819961](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18819961)
25. *Intravenous administration of nicorandil immediately before percutaneous coronary intervention can prevent slow coronary flow phenomenon*  
Kawai, Y., et al.  
Eur Heart J, 2009. **30**(7): p. 765-72.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19276198](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19276198)
26. *Reperfusion ventricular arrhythmia 'bursts' predict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction*  
Majidi, M., et al.  
Eur Heart J, 2009. **30**(7): p. 757-64.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19202155](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19202155)
27. *Predictors and time-related impact of distal embolization during primary angioplasty*  
Napodano, M., et al.  
Eur Heart J, 2009. **30**(3): p. 305-13.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19153179](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19153179)
28. *Lipid-rich plaque and myocardial perfusion after successful stenting in patients with non-ST-segment elevation acute coronary syndrome: an optical coherence tomography study*  
Tanaka, A., et al.  
Eur Heart J, 2009. **30**(11): p. 1348-55.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19383736](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19383736)

29. *Primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction: changing patterns of vascular access, radial versus femoral artery*

Hetherington, S.L., et al.

Heart, 2009. **95**(19): p. 1612-8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19596690](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19596690)

30. *Major improvement of percutaneous cardiovascular procedure outcomes with radial artery catheterisation: results from the PREVAIL study*

Pristipino, C., et al.

Heart, 2009. **95**(6): p. 476-82.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19036757](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19036757)

31. *Prognostic value of coronary revascularisation-related myocardial injury: a cardiac magnetic resonance imaging study*

Rahimi, K., et al.

Heart, 2009. **95**(23): p. 1937-43.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19687014](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19687014)

32. *Local vessel injury following percutaneous coronary intervention does not promote early mobilisation of endothelial progenitor cells in the absence of myocardial necrosis*

Thomas, H.E., et al.

Heart, 2009. **95**(7): p. 555-8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18977801](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18977801)

33. *Gastrointestinal bleeding in patients with acute coronary syndromes: incidence, predictors, and clinical implications: analysis from the ACUITY (Acute Catheterization and Urgent Intervention Triage Strategy) trial*

Nikolsky, E., et al.

J Am Coll Cardiol, 2009. **54**(14): p. 1293-302.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19778672](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19778672)

34. *Prognostic significance of periprocedural versus spontaneously occurring myocardial infarction after percutaneous coronary intervention in patients with acute coronary syndromes: an analysis from the ACUITY (Acute Catheterization and Urgent Intervention Triage Strategy) trial*  
Prasad, A., et al.  
J Am Coll Cardiol, 2009. **54**(5): p. 477-86.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19628125](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19628125)
35. *Intravenous platelet blockade with cangrelor during PCI*  
Bhatt, D.L., et al.  
N Engl J Med, 2009. **361**(24): p. 2330-41.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19915222](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19915222)
36. *Platelet inhibition with cangrelor in patients undergoing PCI*  
Harrington, R.A., et al.  
N Engl J Med, 2009. **361**(24): p. 2318-29.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19915221](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19915221)
37. *Hematomas of at least 5 cm and outcomes in patients undergoing elective percutaneous coronary intervention: insights from the SafeTy and Efficacy of Enoxaparin in PCI patients, an international randomized Evaluation (STEEPLE) trial*  
White, H.D., et al.  
Am Heart J, 2010. **159**(1): p. 110-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20102875](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20102875)