

The Final 10-Year Follow-up Results from the Bari Randomized Trial J Am Coll Cardiol (2007) 49;1600-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17433949

64-Multislice Detector Computed Tomography Coronary Angiography as Potential Alternative to Conventional Coronary Angiography: A Systematic Review and Meta-Analysis J. Abdulla, et al. Eur Heart J (2007) 28;3042-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17981829

Role of Multislice Computed Tomography for Preprocedural Evaluation before Revision of a Chronically Implanted Transvenous Left Ventricular Lead A. Auricchio, et al. Am J Cardiol (2007) 100;1566-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17996521

Noninvasive Screening for Coronary Atherosclerosis and Silent Ischemia in Asymptomatic Type 2 Diabetic Patients: Is It Appropriate and Cost-Effective? G. A. Beller J Am Coll Cardiol (2007) 49;1918-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17498575

Reproducible Coronary Plaque Quantification by Multislice Computed Tomography N. Bruining, et al. Catheter Cardiovasc Interv (2007) 69;857-65

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17427207

Extent and Distribution of Coronary Artery Disease: A Comparative Study of Invasive Versus Noninvasive Angiography with Computed Angiography J. Butler, et al. Am Heart J (2007) 153;378-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17307416

Usefulness of 64-Slice Multislice Computed Tomography Coronary Angiography to Assess in-Stent Restenosis F. Cademartiri, et al. J Am Coll Cardiol (2007) 49;2204-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17543641

Usefulness of 64-Slice Multidetector Computed Tomography for Detecting Drug Eluting in-Stent Restenosis N. Carrabba, et al. Am J Cardiol (2007) 100;1754-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082521

Usefulness of Multislice Computed Tomographic Coronary Angiography to Identify Patients with Abnormal Myocardial Perfusion Stress in Whom Diagnostic Catheterization May Be Safely Avoided S. C. Danciu, et al. Am J Cardiol (2007) 100;1605-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18036355

Use of Automatic Exposure Control in Multislice Computed Tomography of the Coronaries: Comparison of 16-Slice and 64-Slice Scanner Data with Conventional Coronary Angiography A. Deetjen, et al. Heart (2007) 93;1040-3

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=17395667](#)

Head-to-Head Comparison of Multislice Computed Tomography and Exercise Electrocardiography for Diagnosis of Coronary Artery Disease M. Dewey, et al. Eur Heart J (2007) 28;2485-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16880194

Diagnostic Accuracy of Coronary in-Stent Restenosis Using 64-Slice Computed Tomography: Comparison with Invasive Coronary Angiography M. Ehara, et al. J Am Coll Cardiol (2007) 49;951-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17336718

A Randomized Controlled Trial of Multi-Slice Coronary Computed Tomography for Evaluation of Acute Chest Pain J. A. Goldstein, et al. J Am Coll Cardiol (2007) 49;863-71

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17320744

Non-Invasive Coronary Computed Tomographic Angiography for Patients with Suspected Coronary Artery Disease: The Coronary Angiography by Computed Tomography with the Use of a Submillimeter Resolution (Cactus) Trial J. Hausleiter, et al. Eur Heart J (2007) 28;3034-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17540851

Multidetector Row Computed Tomography Can Identify and Characterize the Occlusive Culprit Lesions in Patients Early (within 24 Hours) after Acute Myocardial Infarction W. C. Huang, et al. Am Heart J (2007) 154;914-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17967598

Comparison of Multidetector 64-Slice Computed Tomographic Angiography to Coronary Angiography to Assess the Patency of Coronary Artery Bypass Grafts R. Jabara, et al. Am J Cardiol (2007) 99;1529-34

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17531575

Assessment by Cardiovascular Magnetic Resonance, Electron Beam Computed Tomography, and Carotid Ultrasonography of the Distribution of Subclinical Atherosclerosis across Framingham Risk Strata S. Kathiresan, et al. Am J Cardiol (2007) 99;310-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261388

The Prevalence and Anatomical Patterns of Intramuscular Coronary Arteries: A Coronary Computed Tomography Angiographic Study E. Konen, et al. J Am Coll Cardiol (2007) 49;587-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17276183

Diagnostic Accuracy of Dual-Source Multi-Slice Ct-Coronary Angiography in Patients with an Intermediate Pretest Likelihood for Coronary Artery Disease A. W. Leber, et al. Eur Heart J (2007) 28;2354-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17644815

Combining Dual-Source Computed Tomography Coronary Angiography and Calcium Scoring: Added Value for the Assessment of Coronary Artery Disease S. Leschka, et al. Heart (2007)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18032458

Clinical Utility of Coronary Ct Angiography: Coronary Stenosis Detection and Prognosis in Ambulatory Patients J. R. Lesser, et al. Catheter Cardiovasc Interv (2007) 69;64-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17139675

64-Slice Ct Coronary Angiography in Patients with Non-St Elevation Acute Coronary Syndrome W. B. Meijboom, et al. Heart (2007) 93;1386-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17344332

64-Slice Computed Tomography Coronary Angiography in Patients with High, Intermediate, or Low Pretest Probability of Significant Coronary Artery Disease W. B. Meijboom, et al. J Am Coll Cardiol (2007) 50;1469-75

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17919567

Comparison of Diagnostic Accuracy of 64-Slice Computed Tomography Coronary Angiography in Women Versus Men with Angina Pectoris W. B. Meijboom, et al. Am J Cardiol (2007) 100;1532-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17996514

Improved Noninvasive Assessment of Coronary Artery Bypass Grafts with 64-Slice Computed Tomographic Angiography in an Unselected Patient Population T. S. Meyer, et al. J Am Coll Cardiol (2007) 49;946-50

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17336717

Prognostic Value of Multidetector Coronary Computed Tomographic Angiography for Prediction of All-Cause Mortality J. K. Min, et al. J Am Coll Cardiol (2007) 50;1161-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17868808

Adjunctive Value of Ct Coronary Angiography in the Diagnostic Work-up of Patients with Typical Angina Pectoris N. R. Mollet, et al. Eur Heart J (2007) 28;1872-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17350972

Multislice Computed Tomographic Characteristics of Coronary Lesions in Acute Coronary Syndromes S. Motoyama, et al. J Am Coll Cardiol (2007) 50;319-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17659199

Three-Dimensional Modeling of Double-Stent Techniques at the Left Main Coronary Artery Bifurcation Using Micro-Focus X-Ray Computed Tomography Y. Murasato, et al. Catheter Cardiovasc Interv (2007) 70;211-20

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=17421017](#)

Evaluation of Coronary Artery Bypass Grafts and Native Coronary Arteries Using 64-Slice Multidetector Computed Tomography Y. Onuma, et al. Am Heart J (2007) 154;519-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17719300

Dual-Source Coronary Computed Tomography Angiography for Detecting in-Stent Restenosis F. Pugliese, et al. Heart (2007)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17881474

Prognostic Value of Multislice Computed Tomography Coronary Angiography in Patients with Known or Suspected Coronary Artery Disease G. Pundziute, et al. J Am Coll Cardiol (2007) 49;62-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17207724

Gender Influence on the Diagnostic Accuracy of 64-Slice Multislice Computed Tomography Coronary Angiography for Detection of Obstructive Coronary Artery Disease G. Pundziute, et al. Heart (2008) 94;48-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17540687

Relationship and Prognostic Value of Coronary Artery Calcification by Electron Beam Computed Tomography to Stress-Induced Ischemia by Single Photon Emission Computed Tomography G. Ramakrishna, et al. Am Heart J (2007) 153;807-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17452158

Integrated Single-Photon Emission Computed Tomography and Computed Tomography Coronary Angiography for the Assessment of Hemodynamically Significant Coronary Artery Lesions S. Rispler, et al. J Am Coll Cardiol (2007) 49;1059-67

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17349885

Multislice Computed Tomography in an Asymptomatic High-Risk Population F. Romeo, et al. Am J Cardiol (2007) 99;325-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261391

Influence of Heart Rate on the Diagnostic Accuracy of Dual-Source Computed Tomography Coronary Angiography U. Ropers, et al. J Am Coll Cardiol (2007) 50;2393-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18154964

Impact of 64-Slice Cardiac Computed Tomographic Angiography on Clinical Decision-Making in Emergency Department Patients with Chest Pain of Possible Myocardial Ischemic Origin R. Rubinshtein, et al. Am J Cardiol (2007) 100;1522-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17996512

Usefulness of 64-Slice Cardiac Computed Tomographic Angiography for Diagnosing Acute Coronary Syndromes and Predicting Clinical Outcome in Emergency Department

Patients with Chest Pain of Uncertain Origin R. Rubinshtein, et al. Circulation (2007) 115;1762-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17372178

Usefulness of 64-Slice Multidetector Computed Tomography in Diagnostic Triage of Patients with Chest Pain and Negative or Nondiagnostic Exercise Treadmill Test Result R. Rubinshtein, et al. Am J Cardiol (2007) 99;925-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17398185

Clinical Value of Multidetector Ct Coronary Angiography as a Preoperative Screening Test before Non-Coronary Cardiac Surgery V. Russo, et al. Heart (2007) 93;1591-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17164488

Influence of Routine Assessment of Fractional Flow Reserve on Decision Making During Coronary Interventions F. M. Sant'Anna, et al. Am J Cardiol (2007) 99;504-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17293194

Relation of Uric Acid Levels to Presence of Coronary Artery Calcium Detected by Electron Beam Tomography in Men Free of Symptomatic Myocardial Ischemia with Versus without the Metabolic Syndrome R. D. Santos, et al. Am J Cardiol (2007) 99;42-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17196459

Prevalence of Coronary Artery Disease and Plaque Morphology Assessed by Multi-Slice Computed Tomography Coronary Angiography and Calcium Scoring in Asymptomatic Patients with Type 2 Diabetes A. J. Scholte, et al. Heart (2007)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17646190

Non-Invasive Coronary Angiography Using Multislice Computed Tomography J. M. Schussler and P. A. Grayburn Heart (2007) 93;290-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16387814

Diagnostic Performance of 64-Channel Multislice Computed Tomography in Assessment of Significant Coronary Artery Disease in Symptomatic Subjects A. A. Shabestari, et al. Am J Cardiol (2007) 99;1656-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17560870

Analytic Approaches to Establish the Diagnostic Accuracy of Coronary Computed Tomography Angiography as a Tool for Clinical Decision Making M. D. Shapiro, et al. Am J Cardiol (2007) 99;1122-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17437740

Coronary Stent Assessability by 64 Slice Multi-Detector Computed Tomography T. Sheth, et al. Catheter Cardiovasc Interv (2007) 69;933-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17421013

Usefulness of Multidetector Spiral Computed Tomography According to Age and Gender for Diagnosis of Acute Pulmonary Embolism P. D. Stein, et al. Am J Cardiol (2007) 99;1303-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17478162

Detection and Characterization of Coronary Bifurcation Lesions with 64-Slice Computed Tomography Coronary Angiography C. A. Van Mieghem, et al. Eur Heart J (2007) 28;1968-76

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17623681

Detection of Coronary Artery Stenosis Using 40-Channel Computed Tomography with Multi-Segment Reconstruction M. W. Watkins, et al. Am J Cardiol (2007) 99;175-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17223414

Reliable High-Speed Coronary Computed Tomography in Symptomatic Patients A. C. Weustink, et al. J Am Coll Cardiol (2007) 50;786-94

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17707184