

1. *Anomalous origin of left coronary artery from innominate artery*  
Kim, Y.M., R.K. Choi, and C.K. Lee  
J Am Coll Cardiol, 2009. **54**(2): p. 176.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19573737](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19573737)
2. *Apical rotation assessed by speckle-tracking echocardiography as an index of global left ventricular contractility*  
Kim, W.J., et al.  
Circ Cardiovasc Imaging, 2009. **2**(2): p. 123-31.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19808578](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19808578)
3. *Apical rotation assessed by speckle-tracking echocardiography as an index of global left ventricular contractility*  
Kim, W.J., et al.  
Circ Cardiovasc Imaging, 2009. **2**(2): p. 123-31.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19808578](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19808578)
4. *Assessment of subclinical coronary atherosclerosis in asymptomatic patients with type 2 diabetes mellitus with single photon emission computed tomography and coronary computed tomography angiography*  
Choi, E.K., et al.  
Am J Cardiol, 2009. **104**(7): p. 890-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19766752](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766752)
5. *Association of the parameters derived from the relation between RR intervals and left ventricle performance with a history of heart failure in patients with atrial fibrillation*  
Lee, W.S., K.J. Lee, and C.J. Kim  
Am J Cardiol, 2009. **104**(7): p. 959-65.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19766764](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19766764)
6. *A comparison of clopidogrel responsiveness in patients with versus without chronic renal failure*  
Park, S.H., et al.  
Am J Cardiol, 2009. **104**(9): p. 1292-5.  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=19840579

7. *Comparison of early surgery versus conventional treatment in asymptomatic severe mitral regurgitation*  
Kang, D.H., et al.  
Circulation, 2009. **119**(6): p. 797-804.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist\\_uids=19188506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist_uids=19188506)
8. *Comparison of early surgery versus conventional treatment in asymptomatic severe mitral regurgitation*  
Kang, D.H., et al.  
Circulation, 2009. **119**(6): p. 797-804.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist\\_uids=19188506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist_uids=19188506)
9. *Comparison of inflammatory markers and angiographic outcomes after implantation of sirolimus and paclitaxel-eluting stents*  
Kang, W.C., et al.  
Heart, 2009. **95**(12): p. 970-5.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist\\_uids=18772180](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist_uids=18772180)
10. *Comparison of the efficacy and safety of zotarolimus-, sirolimus-, and paclitaxel-eluting stents in patients with ST-elevation myocardial infarction*  
Lee, C.W., et al.  
Am J Cardiol, 2009. **104**(10): p. 1370-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist\\_uids=19892052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist_uids=19892052)
11. *Comparison of the efficacy and safety of zotarolimus-, sirolimus-, and paclitaxel-eluting stents in patients with ST-elevation myocardial infarction*  
Lee, C.W., et al.  
Am J Cardiol, 2009. **104**(10): p. 1370-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist\\_uids=19892052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&nlist_uids=19892052)
12. *Comparison of the intracoronary continuous infusion method using a microcatheter and the intravenous continuous adenosine infusion method for inducing maximal hyperemia for fractional flow reserve measurement*

Yoon, M.H., et al.  
Am Heart J, 2009. **157**(6): p. 1050-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19464416](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19464416)

13. *A comparison of the prevalence of the MS and its complications using three proposed definitions in Korean subjects*  
Sung, K.C., et al.  
Am J Cardiol, 2009. **103**(12): p. 1732-5.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19539084](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19539084)
14. *C-reactive protein and the risk of stent thrombosis and cardiovascular events after drug-eluting stent implantation*  
Park, D.W., et al.  
Circulation, 2009. **120**(20): p. 1987-95.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19884467](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19884467)
15. *Determinants of exercise-induced pulmonary hypertension in patients with normal left ventricular ejection fraction*  
Ha, J.W., et al.  
Heart, 2009. **95**(6): p. 490-4.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18653569](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18653569)
16. *Determinants of surgical outcome in patients with isolated tricuspid regurgitation*  
Kim, Y.J., et al.  
Circulation, 2009. **120**(17): p. 1672-8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19822809](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19822809)
17. *Diastolic dysfunction and left atrial enlargement as contributing factors to functional mitral regurgitation in dilated cardiomyopathy: data from the Acorn trial*  
Park, S.M., et al.  
Am Heart J, 2009. **157**(4): p. 762 e3-10.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332207](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332207)
18. *Early growth response factor-1 is associated with intraluminal thrombus*

*formation in human abdominal aortic aneurysm*

Shin, I.S., et al.

J Am Coll Cardiol, 2009. **53**(9): p. 792-9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19245972](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19245972)

19. *The effect of granulocyte-colony stimulating factor on endothelial function in patients with myocardial infarction*

Kim, Y.J., et al.

Heart, 2009. **95**(16): p. 1320-5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19460770](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19460770)

20. *Effects of curcumin for preventing restenosis in a hypercholesterolemic rabbit iliac artery stent model*

Jang, H.S., et al.

Catheter Cardiovasc Interv, 2009. **74**(6): p. 881-8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19496118](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19496118)

21. *Efficacy of Xience/promus versus Cypher in rEducing Late Loss after stENTing (EXCELLENT) trial: study design and rationale of a Korean multicenter prospective randomized trial*

Park, K.W., et al.

Am Heart J, 2009. **157**(5): p. 811-817 e1.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19376305](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19376305)

22. *Electrical and mechanical dyssynchrony for prediction of cardiac events in patients with systolic heart failure*

Cho, G.Y., et al.

Heart, 2009.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19910289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19910289)

23. *Evaluation of left ventricular short- and long-axis function in severe mitral regurgitation using 2-dimensional strain echocardiography*

Kim, M.S., et al.

Am Heart J, 2009. **157**(2): p. 345-51.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19185644](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19185644)

24. *Factors associated with development of late significant tricuspid regurgitation after successful left-sided valve surgery*  
Song, H., et al.  
Heart, 2009. **95**(11): p. 931-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19321491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19321491)
25. *Factors associated with development of late significant tricuspid regurgitation after successful left-sided valve surgery*  
Song, H., et al.  
Heart, 2009. **95**(11): p. 931-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19321491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19321491)
26. *Fasting blood glucose and the risk of stroke and myocardial infarction*  
Sung, J., et al.  
Circulation, 2009. **119**(6): p. 812-9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19188510](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19188510)
27. *Frequency of myocardial bridges and dynamic compression of epicardial coronary arteries: a comparison between computed tomography and invasive coronary angiography*  
Kim, P.J., et al.  
Circulation, 2009. **119**(10): p. 1408-16.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19255347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19255347)
28. *Global 2-dimensional strain as a new prognosticator in patients with heart failure*  
Cho, G.Y., et al.  
J Am Coll Cardiol, 2009. **54**(7): p. 618-24.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19660692](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19660692)
29. *Images in cardiovascular medicine. Loeffler endocarditis mimicking apical hypertrophic cardiomyopathy*  
Chang, S.A., et al.  
Circulation, 2009. **120**(1): p. 82-5.  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=19581522

30. *Impact of intravascular ultrasound guidance on long-term mortality in stenting for unprotected left main coronary artery stenosis*  
Park, S.J., et al.  
Circ Cardiovasc Interv, 2009. **2**(3): p. 167-77.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20031713](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20031713)
31. *Impact of intravascular ultrasound guidance on long-term mortality in stenting for unprotected left main coronary artery stenosis*  
Park, S.J., et al.  
Circ Cardiovasc Interv, 2009. **2**(3): p. 167-77.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20031713](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20031713)
32. *Impact of plaque characteristics analyzed by intravascular ultrasound on long-term clinical outcomes*  
Kim, S.H., et al.  
Am J Cardiol, 2009. **103**(9): p. 1221-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19406263](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19406263)
33. *Impact of plaque characteristics analyzed by intravascular ultrasound on long-term clinical outcomes*  
Kim, S.H., et al.  
Am J Cardiol, 2009. **103**(9): p. 1221-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19406263](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19406263)
34. *Impact of plaque components on no-reflow phenomenon after stent deployment in patients with acute coronary syndrome: a virtual histology-intravascular ultrasound analysis*  
Hong, Y.J., et al.  
Eur Heart J, 2009.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19228713](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228713)
35. *The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation*

- Kim, Y.S., et al.  
Catheter Cardiovasc Interv, 2009. **74**(1): p. 58-63.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360868)
36. *Left ventricular diastolic functional reserve during exercise in patients with impaired myocardial relaxation at rest*  
Ha, J.W., et al.  
Heart, 2009. **95**(5): p. 399-404.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18653572](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18653572)
37. *Left ventricular twist mechanics in patients with apical hypertrophic cardiomyopathy: assessment with 2D speckle tracking echocardiography*  
Chang, S.A., et al.  
Heart, 2010. **96**(1): p. 49-55.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19858137](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19858137)
38. *Long-term clinical and angiographic outcomes after implantation of sirolimus-eluting stents with a "modified mini-crush" technique in coronary bifurcation lesions*  
Yang, H.M., et al.  
Catheter Cardiovasc Interv, 2009. **74**(1): p. 76-84.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360861](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360861)
39. *Long-term clinical outcomes of sirolimus- versus paclitaxel-eluting stents for patients with unprotected left main coronary artery disease: analysis of the MAIN-COMPARE (revascularization for unprotected left main coronary artery stenosis: comparison of percutaneous coronary angioplasty versus surgical revascularization) registry*  
Lee, J.Y., et al.  
J Am Coll Cardiol, 2009. **54**(9): p. 853-9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19695467](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19695467)
40. *Long-term clinical outcomes of sirolimus- versus paclitaxel-eluting stents for patients with unprotected left main coronary artery disease: analysis of the MAIN-COMPARE (revascularization for unprotected left main coronary artery stenosis: comparison of percutaneous coronary angioplasty versus surgical*

*revascularization) registry*

Lee, J.Y., et al.

J Am Coll Cardiol, 2009. **54**(9): p. 853-9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19695467](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19695467)

41. *Long-term percutaneous coronary intervention rates and associated independent predictors for progression of nonintervened nonculprit coronary lesions*

Park, M.W., et al.

Am J Cardiol, 2009. **104**(5): p. 648-52.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19699339](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19699339)

42. *Long-term safety and effectiveness of unprotected left main coronary stenting with drug-eluting stents compared with bare-metal stents*

Kim, Y.H., et al.

Circulation, 2009. **120**(5): p. 400-7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19620506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19620506)

43. *Long-term safety and effectiveness of unprotected left main coronary stenting with drug-eluting stents compared with bare-metal stents*

Kim, Y.H., et al.

Circulation, 2009. **120**(5): p. 400-7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19620506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19620506)

44. *Mode of onset of ventricular fibrillation in patients with early repolarization pattern vs. Brugada syndrome*

Nam, G.B., et al.

Eur Heart J, 2009.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19880418](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19880418)

45. *Mode of onset of ventricular fibrillation in patients with early repolarization pattern vs. Brugada syndrome*

Nam, G.B., et al.

Eur Heart J, 2009.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19880418](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19880418)

46. *N-acetylcysteine versus Ascorbic acid for preventing contrast-Induced nephropathy in patients with renal insufficiency undergoing coronary angiography*  
*NASPI study-a prospective randomized controlled trial*  
Jo, S.H., et al.  
Am Heart J, 2009. **157**(3): p. 576-83.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19249432](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249432)
47. *Optical coherence tomography evaluation of zotarolimus-eluting stents at 9-month follow-up: comparison with sirolimus-eluting stents*  
Kim, J.S., et al.  
Heart, 2009. **95**(23): p. 1907-12.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19535352](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19535352)
48. *Outcomes of patients with acute type a aortic intramural hematoma*  
Song, J.K., et al.  
Circulation, 2009. **120**(21): p. 2046-52.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19901188](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19901188)
49. *Outcomes of patients with acute type a aortic intramural hematoma*  
Song, J.K., et al.  
Circulation, 2009. **120**(21): p. 2046-52.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19901188](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19901188)
50. *Percutaneous coronary intervention with stent implantation versus coronary artery bypass surgery for treatment of left main coronary artery disease: is it time to change guidelines?*  
Park, S.J. and D.W. Park  
Circ Cardiovasc Interv, 2009. **2**(1): p. 59-68.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20031694](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20031694)
51. *Percutaneous coronary intervention with stent implantation versus coronary artery bypass surgery for treatment of left main coronary artery disease: is it time to change guidelines?*  
Park, S.J. and D.W. Park  
Circ Cardiovasc Interv, 2009. **2**(1): p. 59-68.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20031694](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20031694)

52. *Peripheral blood stem cell mobilisation by granulocyte-colony stimulating factor in patients with acute and old myocardial infarction for intracoronary cell infusion*  
Chang, S.A., et al.  
Heart, 2009. **95**(16): p. 1326-30.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19460773](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19460773)
53. *Predictors of six-month major adverse cardiac events in 30-day survivors after acute myocardial infarction (from the Korea Acute Myocardial Infarction Registry)*  
Lee, J.H., et al.  
Am J Cardiol, 2009. **104**(2): p. 182-9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19576343](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19576343)
54. *Preoperative NT-proBNP and CRP predict perioperative major cardiovascular events in non-cardiac surgery*  
Choi, J.H., et al.  
Heart, 2010. **96**(1): p. 56-62.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19861299](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19861299)
55. *Prognostic influence of diabetes mellitus on long-term clinical outcomes and stent thrombosis after drug-eluting stent implantation in asian patients*  
Park, D.W., et al.  
Am J Cardiol, 2009. **103**(5): p. 646-52.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19231327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231327)
56. *Prognostic influence of diabetes mellitus on long-term clinical outcomes and stent thrombosis after drug-eluting stent implantation in asian patients*  
Park, D.W., et al.  
Am J Cardiol, 2009. **103**(5): p. 646-52.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19231327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231327)
57. *A prospective, randomized, 6-month comparison of the coronary vasomotor response associated with a zotarolimus- versus a sirolimus-eluting stent:*

*differential recovery of coronary endothelial dysfunction*

Kim, J.W., et al.

J Am Coll Cardiol, 2009. **53**(18): p. 1653-9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19406340](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19406340)

58. *Randomized comparison of adjunctive cilostazol versus high maintenance dose clopidogrel in patients with high post-treatment platelet reactivity: results of the ACCEL-RESISTANCE (Adjunctive Cilostazol Versus High Maintenance Dose Clopidogrel in Patients With Clopidogrel Resistance) randomized study*

Jeong, Y.H., et al.

J Am Coll Cardiol, 2009. **53**(13): p. 1101-9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19324253](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19324253)

59. *Reasonable duration of Clopidogrel use after drug-eluting stent implantation in Korean patients*

Shin, D.H., et al.

Am J Cardiol, 2009. **104**(12): p. 1668-73.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19962472](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19962472)

60. *Relation of genetic polymorphisms in the cytochrome P450 gene with clopidogrel resistance after drug-eluting stent implantation in Koreans*

Lee, J.M., et al.

Am J Cardiol, 2009. **104**(1): p. 46-51.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19576320](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19576320)

61. *Restenosis and adverse clinical events after successful percutaneous mitral valvuloplasty: immediate post-procedural mitral valve area as an important prognosticator*

Song, J.K., et al.

Eur Heart J, 2009. **30**(10): p. 1254-62.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346230](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346230)

62. *Restenosis and adverse clinical events after successful percutaneous mitral valvuloplasty: immediate post-procedural mitral valve area as an important prognosticator*

Song, J.K., et al.

- Eur Heart J, 2009. **30**(10): p. 1254-62.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346230](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346230)
63. *Safety and benefit of early elective percutaneous coronary intervention after successful thrombolytic therapy for acute myocardial infarction*  
Sim, D.S., et al.  
Am J Cardiol, 2009. **103**(10): p. 1333-8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19427424](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19427424)
64. *Serial intravascular ultrasound analysis of the main and side branches in bifurcation lesions treated with the T-stenting technique*  
Hahn, J.Y., et al.  
J Am Coll Cardiol, 2009. **54**(2): p. 110-7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19573726](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19573726)
65. *A sword-like foreign body lodged in the ventricular septum: a rare complication of percutaneous vertebroplasty*  
Kim, M.N., et al.  
Eur Heart J, 2009.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20019023](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20019023)
66. *Triple versus dual antiplatelet therapy in patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention*  
Chen, K.Y., et al.  
Circulation, 2009. **119**(25): p. 3207-14.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19528339](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19528339)
67. *Usefulness of left ventricular dyssynchrony after acute myocardial infarction, assessed by a tagging magnetic resonance image derived metric, as a determinant of ventricular remodeling*  
Chang, S.A., et al.  
Am J Cardiol, 2009. **104**(1): p. 19-23.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19576315](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19576315)

68. *Usefulness of magnetocardiogram to detect unstable angina pectoris and non-ST elevation myocardial infarction*  
Lim, H.K., et al.  
Am J Cardiol, 2009. **103**(4): p. 448-54.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19195500](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195500)
69. *Usefulness of the index of microcirculatory resistance for invasively assessing myocardial viability immediately after primary angioplasty for anterior myocardial infarction*  
Lim, H.S., et al.  
Eur Heart J, 2009. **30**(23): p. 2854-60.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19684025](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19684025)
70. *Vitamin K epoxide reductase complex subunit 1 gene polymorphism is associated with atherothrombotic complication after drug-eluting stent implantation: 2-Center prospective cohort study*  
Suh, J.W., et al.  
Am Heart J, 2009. **157**(5): p. 908-12.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19376320](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19376320)
71. *Adding cilostazol to dual antiplatelet therapy achieves greater platelet inhibition than high maintenance dose clopidogrel in patients with acute myocardial infarction: Results of the adjunctive cilostazol versus high maintenance dose clopidogrel in patients with AMI (ACCEL-AMI) study*  
Jeong, Y.H., et al.  
Circ Cardiovasc Interv, 2010. **3**(1): p. 17-26.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20118150](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20118150)
72. *Age-related differences in virtual histology-intravascular ultrasound findings in patients with coronary artery disease*  
Hong, Y.J., et al.  
J Cardiol, 2010. **55**(2): p. 224-231.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20206076](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20206076)
73. *Assessment of tissue characteristics of noncalcified coronary plaques by 64-slice*

*computed tomography in comparison with integrated backscatter intravascular ultrasound*

Yang, W.I., et al.

Coron Artery Dis, 2010.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20299980](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20299980)

74. *Comparison of case fatality rates for acute myocardial infarction in weekday vs weekend admissions in South Korea*

Hong, J.S., H.C. Kang, and S.H. Lee

Circ J, 2010. **74**(3): p. 496-502.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20075558](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20075558)

75. *Comparison of neointimal coverage of sirolimus-eluting stents and paclitaxel-eluting stents using optical coherence tomography at 9 months after implantation*

Kim, J.S., et al.

Circ J, 2010. **74**(2): p. 320-6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20019414](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20019414)

76. *Comparison of outcomes between Zotarolimus- and sirolimus-eluting stents in patients with ST-segment elevation acute myocardial infarction*

Kim, H.K., et al.

Am J Cardiol, 2010. **105**(6): p. 813-8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20211324](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20211324)

77. *Comparison of Triple antiplatelet therapy and dual antiplatelet therapy in patients at high risk of restenosis after drug-eluting stent implantation (from the DECLARE-DIABETES and -LONG Trials)*

Lee, S.W., et al.

Am J Cardiol, 2010. **105**(2): p. 168-73.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20102913](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20102913)

78. *Coronary artery bypass grafting versus drug-eluting stent implantation for left main coronary artery disease (from a two-center registry)*

Kang, S.H., et al.

Am J Cardiol, 2010. **105**(3): p. 343-51.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20102946](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20102946)

79. *Coronary atherosclerosis detected by coronary CT angiography in asymptomatic subjects with early chronic kidney disease*

Cho, I., et al.

Atherosclerosis, 2010. **208**(2): p. 406-11.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19781704](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19781704)

80. *Does "late catch-up" exist in drug-eluting stents: insights from a serial quantitative coronary angiography analysis of sirolimus versus paclitaxel-eluting stents*

Park, K.W., et al.

Am Heart J, 2010. **159**(3): p. 446-453 e3.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20211308](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20211308)

81. *Efficacy of high-dose atorvastatin loading before primary percutaneous coronary intervention in ST-segment elevation myocardial infarction: the STATIN STEMI trial*

Kim, J.S., et al.

JACC Cardiovasc Interv, 2010. **3**(3): p. 332-9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20298994](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20298994)

82. *Impact of the attainment of current recommended low-density lipoprotein cholesterol goal of less than 70 mg/dl on clinical outcomes in very high-risk patients treated with drug-eluting stents*

Kim, B.K., et al.

Coron Artery Dis, 2010.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20168221](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20168221)

83. *Intracoronary thrombus formation after drug-eluting stents implantation: optical coherence tomographic study*

Kim, J.S., et al.

Am Heart J, 2010. **159**(2): p. 278-83.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20152227](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152227)

84. *Obesity paradox in Korean patients undergoing primary percutaneous coronary intervention in ST-segment elevation myocardial infarction*  
Kang, W.Y., et al.  
J Cardiol, 2010. **55**(1): p. 84-91.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20122553](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20122553)
85. *Outcome of undersized drug-eluting stents for percutaneous coronary intervention of saphenous vein graft lesions*  
Hong, Y.J., et al.  
Am J Cardiol, 2010. **105**(2): p. 179-85.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20102915](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20102915)
86. *Relationship between multiple plasma biomarkers and vulnerable plaque determined by virtual histology intravascular ultrasound*  
Park, J.P., et al.  
Circ J, 2010. **74**(2): p. 332-6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20009356](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20009356)
87. *Triple antiplatelet therapy reduces ischemic events after drug-eluting stent implantation: Drug-Eluting stenting followed by Cilostazol treatment REduces Adverse Serious cardiac Events (DECREASE registry)*  
Lee, S.W., et al.  
Am Heart J, 2010. **159**(2): p. 284-291 e1.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20152228](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152228)
88. *Two-year clinical outcome after abciximab-coated stent implantation in patients with coronary artery disease*  
Kim, S.S., et al.  
Circ J, 2010. **74**(3): p. 442-8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20103970](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20103970)
89. *Relationship between multiple plasma biomarkers and vulnerable plaque determined by virtual histology intravascular ultrasound*  
Park, J.P., et al.  
Circ J, 2010. **74**(2): p. 332-6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20009356](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20009356)

90. *Triple antiplatelet therapy reduces ischemic events after drug-eluting stent implantation: Drug-Eluting stenting followed by Cilostazol treatment REduces Adverse Serious cardiac Events (DECREASE registry)*

Lee, S.W., et al.

Am Heart J, 2010. **159**(2): p. 284-291 e1.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20152228](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20152228)