

The Role of Cardiovascular Magnetic Resonance in Patients Presenting with Chest Pain, Raised Troponin, and Unobstructed Coronary Arteries R. G. Assomull, et al. *Eur Heart J* (2007) 28;1242-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17478458](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17478458)

Quantitative Assessment of Regional Left Ventricular Function with Cardiac MRI: Three-Dimensional Centric Surface Method N. Beohar, et al. *Catheter Cardiovasc Interv* (2007) 69;721-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17357113](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17357113)

Prognostic Value of Dipyridamole Stress Cardiovascular Magnetic Resonance Imaging in Patients with Known or Suspected Coronary Artery Disease V. Bodi, et al. *J Am Coll Cardiol* (2007) 50;1174-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17868810](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17868810)

Evolution of 5 Cardiovascular Magnetic Resonance-Derived Viability Indexes after Reperfused Myocardial Infarction V. Bodi, et al. *Am Heart J* (2007) 153;649-55

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17383307](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17383307)

Cardiovascular Magnetic Resonance Perfusion Imaging at 3-Tesla for the Detection of Coronary Artery Disease: A Comparison with 1.5-Tesla A. S. Cheng, et al. *J Am Coll Cardiol* (2007) 49;2440-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17599608](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17599608)

Quantitative Magnetic Resonance Perfusion Imaging Detects Anatomic and Physiologic Coronary Artery Disease as Measured by Coronary Angiography and Fractional Flow Reserve M. A. Costa, et al. *J Am Coll Cardiol* (2007) 50;514-22

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17678734](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17678734)

Evaluation of Cardiac Magnetic Resonance Imaging Parameters to Detect Anatomically and Hemodynamically Significant Coronary Artery Disease H. Futamatsu, et al. *Am Heart J* (2007) 154;298-305

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17643580](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17643580)

Safety and Diagnostic Accuracy of Stress Cardiac Magnetic Resonance Imaging Vs Exercise Tolerance Testing Early after Acute ST Elevation Myocardial Infarction J. P. Greenwood, et al. *Heart* (2007) 93;1363-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17309909](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17309909)

Effects of Balloon-Based Distal Protection During Primary Percutaneous Coronary Intervention on Early and Late Infarct Size and Left Ventricular Remodeling: A Pilot Study Using Serial Contrast-Enhanced Magnetic Resonance Imaging J. Y. Hahn, et al. *Am Heart J* (2007) 153;665 e1-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17383309](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17383309)

Diagnostic Value of Contrast-Enhanced Magnetic Resonance Imaging and

Single-Photon Emission Computed Tomography for Detection of Myocardial Necrosis Early after Acute Myocardial Infarction T. Ibrahim, et al. J Am Coll Cardiol (2007) 49;208-16

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17222732](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17222732)

Prognostic Value of Cardiac Magnetic Resonance Stress Tests: Adenosine Stress Perfusion and Dobutamine Stress Wall Motion Imaging C. Jahnke, et al. Circulation (2007) 115;1769-76

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17353441](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17353441)

Assessment by Cardiovascular Magnetic Resonance, Electron Beam Computed Tomography, and Carotid Ultrasonography of the Distribution of Subclinical Atherosclerosis across Framingham Risk Strata S. Kathiresan, et al. Am J Cardiol (2007) 99;310-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17261388](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261388)

Comparison of Magnetic Resonance Perfusion Imaging Versus Invasive Fractional Flow Reserve for Assessment of the Hemodynamic Significance of Epicardial Coronary Artery Stenosis H. P. Kuhl, et al. Am J Cardiol (2007) 99;1090-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17437733](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17437733)

Safety of Magnetic Resonance Imaging in Patients with Cardiovascular Devices: An American Heart Association Scientific Statement from the Committee on Diagnostic and Interventional Cardiac Catheterization, Council on Clinical Cardiology, and the Council on Cardiovascular Radiology and Intervention: Endorsed by the American College of Cardiology Foundation, the North American Society for Cardiac Imaging, and the Society for Cardiovascular Magnetic Resonance G. N. Levine, et al. Circulation (2007) 116;2878-91

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18025533](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18025533)

Usefulness of Magnetic Resonance Imaging Evaluation of Congenital Left Ventricular Aneurysms C. J. McMahon, et al. Am J Cardiol (2007) 100;310-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17631089](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17631089)

Cardiac Magnetic Resonance Imaging Correlates of Exercise Capacity in Patients with Surgically Repaired Tetralogy of Fallot J. Meadows, et al. Am J Cardiol (2007) 100;1446-50

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17950806](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17950806)

The Sirius-Direct Trial: A Multi-Center Study of Direct Stenting Using the Sirolimus-Eluting Stent in Patients with De Novo Native Coronary Artery Lesions J. W. Moses, et al. Catheter Cardiovasc Interv (2007) 70;505-12

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17896408](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17896408)

Angiographic Estimates of Myocardium at Risk During Acute Myocardial Infarction: Validation Study Using Cardiac Magnetic Resonance Imaging J. T. Ortiz-Perez, et al.

Eur Heart J (2007) 28;1750-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17586811](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17586811)

Usefulness of Magnetic Resonance Angiography in the Evaluation of Complex Congenital Heart Disease in Newborns and Infants A. Prakash, et al. Am J Cardiol (2007) 100;715-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17697835](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17697835)

Comparison of Myocardial Infarct Size Assessed with Contrast-Enhanced Magnetic Resonance Imaging and Left Ventricular Function and Volumes to Predict Mortality in Patients with Healed Myocardial Infarction S. D. Roes, et al. Am J Cardiol (2007) 100;930-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17826372](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17826372)

Effect of Distal Embolization on Myocardial Perfusion Reserve after Percutaneous Coronary Intervention: A Quantitative Magnetic Resonance Perfusion Study J. B. Selvanayagam, et al. Circulation (2007) 116;1458-64

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17785626](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17785626)

Utility of Cardiovascular Magnetic Resonance to Predict Left Ventricular Recovery after Primary Percutaneous Coronary Intervention for Patients Presenting with Acute ST-Segment Elevation Myocardial Infarction M. D. Shapiro, et al. Am J Cardiol (2007) 100;211-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17631072](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17631072)

Rapid Detection of Myocardial Infarction by Subsecond, Free-Breathing Delayed Contrast-Enhancement Cardiovascular Magnetic Resonance B. Sievers, et al. Circulation (2007) 115;236-44

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17200443](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17200443)

Influence of Time-to-Treatment, Timi-Flow Grades, and ST-Segment Resolution on Infarct Size and Infarct Transmurality as Assessed by Delayed Enhancement Magnetic Resonance Imaging H. Thiele, et al. Eur Heart J (2007) 28;1433-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17556347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17556347)

Multi-Parameter in Vivo Cardiac Magnetic Resonance Imaging Demonstrates Normal Perfusion Reserve Despite Severely Attenuated  $\beta$ -Adrenergic Functional Response in Neuronal Nitric Oxide Synthase Knockout Mice M. H. Vandsburger, et al. Eur Heart J (2007) 28;2792-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17602202](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17602202)

Infarct Size by Contrast Enhanced Cardiac Magnetic Resonance Is a Stronger Predictor of Outcomes Than Left Ventricular Ejection Fraction or End-Systolic Volume Index: Prospective Cohort Study E. Wu, et al. Heart (2007)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18070953](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18070953)

Delayed-Enhancement Cardiovascular Magnetic Resonance Coronary Artery Wall Imaging: Comparison with Multislice Computed Tomography and Quantitative Coronary Angiography S. B. Yeon, et al. J Am Coll Cardiol (2007) 50;441-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17662397](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17662397)