

Direct Volumetric Blood Flow Measurement in Coronary Arteries by Thermodilution W. Aarnoudse, et al. J Am Coll Cardiol (2007) 50;2294-304
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18068038

64-Multislice Detector Computed Tomography Coronary Angiography as Potential Alternative to Conventional Coronary Angiography: A Systematic Review and Meta-Analysis J. Abdulla, et al. Eur Heart J (2007) 28;3042-50
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17981829

Coronary Sinus Reducer Stent for the Treatment of Chronic Refractory Angina Pectoris: A Prospective, Open-Label, Multicenter, Safety Feasibility First-in-Man Study S. Banai, et al. J Am Coll Cardiol (2007) 49;1783-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17466229

A New Intra-Arterial Delivery Platform for Pro-Arteriogenic Compounds to Stimulate Collateral Artery Growth Via Transforming Growth Factor-Beta1 Release S. Grundmann, et al. J Am Coll Cardiol (2007) 50;351-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17659203

Importance of Complete Revascularization in Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention Z. Kalarus, et al. Am Heart J (2007) 153;304-12
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17239694

The Lightwire Technology for Catheter-Based Interventions R. Kornowski, et al. Catheter Cardiovasc Interv (2007) 70;543-51
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17896401

Incidence, Predictors, and Outcomes of Device Failure of X-Sizer Thrombectomy: Real-World Experience of 200 Cases in 5 Years C. H. Lee, et al. Am Heart J (2007) 153;14 e13-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17174629

On-Site Immediate Removal of Intraortic Balloon Pump after High-Risk Percutaneous Intervention with a 6 F Closure Suture Device with The "Preclosure" Technique I. Lozano, et al. Catheter Cardiovasc Interv (2007) 70;538-40
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17896399

Determination of Adequate Coronary Stent Expansion Using Stentboost, a Novel Fluoroscopic Image Processing Technique J. M. Mishell, et al. Catheter Cardiovasc Interv (2007) 69;84-93
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17139686

Long-Term Clinical Outcomes with Sirolimus-Eluting Coronary Stents: Five-Year Results of the Ravel Trial M. C. Morice, et al. J Am Coll Cardiol (2007) 50;1299-304
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17139686

[n&list_uids=17903626](#)

Effect of Intracoronary Thrombectomy on 30-Day Mortality in Patients with Acute Myocardial Infarction D. Nakatani, et al. Am J Cardiol (2007) 100;1212-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17903626

[n&list_uids=17920359](#)

Acute Myocardial Infarction with Hyperoxemic Therapy (Amihot): A Prospective, Randomized Trial of Intracoronary Hyperoxemic Reperfusion after Percutaneous Coronary Intervention W. W. O'Neill, et al. J Am Coll Cardiol (2007) 50;397-405

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17920359

[n&list_uids=17662390](#)

A Randomised Controlled Study Comparing Conventional and Magnetic Guidewires in a Two-Dimensional Branching Tortuous Phantom Simulating Angulated Coronary Vessels S. Ramcharitar, et al. Catheter Cardiovasc Interv (2007) 70;662-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17662390

[n&list_uids=17621652](#)

The Safety and Efficacy of an Extravascular, Water-Soluble Sealant for Vascular Closure: Initial Clinical Results for Mynx D. Scheinert, et al. Catheter Cardiovasc Interv (2007) 70;627-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17621652

[n&list_uids=17960627](#)

The Challenge of Diagnosing Atheroembolic Renal Disease: Clinical Features and Prognostic Factors F. Scolari, et al. Circulation (2007) 116;298-304

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17960627

[n&list_uids=17606842](#)

Facilitated Stent Delivery Using Applied Topical Lubrication A. Singh, et al. Catheter Cardiovasc Interv (2007) 69;218-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17606842

[n&list_uids=17167791](#)