

1. *¹¹C-methionine PET of acute myocardial infarction*
Morooka, M., et al.
J Nucl Med, 2009. **50**(8): p. 1283-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19617334

2. *Achieving an exercise workload of > or = 10 metabolic equivalents predicts a very low risk of inducible ischemia: does myocardial perfusion imaging have a role?*
Bourque, J.M., et al.
J Am Coll Cardiol, 2009. **54**(6): p. 538-45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19643316

3. *Agreement and disagreement between contrast-enhanced magnetic resonance imaging and nuclear imaging for assessment of myocardial viability*
Roes, S.D., et al.
Eur J Nucl Med Mol Imaging, 2009. **36**(4): p. 594-601.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19050879

4. *Assessment of myocardial perfusion by positron emission tomography in patients with end-stage coronary artery disease treated with percutaneous myocardial revascularization*
Wiemer, M., et al.
Chin Med J (Engl), 2009. **122**(23): p. 2807-13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20092782

5. *Association between anxiety disorder and the extent of ischemia observed in cardiac syndrome X*
Vermeltfoort, I.A., et al.
J Nucl Cardiol, 2009. **16**(3): p. 405-10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156475

6. *Clinical usefulness of novel cardiac MDCT/SPECT fusion image*
Matsuo, S., et al.
Ann Nucl Med, 2009. **23**(6): p. 579-86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19572098

7. *Comparison between myocardial contrast echocardiography and (99m)technetium sestamibi single photon emission computed tomography determined myocardial viability in predicting hard cardiac events following acute myocardial infarction*
Dwivedi, G., et al.
Am J Cardiol, 2009. **104**(9): p. 1184-8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19840559
8. *Comparison between the prognostic value of left ventricular function and myocardial perfusion reserve in patients with ischemic heart disease*
Tio, R.A., et al.
J Nucl Med, 2009. **50**(2): p. 214-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19164219
9. *Comparison of current density viability imaging at rest with FDG-PET in patients after myocardial infarction*
Goernig, M., et al.
Comput Med Imaging Graph, 2009. **33**(1): p. 1-6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19008074
10. *Comparison of dual-energy computed tomography of the heart with single photon emission computed tomography for assessment of coronary artery stenosis and of the myocardial blood supply*
Ruzsics, B., et al.
Am J Cardiol, 2009. **104**(3): p. 318-26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19616661
11. *Comparison of exercise-rest-reinjection Tl-201 imaging and rest sublingual isosorbide dinitrate Tc-99m MIBI imaging for the assessment of myocardial viability*
Gunel, S.E. and A. Akgun
Ann Nucl Med, 2009. **23**(5): p. 451-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19387770

12. *Comprehensive adenosine stress perfusion MRI defines the etiology of chest pain in the emergency room: Comparison with nuclear stress test*
Vogel-Claussen, J., et al.
J Magn Reson Imaging, 2009. **30**(4): p. 753-62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19787721

13. *The coronary artery calcium score and stress myocardial perfusion imaging provide independent and complementary prediction of cardiac risk*
Chang, S.M., et al.
J Am Coll Cardiol, 2009. **54**(20): p. 1872-82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19892239

14. *Correlation between myocardial perfusion imaging findings and cardiac events*
Kositwattanarerk, A., C. Sritara, and P. Sritara
J Med Assoc Thai, 2009. **92**(11): p. 1470-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19938739

15. *Disappearance of myocardial perfusion defects on prone SPECT imaging: comparison with cardiac magnetic resonance imaging in patients without established coronary artery disease*
Heden, B., et al.
BMC Med Imaging, 2009. **9**: p. 16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19664252

16. *Does myocardial perfusion scintigraphy predict improvement in symptoms and exercise capacity following successful elective percutaneous coronary intervention?*
Al-Housni, M.B., et al.
J Nucl Cardiol, 2009. **16**(6): p. 869-77.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19588213

17. *Head to head comparisons of two modalities of perfusion adenosine stress echocardiography with simultaneous SPECT*
Gudmundsson, P., et al.
Cardiovasc Ultrasound, 2009. **7**: p. 19.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19588213

n&list_uids=19379491

18. *Hemodynamic variables during stress testing can predict referral to early catheterization but failed to show a prognostic impact on emerging cardiac events in patients aged 70 years and older undergoing exercise (99m)Tc-sestamibi myocardial perfusion scintigraphy*

Bucerius, J., et al.

Int J Cardiovasc Imaging, 2009. **25**(6): p. 569-79.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19381866

19. *Incremental prognostic value of stress/rest gated perfusion SPECT in patients with coronary artery disease--subanalysis of the J-ACCESS study*

Hashimoto, A., et al.

Circ J, 2009. **73**(12): p. 2288-93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19797824

20. *Influence of 99mTc-tetrofosmin SPECT myocardial perfusion imaging on the prediction of future adverse cardiac events*

Jain, D., et al.

J Nucl Cardiol, 2009. **16**(4): p. 540-8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19396504

21. *Long-term prognostic value of 13N-ammonia myocardial perfusion positron emission tomography added value of coronary flow reserve*

Herzog, B.A., et al.

J Am Coll Cardiol, 2009. **54**(2): p. 150-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19573732

22. *Major depression and coronary flow reserve detected by positron emission tomography*

Vaccarino, V., et al.

Arch Intern Med, 2009. **169**(18): p. 1668-76.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19822823

23. *Myocardial viability in chronic ischemic heart disease: comparison of*

delayed-enhancement magnetic resonance imaging with 99mTc-sestamibi and 18F-fluorodeoxyglucose single-photon emission computed tomography

Liu, Q., et al.

Nucl Med Commun, 2009. **30**(8): p. 610-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19491715

24. *Normal myocardial perfusion scan portends a benign prognosis independent from the pretest probability of coronary artery disease. Sub-analysis of the J-ACCESS study*

Imamura, Y., et al.

J Cardiol, 2009. **54**(1): p. 93-100.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19632527

25. *One-year follow-up of myocardial perfusion and function evaluated by gated SPECT MIBI in patients with earlier myocardial infarction and chronic total occlusion*

Pavlovic, S.V., et al.

Nucl Med Commun, 2009. **30**(1): p. 68-75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19306516

26. *Prognostic significance of stress myocardial gated SPECT among Japanese patients referred for coronary angiography: A study of data from the J-ACCESS database*

Momose, M., K. Nakajima, and T. Nishimura

Eur J Nucl Med Mol Imaging, 2009. **36**(8): p. 1329-37.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19221740

27. *Prognostic value of treadmill exercise and dobutamine stress positron emission tomography*

Chow, B.J., et al.

Can J Cardiol, 2009. **25**(7): p. e220-4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19584976

28. *Psychosocial modulators of angina response to myocardial ischemia*

Arnold, S.V., et al.

Circulation, 2009. **120**(2): p. 126-33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19564560

29. *Quantitative myocardial perfusion PET combined with coronary anatomy derived from CT angiography: validation of a new fusion and visualisation software*

Fricke, H., et al.

Z Med Phys, 2009. **19**(3): p. 182-8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19761095

30. *SPECT myocardial perfusion imaging with prone-only acquisitions: correlation with coronary angiography*

Shin, J.H., et al.

J Nucl Cardiol, 2009. **16**(4): p. 590-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19466502

31. *Stress single photon emission computed tomography for detection of coronary artery disease and risk stratification of asymptomatic patients at moderate risk*

Khandaker, M.H., et al.

J Nucl Cardiol, 2009. **16**(4): p. 516-23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19440807

32. *Stress/Rest Myocardial Perfusion Abnormalities by Gated SPECT: Still the Best Predictor of Cardiac Events in Stable Ischemic Heart Disease*

Gimelli, A., et al.

J Nucl Med, 2009. **50**(4): p. 546-53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19289433

33. *Technetium-99m pyrophosphate/thallium-201 dual-isotope SPECT imaging predicts reperfusion injury in patients with acute myocardial infarction after reperfusion*

Akutsu, Y., et al.

Eur J Nucl Med Mol Imaging, 2009. **36**(2): p. 230-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18787823