

- Incidence and Predictors of Drug-Eluting Stent Thrombosis During and after Discontinuation of Thienopyridine Treatment F. Airoldi, et al. Circulation (2007) 116;745-54
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17664375
- Oral Anticoagulant and Antiplatelet Therapy and Peripheral Arterial Disease S. Anand, et al. N Engl J Med (2007) 357;217-27
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17634457
- Randomized Comparison of a High Clopidogrel Maintenance Dose in Patients with Diabetes Mellitus and Coronary Artery Disease: Results of the Optimizing Antiplatelet Therapy in Diabetes Mellitus (Optimus) Study D. J. Angiolillo, et al. Circulation (2007) 115;708-16
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261652
- Comparison of Two Antiplatelet Regimens (Aspirin Alone Versus Aspirin + Ticlopidine or Clopidogrel) after Intracoronary Implantation of a Carbofilm-Coated Stent A. L. Bartorelli, et al. Am J Cardiol (2007) 99;1062-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17437728
- Initial Aspirin Dose and Outcome among St-Elevation Myocardial Infarction Patients Treated with Fibrinolytic Therapy J. S. Berger, et al. Circulation (2008) 117;192-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18086929
- Long-Term Versus Short-Term Clopidogrel Therapy in Patients Undergoing Coronary Stenting (from the Randomized Argentine Clopidogrel Stent [Racs] Trial) V. Bernardi, et al. Am J Cardiol (2007) 99;349-52
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261396
- Patients with Prior Myocardial Infarction, Stroke, or Symptomatic Peripheral Arterial Disease in the Charisma Trial D. L. Bhatt, et al. J Am Coll Cardiol (2007) 49;1982-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17498584
- Increased Risk in Patients with High Platelet Aggregation Receiving Chronic Clopidogrel Therapy Undergoing Percutaneous Coronary Intervention: Is the Current Antiplatelet Therapy Adequate? K. P. Bliden, et al. J Am Coll Cardiol (2007) 49;657-66
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17291930
- A Comparison of Prasugrel and Clopidogrel Loading Doses on Platelet Function: Magnitude of Platelet Inhibition Is Related to Active Metabolite Formation J. T. Brandt, et al. Am Heart J (2007) 153;66 e9-16
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17174640
- Interactions between Heparins, Glycoprotein lib/liia Antagonists, and Coronary Intervention. The Global Registry of Acute Coronary Events (Grace) D. Brieger, et al. Am Heart J (2007) 153;960-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17540196

Measuring Aspirin Resistance, Clopidogrel Responsiveness, and Postprocedural Markers of Myonecrosis in Patients Undergoing Percutaneous Coronary Intervention A. N. Buch, et al. Am J Cardiol (2007) 99;1518-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17531573

The Impact of Obesity on Mortality in Ua/Non-St-Segment Elevation Myocardial Infarction H. J. Buettner, et al. Eur Heart J (2007) 28;1694-701

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17576661

Impact of Platelet Reactivity after Clopidogrel Administration on Drug-Eluting Stent Thrombosis P. Buonamici, et al. J Am Coll Cardiol (2007) 49;2312-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17572245

Poor Responsiveness to Clopidogrel: Drug-Specific or Class-Effect Mechanism? Evidence from a Clopidogrel-to-Ticlopidine Crossover Study G. Campo, et al. J Am Coll Cardiol (2007) 50;1132-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17868803

Safety, Tolerability, and Initial Efficacy of Azd6140, the First Reversible Oral Adenosine Diphosphate Receptor Antagonist, Compared with Clopidogrel, in Patients with Non-St-Segment Elevation Acute Coronary Syndrome: Primary Results of the Disperse-2 Trial C. P. Cannon, et al. J Am Coll Cardiol (2007) 50;1844-51

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17980250

Outcomes with the Use of Glycoprotein Iib/Iiia Inhibitors in Non-St-Segment Elevation Acute Coronary Syndromes O. H. Dabbous, et al. Heart (2008) 94;159-65

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17575335

Macroscopic Thrombus Formation on Angioplasty Equipment Following Antithrombin Therapy with Enoxaparin A. Dana, et al. Catheter Cardiovasc Interv (2007) 70;847-53

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17621651

Adjunctive Benefits from Low-Molecular-Weight Heparins as Compared to Unfractionated Heparin among Patients with St-Segment Elevation Myocardial Infarction Treated with Thrombolysis. A Meta-Analysis of the Randomized Trials G. De Luca and P. Marino Am Heart J (2007) 154;1085 e1-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18035079

Effectiveness and Safety of Reduced-Dose Enoxaparin in Non-St-Segment Elevation Acute Coronary Syndrome Followed by Antiplatelet Therapy Alone for Percutaneous Coronary Intervention S. J. Denardo, et al. Am J Cardiol (2007) 100;1376-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17950793

Complementary Effects of Thienopyridine Pretreatment and Platelet Glycoprotein Iib/Iiia

Integrin Blockade with Eptifibatide in Coronary Stent Intervention; Results from the Esprit Trial J. P. Dery, et al. Catheter Cardiovasc Interv (2007) 70:43-50
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17203469

Antiplatelet Therapy and Progression of Coronary Artery Disease: A Placebo-Controlled Trial with Angiographic and Clinical Follow-up after Myocardial Infarction H. J. Dieker, et al. Am Heart J (2007) 153;66 e1-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17174639

Transfer with Gp lib/IIa Inhibitor Tirofiban for Primary Percutaneous Coronary Intervention Vs. On-Site Thrombolysis in Patients with St-Elevation Myocardial Infarction (STEMI): A Randomized Open-Label Study for Patients Admitted to Community Hospitals S. Dobrzycki, et al. Eur Heart J (2007) 28;2438-48
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884846

Clopidogrel Use and Long-Term Clinical Outcomes after Drug-Eluting Stent Implantation E. L. Eisenstein, et al. JAMA (2007) 297;159-68
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17148711

Heritability of Platelet Responsiveness to Aspirin in Activation Pathways Directly and Indirectly Related to Cyclooxygenase-1 N. Faraday, et al. Circulation (2007) 115;2490-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17470694

Impact of Bivalirudin on Outcomes after Percutaneous Coronary Revascularization with Drug-Eluting Stents D. N. Feldman, et al. Am Heart J (2007) 154;695-701
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17892994

The Impact of Oral Antiplatelet Responsiveness on the Long-Term Prognosis after Coronary Stenting S. G. Foussas, et al. Am Heart J (2007) 154;676-81
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17892990

The Impact of Renal Dysfunction on Outcomes in the Extract-Timi 25 Trial K. A. Fox, et al. J Am Coll Cardiol (2007) 49;2249-55
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17560289

Residual Platelet Activity Is Increased in Clopidogrel- and Asa-Treated Patients with Coronary Stenting for Acute Coronary Syndromes Compared with Stable Coronary Artery Disease T. Geisler, et al. Heart (2007)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17567647

Percutaneous Coronary Intervention in Patients Receiving Enoxaparin or Unfractionated Heparin after Fibrinolytic Therapy for St-Segment Elevation Myocardial Infarction in the Extract-Timi 25 Trial C. M. Gibson, et al. J Am Coll Cardiol (2007) 49;2238-46
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17560287

Effects of Pretreatment with Clopidogrel on Nonemergent Percutaneous Coronary

Intervention after Fibrinolytic Administration for St-Segment Elevation Myocardial Infarction: A Clopidogrel as Adjunctive Reperfusion Therapy-Thrombolysis in Myocardial Infarction (Clarity-Timi) 28 Study C. M. Gibson, et al. Am Heart J (2008) 155;133-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082504

First-in-Human Evaluation of Anti Von Willebrand Factor Therapeutic Aptamer Arc1779 in Healthy Volunteers J. C. Gilbert, et al. Circulation (2007) 116;2678-86
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18025536

Enoxaparin Is Superior to Unfractionated Heparin in Patients with St Elevation Myocardial Infarction Undergoing Fibrinolysis Regardless of the Choice of Lytic: An Extract-Timi 25 Analysis R. R. Giraldez, et al. Eur Heart J (2007) 28;1566-73
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17562672

Recombinant Nematode Anticoagulant Protein C2 in Patients with Non-St-Segment Elevation Acute Coronary Syndrome: The Anthem-Timi-32 Trial R. P. Giugliano, et al. J Am Coll Cardiol (2007) 49;2398-407
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17599602

Preliminary Experience with Intravenous P2y12 Platelet Receptor Inhibition as an Adjunct to Reduced-Dose Alteplase During Acute Myocardial Infarction: Results of the Safety, Tolerability and Effect on Patency in Acute Myocardial Infarction (Step-Ami) Angiographic Trial A. B. Greenbaum, et al. Am Heart J (2007) 154;702-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17892995

Evaluation of Dose-Related Effects of Aspirin on Platelet Function: Results from the Aspirin-Induced Platelet Effect (Aspect) Study P. A. Gurbel, et al. Circulation (2007) 115;3156-64
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17562955

Usefulness of Routine Unfractionated Heparin Infusion Following Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction in Patients Not Receiving Glycoprotein lib/liia Inhibitors K. J. Harjai, et al. Am J Cardiol (2007) 99;202-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17223419

Immediate and Intermediate Results of Intracoronary Stand-Alone Bolus Administration of Eptifibatide During Coronary Intervention (Ice) Study W. Hassan, et al. Am Heart J (2007) 154;345-51
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17643587

Effects of Platelet Glycoprotein lib/liia Receptor Blockers in Non-St Segment Elevation Acute Coronary Syndromes: Benefit and Harm in Different Age Subgroups A. V. Hernandez, et al. Heart (2007) 93;450-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17065179

Clopidogrel and Long-Term Outcomes after Stent Implantation for Acute Coronary

Syndrome P. M. Ho, et al. Am Heart J (2007) 154;846-51
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17967588

Comparison of Effectiveness of Enoxaparin Versus Unfractionated Heparin to Reduce Silent and Clinically Apparent Acute Myocardial Infarction in Patients Presenting with Non-St-Segment Elevation Acute Coronary Syndrome S. Jolly, et al. Am J Cardiol (2007) 99;186-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17223416

Safety and Efficacy of Combined Antiplatelet-Warfarin Therapy after Coronary Stenting P. P. Karjalainen, et al. Eur Heart J (2007) 28;726-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17267456

Endogenous Testosterone and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Men: European Prospective Investigation into Cancer in Norfolk (Epic-Norfolk) Prospective Population Study K. T. Khaw, et al. Circulation (2007) 116;2694-701
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18040028

Effects of Triple Antiplatelet Therapy (Aspirin, Clopidogrel, and Cilostazol) on Platelet Aggregation and P-Selectin Expression in Patients Undergoing Coronary Artery Stent Implantation B. K. Lee, et al. Am J Cardiol (2007) 100;610-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17697815

Comparison of Triple Versus Dual Antiplatelet Therapy after Drug-Eluting Stent Implantation (from the Declare-Long Trial) S. W. Lee, et al. Am J Cardiol (2007) 100;1103-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884371

Randomized Early Versus Late Abciximab in Acute Myocardial Infarction Treated with Primary Coronary Intervention (Relax-Ami Trial) M. Maioli, et al. J Am Coll Cardiol (2007) 49;1517-24
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17418289

Optimal Platelet Inhibition in Patients Undergoing Pci: Data from the Multicenter Registry of High-Risk Percutaneous Coronary Intervention and Adequate Platelet Inhibition (Mr Pci) Study H. M. Mardikar, et al. Am Heart J (2007) 154;344 e1-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17643586

Outcomes and Optimal Antithrombotic Therapy in Women Undergoing Fibrinolysis for St-Elevation Myocardial Infarction J. L. Mega, et al. Circulation (2007) 115;2822-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17515461

Sex and Effect of Abciximab in Patients with Acute Coronary Syndromes Treated with Percutaneous Coronary Interventions: Results from Intracoronary Stenting and Antithrombotic Regimen: Rapid Early Action for Coronary Treatment 2 Trial J. Mehilli, et

al. Am Heart J (2007) 154;158 e1-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17584569

Efficacy and Safety of Fondaparinux Versus Enoxaparin in Patients with Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention: Results from the Oasis-5 Trial S. R. Mehta, et al. J Am Coll Cardiol (2007) 50;1742-51

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17964037

Abciximab in Primary Coronary Stenting of St-Elevation Myocardial Infarction: A European Meta-Analysis on Individual Patients' Data with Long-Term Follow-Up G. Montalescot, et al. Eur Heart J (2007) 28;443-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17251257

Effect of Enoxaparin Versus Unfractionated Heparin in Diabetic Patients with St-Elevation Myocardial Infarction in the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction Treatment-Thrombolysis in Myocardial Infarction Study 25 (Extract-Timi 25) Trial D. A. Morrow, et al. Am Heart J (2007) 154;1078-84, 1084 e1
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18035078

Efficacy and Safety of the Low-Molecular Weight Heparin Enoxaparin Compared with Unfractionated Heparin across the Acute Coronary Syndrome Spectrum: A Meta-Analysis S. A. Murphy, et al. Eur Heart J (2007) 28;2077-86
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17600038

Combining Warfarin and Antiplatelet Therapy after Coronary Stenting in the Global Registry of Acute Coronary Events: Is It Safe and Effective to Use Just One Antiplatelet Agent? M. C. Nguyen, et al. Eur Heart J (2007) 28;1717-22
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17562671

Effects of Fondaparinux in Patients with St-Segment Elevation Acute Myocardial Infarction Not Receiving Reperfusion Treatment J. Oldgren, et al. Eur Heart J (2007)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18084015

Early Abciximab Administration before Primary Percutaneous Coronary Intervention Improves Infarct-Related Artery Patency and Left Ventricular Function in High-Risk Patients with Anterior Wall Myocardial Infarction: A Randomized Study T. Rakowski, et al. Am Heart J (2007) 153;360-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17307412

Efficacy and Safety of Enoxaparin Versus Unfractionated Heparin in Patients with St-Segment Elevation Myocardial Infarction Also Treated with Clopidogrel M. S. Sabatine, et al. J Am Coll Cardiol (2007) 49;2256-63
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17560290

A Strategy of Using Enoxaparin as Adjunctive Antithrombin Therapy Reduces Death and Recurrent Myocardial Infarction in Patients Who Achieve Early St-Segment

Resolution after Fibrinolytic Therapy: The Extract-Timi 25 Ecg Study B. M. Scirica, et al. Eur Heart J (2007) 28;2070-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17600039

Consistent Platelet Inhibition During Long-Term Maintenance-Dose Clopidogrel Therapy among 359 Compliant Outpatients with Documented Vascular Disease V. L.

Serebruany, et al. Am Heart J (2007) 153;371-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17307414

Effects of Clopidogrel and Aspirin in Combination Versus Aspirin Alone on Platelet Activation and Major Receptor Expression in Diabetic Patients: The Plavix Use for Treatment of Diabetes (Pluto-Diabetes) Trial V. L. Serebruany, et al. Am Heart J (2008) 155;93 e1-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082496

The Efficacy and Safety of Combination Glycoprotein lib/IIia Inhibitors and Reduced-Dose Thrombolytic Therapy-Facilitated Percutaneous Coronary Intervention for St-Elevation Myocardial Infarction: A Meta-Analysis of Randomized Clinical Trials M. C. Sinno, et al. Am Heart J (2007) 153;579-86

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17383297

Effectiveness of Glycoprotein lib/IIia Inhibitor Use During Primary Coronary Angioplasty: Results of Propensity Analysis Using the New York State Percutaneous Coronary Intervention Reporting System V. S. Srinivas, et al. Am J Cardiol (2007) 99;482-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17293189

Global Outcomes of St-Elevation Myocardial Infarction: Comparisons of the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction Treatment-Thrombolysis in Myocardial Infarction Study 25 (Extract-Timi 25) Registry and Trial B. A. Steinberg, et al. Am Heart J (2007) 154;54-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17584551

Routine Upstream Initiation Vs Deferred Selective Use of Glycoprotein lib/IIia Inhibitors in Acute Coronary Syndromes: The Acuity Timing Trial G. W. Stone, et al. JAMA (2007) 297;591-602

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17299194

Antithrombotic Strategies in Patients with Acute Coronary Syndromes Undergoing Early Invasive Management: One-Year Results from the Acuity Trial G. W. Stone, et al. JAMA (2007) 298;2497-506

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18056903

Bivalirudin in Patients with Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis from the Acute Catheterization and Urgent Intervention Triage Strategy (Acuity) Trial G. W. Stone, et al. Lancet (2007) 369;907-19

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=17368152

Inhibition of Platelet Aggregation by Azd6140, a Reversible Oral P2y12 Receptor Antagonist, Compared with Clopidogrel in Patients with Acute Coronary Syndromes R. F. Storey, et al. J Am Coll Cardiol (2007) 50;1852-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17980251

Effect of Timing of Clopidogrel Administration on 30-Day Clinical Outcomes: 300-Mg Loading Dose Immediately after Coronary Stenting Versus Pretreatment 6 to 24 Hours before Stenting in a Large Unselected Patient Cohort T. Szuk, et al. Am Heart J (2007) 153;289-95

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17239691

Patterns of Aspirin Dosing in Non-St-Elevation Acute Coronary Syndromes in the Crusade Quality Improvement Initiative S. Tickoo, et al. Am J Cardiol (2007) 99;1496-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17531568

Timing of Glycoprotein lib/llia Inhibitor Use and Outcomes among Patients with Non-St-Segment Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention (Results from Crusade) P. Tricoci, et al. Am J Cardiol (2007) 99;1389-93
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17493466

Efficacy and Safety of Triple Antiplatelet Therapy with and without Concomitant Anticoagulation During Elective Percutaneous Coronary Intervention (the Remove Trial) R. Valencia, et al. Am J Cardiol (2007) 100;1099-102

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884370

Two-by-Two Factorial Comparison of High-Bolus-Dose Tirofiban Followed by Standard Infusion Versus Abciximab and Sirolimus-Eluting Versus Bare-Metal Stent Implantation in Patients with Acute Myocardial Infarction: Design and Rationale for the Multi-Strategy Trial M. Valgimigli, et al. Am Heart J (2007) 154;39-45
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17584549

Cognitive and Cardiac Outcomes 5 Years after Off-Pump Vs on-Pump Coronary Artery Bypass Graft Surgery D. van Dijk, et al. JAMA (2007) 297;701-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17312289

The Impact of Advanced Chronic Kidney Disease on in-Hospital Mortality Following Percutaneous Coronary Intervention for Acute Myocardial Infarction S. Vasu, et al. Catheter Cardiovasc Interv (2007) 70;701-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17932900

A Double-Blind, Randomized Study on Platelet Aggregation in Patients Treated with a Daily Dose of 150 or 75 Mg of Clopidogrel for 30 Days N. von Beckerath, et al. Eur Heart J (2007) 28;1814-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17272357

Clopidogrel Desensitization after Drug-Eluting Stent Placement K. F. von Tiehl, et al. J Am Coll Cardiol (2007) 50;2039-43
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18021870

Prasugrel Achieves Greater and Faster P2y12receptor-Mediated Platelet Inhibition Than Clopidogrel Due to More Efficient Generation of Its Active Metabolite in Aspirin-Treated Patients with Coronary Artery Disease L. Wallentin, et al. Eur Heart J (2008) 29;21-30
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18055486

An Analysis of Mortality Rates with Dual-Antiplatelet Therapy in the Primary Prevention Population of the Charisma Trial T. H. Wang, et al. Eur Heart J (2007) 28;2200-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17673448

Comparison of Speed of Onset of Platelet Inhibition after Loading Doses of Clopidogrel Versus Prasugrel in Healthy Volunteers and Correlation with Responder Status G. J. Weerakkody, et al. Am J Cardiol (2007) 100;331-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17631093

A Novel Enoxaparin Regime for St Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: A West Sub-Study R. C. Welsh, et al. Catheter Cardiovasc Interv (2007) 70;341-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17295333