

**Effectiveness of sirolimus-eluting stent for treatment of left main coronary artery disease.** Arampatzis, C. A., P. A. Lemos, et al. Am J Cardiol (2003).**92**(3): 327-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12888147](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12888147)

**Long term follow up after elective percutaneous coronary intervention for unprotected non-bifurcational left main stenosis: is it time to change the guidelines?** Brueren, B. R., J. M. Ernst, et al. Heart (2003).**89**(11): 1336-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14594895](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14594895)

**Intravascular ultrasound-guided directional coronary atherectomy for unprotected left main coronary stenoses with distal bifurcation involvement.**

Hu, F. B., H. Tamai, et al. Am J Cardiol (2003).**92**(8): 936-40

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14556869](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14556869)

**One-year clinical outcomes of protected and unprotected left main coronary artery stenting.** Kelley, M. P., B. D. Klugherz, et al. Eur Heart J (2003).**24**(17): 1554-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12927190](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12927190)

**Long-term (three-year) outcomes after stenting of unprotected left main coronary artery stenosis in patients with normal left ventricular function.**

Park, S. J., S. W. Park, et al. Am J Cardiol (2003).**91**(1): 12-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12505564](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12505564)

**Angiographically silent left main disease detected by intravascular ultrasound: a marker for future adverse cardiac events.** Ricciardi, M. J., S.

Meyers, et al. Am Heart J (2003).**146**(3): 507-12

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12947371](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12947371)

**Relation Between Progression and Regression of Atherosclerotic Left Main Coronary Artery Disease and Serum Cholesterol Levels as Assessed With Serial Long-Term (>=12 Months) Follow-Up Intravascular Ultrasound.** von Birgelen, C., M. Hartmann, et al. Circulation (2003).**108**(22): 2757-2762

<http://circ.ahajournals.org/cgi/content/abstract/108/22/2757>