

- Acute and stable coronary heart disease: different risk factors S. Agewall Eur Heart J (2008) 29; 1927-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18621774
- Acute coronary syndrome following a recent Bentall-De Bono procedure A. Auricchio, F. Faletra and T. Moccetti Eur Heart J (2009) 30; 627
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18978359
- Presence and extent of coronary artery disease by cardiac computed tomography and risk for acute coronary syndrome in cocaine users among patients with chest pain F. Bamberg, C. L. Schlett, Q. A. Truong, I. S. Rogers, W. Koenig, J. T. Nagurney, S. Seneviratne, S. J. Lehman, R. C. Cury, S. Abbara, J. Butler, H. Lee, T. J. Brady and U. Hoffmann Am J Cardiol (2009) 103; 620-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231323
- Non-ST-segment elevation acute coronary syndromes: an algorithm for decision M. E. Bertrand, J. P. Collet and G. Montalescot Eur Heart J (2008) 29; 279-80
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18156615
- Prior polyvascular disease: risk factor for adverse ischaemic outcomes in acute coronary syndromes D. L. Bhatt, E. D. Peterson, R. A. Harrington, F. S. Ou, C. P. Cannon, C. M. Gibson, N. S. Kleiman, R. G. Brindis, W. F. Peacock, S. J. Brener, V. Menon, S. C. Smith, Jr., C. V. Pollack, Jr., W. B. Gibler, E. M. Ohman and M. T. Roe Eur Heart J (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19339264
- Evidence-based medication use among Chinese patients with acute coronary syndromes at the time of hospital discharge and 1 year after hospitalization: results from the Clinical Pathways for Acute Coronary Syndromes in China (CPACS) study Y. Bi, R. Gao, A. Patel, S. Su, W. Gao, D. Hu, D. Huang, L. Kong, W. Qi, Y. Wu, Y. Yang and F. Turnbull Am Heart J (2009) 157; 509-16 e1
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249422
- Platelet collagen receptor glycoprotein VI as a possible novel indicator for the acute coronary syndrome B. Bigalke, T. Geisler, K. Stellos, H. Langer, K. Daub, E. Kremmer, P. Seizer, A. E. May, S. Lindemann and M. Gawaz Am Heart J (2008) 156; 193-200
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585516
- Tailored clopidogrel loading dose according to platelet reactivity monitoring to prevent acute and subacute stent thrombosis L. Bonello, L. Camoin-Jau, S. Armero, O. Com, S. Arques, C. Burignat-Bonello, M. P. Giacomoni, R. Bonello, F. Collet, P. Rossi, P. Barragan, F. Dignat-George and F. Paganelli Am J Cardiol (2009) 103; 5-10
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101221
- Comparison of outcomes of drug-eluting stents versus bare-metal stents in nonostial proximal left anterior descending coronary arteries L. Bonello, A. De Labriolle, G.

- Lemesle, P. Roy, D. H. Steinberg, T. L. Slottow, Z. Xue, R. Torguson, K. Kaneshige, W. O. Suddath, L. F. Satler, K. M. Kent, J. Lindsay, A. D. Pichard and R. Waksman Am J Cardiol (2009) 103; 496-500
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195509
- Thrombus aspiration during percutaneous coronary intervention L. Bonello, A. De Labriolle, D. Steinberg and R. Waksman Lancet (2008) 372; 1034; author reply 34-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805323
- Predictors of infarct artery patency after prehospital thrombolysis. The multicentre, prospective, observational OPTIMAL study V. Bongard, J. Puel, D. Savary, L. Belle, S. Charpentier, Y. Cottin, L. Soulard, M. Elbaz, D. Miljkovic and P. G. Steg Heart (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19074922
- Culprit-only or multivessel revascularization in patients with acute coronary syndromes: an American College of Cardiology National Cardiovascular Database Registry report S. J. Brener, S. Milford-Beland, M. T. Roe, D. L. Bhatt, W. S. Weintraub and R. G. Brindis Am Heart J (2008) 155; 140-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082505
- Predicting freedom from clinical events in non-ST-elevation acute coronary syndromes. The Global Registry of Acute Coronary Events D. Brieger, K. A. Fox, G. Fitzgerald, K. A. Eagle, A. Budaj, A. Avezum, C. B. Granger, B. Costa, F. A. Anderson and P. G. Steg Heart (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19246481
- Sustained coronary patency after fibrinolytic therapy as independent predictor of 10-year cardiac survival Observations from the Antithrombotics in the Prevention of Reocclusion in Coronary Thrombolysis (APRICOT) trial M. A. Brouwer, P. C. Kievit, H. J. Dieker, G. Veen, A. J. Karreman and F. W. Verheugt Am Heart J (2008) 155; 1039-46
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18513517
- Relation of periprocedural bleeding complications and long-term outcome in patients undergoing percutaneous coronary revascularization (from the Evaluation of Oral Xemilofiban in Controlling Thrombotic Events [EXCITE] Trial) J. J. Brugts, N. Mercado, S. Hu, M. Guarneri, M. Price, R. Schatz, P. Teirstein, W. Wijns, P. W. Serruys, W. W. O'Neill and E. Boersma Am J Cardiol (2009) 103; 917-22
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327416
- Improving clinical outcomes by reducing bleeding in patients with non-ST-elevation acute coronary syndromes A. Budaj, J. W. Eikelboom, S. R. Mehta, R. Afzal, S. Chrolavicius, J. P. Bassand, K. A. Fox, L. Wallentin, R. J. Peters, C. B. Granger, C. D. Joyner and S. Yusuf Eur Heart J (2009) 30; 655-61
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18713759
- Stunning, hibernation, and assessment of myocardial viability P. G. Camici, S. K.

- Prasad and O. E. Rimoldi Circulation (2008) 117; 103-14
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18172050
- Left ventricular morphology and systolic function in sleep-disordered breathing: the Sleep Heart Health Study H. A. Chami, R. B. Devereux, J. S. Gottdiener, R. Mehra, M. J. Roman, E. J. Benjamin and D. J. Gottlieb Circulation (2008) 117; 2599-607
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18458174
- Coronary artery bypass surgery in patients with acute coronary syndromes is difficult to predict D. P. Chew, K. W. Mahaffey, H. D. White, Z. Huang, J. W. Hoekstra, J. J. Ferguson, R. M. Califf and P. E. Aylward Am Heart J (2008) 155; 841-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440330
- Usefulness of coronary fractional flow reserve measurements in guiding clinical decisions in intermediate or equivocal left main coronary stenoses J. Courtis, J. Rodes-Cabau, E. Larose, J. M. Potvin, J. P. Dery, R. D. Larocheilliere, M. Cote, O. Cousterousse, C. M. Nguyen, G. Proulx, S. Rinfret and O. F. Bertrand Am J Cardiol (2009) 103; 943-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327420
- Outcomes with the use of glycoprotein IIb/IIIa inhibitors in non-ST-segment elevation acute coronary syndromes O. H. Dabbous, F. A. Anderson, Jr., J. M. Gore, K. A. Eagle, K. A. Fox, R. H. Mehta, R. J. Goldberg, G. Agnelli and P. G. Steg Heart (2008) 94; 159-65
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17575335
- Evaluating risks and benefits in coronary revascularisation--a very imperfect art? M. A. de Belder and L. Hamilton Heart (2009) 95; 6-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18768566
- Prognostic significance of small troponin I rise after a successful elective percutaneous coronary intervention of a native artery A. De Labriolle, G. Lemesle, L. Bonello, A. I. Syed, S. D. Collins, I. Ben-Dor, T. L. Pinto Slottow, Z. Xue, R. Torguson, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 639-45
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231326
- Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events G. Devlin, J. M. Gore, J. Elliott, N. Wijesinghe, K. A. Eagle, A. Avezum, W. Huang and D. Brieger Eur Heart J (2008) 29; 1275-82
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18387940
- Classification and potential mechanisms of intravascular ultrasound patterns of stent fracture H. Doi, A. Maehara, G. S. Mintz, K. Tsujita, T. Kubo, C. Castellanos, J. Liu, J. Yang, C. Oviedo, J. Aoki, T. Franklin-Bond, N. Dasgupta, A. J. Lansky, G. D. Dangas, G.

- W. Stone, J. W. Moses, R. Mehran and M. B. Leon Am J Cardiol (2009) 103; 818-23
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268738
- Pathophysiologic mechanisms of persistent cardiac troponin I elevation in stabilized patients after an episode of acute coronary syndrome K. M. Eggers, B. Lagerqvist, J. Oldgren, P. Venge, L. Wallentin and B. Lindahl Am Heart J (2008) 156; 588-94
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18760145
- Guidelines for anticoagulant use in acute coronary syndromes J. Eikelboom, G. Guyatt and J. Hirsh Lancet (2008) 371; 1559-61
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18468530
- Racial disparities in outcomes following percutaneous coronary intervention with drug-eluting stents M. A. Gaglia, Jr., D. H. Steinberg, T. L. Pinto Slottow, P. K. Roy, L. Bonello, A. Delabriolle, G. Lemesle, T. Okabe, R. Torguson, K. Kaneshige, Z. Xue, W. O. Suddath, K. M. Kent, L. F. Satler, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 653-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231328
- Ten-year all-cause mortality in presumably healthy subjects on lipid-lowering drugs (from the Prospective Epidemiological Study of Myocardial Infarction [PRIME] prospective cohort) V. Gardette, V. Bongard, J. Dallongeville, D. Arveiler, A. Bingham, J. B. Ruidavets, P. Amouyel, B. Haas, P. Ducimetiere and J. Ferrieres Am J Cardiol (2009) 103; 381-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166693
- Residual platelet activity is increased in clopidogrel- and ASA-treated patients with coronary stenting for acute coronary syndromes compared with stable coronary artery disease T. Geisler, M. Kapp, K. Gohring-Frischholz, K. Daub, C. Dosch, B. Bigalke, H. Langer, C. Herdeg and M. Gawaz Heart (2008) 94; 743-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17567647
- Ensuring appropriate use of antiplatelet agents in the treatment of acute coronary syndromes--have cardiovascular physicians been given enough grace in getting it right? A. H. Gershlick Heart (2008) 94; 135-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18195118
- Usefulness of serum high-density lipoprotein cholesterol level as an independent predictor of one-year mortality after percutaneous coronary interventions Z. B. Ghazzal, S. S. Dhawan, A. Sheikh, J. S. Douglas, E. Veledar, K. Mavromatis, F. K. Pohlel and V. Vaccarino Am J Cardiol (2009) 103; 902-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327413
- The perfect biomarker in acute coronary syndrome: a challenge for diagnosis, prognosis, and treatment J. Gravning and J. Kjekshus Eur Heart J (2008) 29; 2827-8
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18957473

Cilostazol in addition to aspirin and clopidogrel improves long-term outcomes after percutaneous coronary intervention in patients with acute coronary syndromes: a randomized, controlled study Y. Han, Y. Li, S. Wang, Q. Jing, Z. Wang, D. Wang, Q. Shu and X. Tang Am Heart J (2009) 157; 733-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332203

Comparison of long-term efficacy of the paclitaxel-eluting stent versus the bare-metal stent for treatment of unprotected left main coronary artery disease Y. Han, S. Wang, Q. Jing, Y. Li, H. Liu, Y. Ma, Z. Wang, D. Wang, B. Luan, G. Wang and T. Chen Am J Cardiol (2009) 103; 194-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121435

Comparison of treatment and outcome of acute coronary syndrome in patients with versus patients without diabetes mellitus T. Hasin, M. Hochadel, A. K. Gitt, S. Behar, H. Bueno and Y. Hasin Am J Cardiol (2009) 103; 772-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268730

Usefulness of peak troponin-T to predict infarct size and long-term outcome in patients with first acute myocardial infarction after primary percutaneous coronary intervention A. K. Hassan, S. C. Bergheanu, H. Hasan-Ali, S. S. Liem, A. van der Laarse, R. Wolterbeek, D. E. Atsma, M. J. Schalij and J. W. Jukema Am J Cardiol (2009) 103; 779-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268731

The cost-effectiveness of an early interventional strategy in non-ST-elevation acute coronary syndrome based on the RITA 3 trial M. Henriksson, D. M. Epstein, S. J. Palmer, M. J. Sculpher, T. C. Clayton, S. J. Pocock, R. A. Henderson, M. J. Buxton and K. A. Fox Heart (2008) 94; 717-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18032459

Diverging associations of an intended early invasive strategy compared with actual revascularization, and outcome in patients with non-ST-segment elevation acute coronary syndrome: the problem of treatment selection bias A. Hirsch, F. Windhausen, J. G. Tijssen, A. J. Oude Ophuis, W. J. van der Giessen, P. M. van der Zee, J. H. Cornel, F. W. Verheugt and R. J. de Winter Eur Heart J (2009) 30; 645-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18824461

Percutaneous coronary intervention versus coronary artery bypass grafting as primary revascularization in patients with acute coronary syndrome W. Hochholzer, H. J. Buettner, D. Trenk, T. Breidthardt, M. Noveanu, K. Laule, M. Christ, C. Schindler, F. J. Neumann and C. Mueller Am J Cardiol (2008) 102; 173-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602516

A three-vessel virtual histology intravascular ultrasound analysis of frequency and distribution of thin-cap fibroatheromas in patients with acute coronary syndrome or

stable angina pectoris M. K. Hong, G. S. Mintz, C. W. Lee, J. W. Lee, J. H. Park, D. W. Park, S. W. Lee, Y. H. Kim, S. S. Cheong, J. J. Kim, S. W. Park and S. J. Park Am J Cardiol (2008) 101; 568-72
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308000

Impact of plaque components on no-reflow phenomenon after stent deployment in patients with acute coronary syndrome: a virtual histology-intravascular ultrasound analysis Y. J. Hong, M. H. Jeong, Y. H. Choi, J. S. Ko, M. G. Lee, W. Y. Kang, S. E. Lee, S. H. Kim, K. H. Park, D. S. Sim, N. S. Yoon, H. J. Youn, K. H. Kim, H. W. Park, J. H. Kim, Y. Ahn, J. G. Cho, J. C. Park and J. C. Kang Eur Heart J (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228713

Comparison of ticagrelor, the first reversible oral P2Y(12) receptor antagonist, with clopidogrel in patients with acute coronary syndromes: Rationale, design, and baseline characteristics of the PLATelet inhibition and patient Outcomes (PLATO) trial S. James, A. Akerblom, C. P. Cannon, H. Emanuelsson, S. Husted, H. Katus, A. Skene, P. G. Steg, R. F. Storey, R. Harrington, R. Becker and L. Wallentin Am Heart J (2009) 157; 599-605

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332184

Prognostic value of circulating chromogranin A levels in acute coronary syndromes A. M. Jansson, H. Rosjo, T. Omland, T. Karlsson, M. Hartford, A. Flyvbjerg and K. Caidahl Eur Heart J (2009) 30; 25-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19028779

Sleep quality and elevated blood pressure in adolescents S. Javaheri, A. Storfer-Isser, C. L. Rosen and S. Redline Circulation (2008) 118; 1034-40

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18711015

Paclitaxel-eluting stent long-term outcomes in percutaneous saphenous vein graft interventions (PELOPS) study M. H. Jim, H. H. Ho, R. L. Ko, K. H. Yiu, C. W. Siu, C. P. Lau and W. H. Chow Am J Cardiol (2009) 103; 199-202

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121436

ST resolution 1 hour after fibrinolysis for prediction of myocardial infarct size: insights from ASSENT 3 P. Johanson, Y. Fu, G. S. Wagner, S. G. Goodman, C. B. Granger, L. Wallentin, F. Van de Werf and P. W. Armstrong Am J Cardiol (2009) 103; 154-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121428

Guidelines for the diagnosis and treatment of non-ST segment elevation acute coronary syndromes O. M. Jolobe Eur Heart J (2008) 29; 277

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17921175

Fondaparinux compared to enoxaparin in patients with acute coronary syndromes without ST-segment elevation: outcomes and treatment effect across different levels of risk C. D. Joyner, R. J. Peters, R. Afzal, S. Chrolavicius, S. R. Mehta, K. A. Fox, C. B.

- Granger, M. G. Franzosi, M. Flather, A. Budaj, J. P. Bassand and S. Yusuf Am Heart J (2009) 157; 502-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249421
Intravenous administration of nicorandil immediately before percutaneous coronary intervention can prevent slow coronary flow phenomenon Y. Kawai, K. Hisamatsu, H. Matsubara, K. Dan, S. Akagi, K. Miyaji, M. Munemasa, Y. Fujimoto, K. F. Kusano and T. Ohe Eur Heart J (2009) 30; 765-72
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19276198
Combined prognostic utility of white blood cell count, plasma glucose, and glomerular filtration rate in patients undergoing primary stent placement for acute myocardial infarction M. Kosuge, K. Kimura, S. Morita, S. Kojima, T. Sakamoto, M. Ishihara, Y. Asada, C. Tei, S. Miyazaki, M. Sonoda, K. Tsuchihashi, M. Yamagishi, M. Shirai, H. Hiraoka, T. Honda, Y. Ogata and H. Ogawa Am J Cardiol (2009) 103; 322-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166683
Three-year survival following multivessel percutaneous coronary intervention with bare-metal or drug-eluting stents in unselected patients N. Kukreja, Y. Onuma, H. M. Garcia-Garcia, J. Daemen, R. van Domburg and P. W. Serruys Am J Cardiol (2009) 103; 203-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121437
Prevalence, prognosis, and implications of isolated minor nonspecific ST-segment and T-wave abnormalities in older adults: Cardiovascular Health Study A. Kumar, R. J. Prineas, A. M. Arnold, B. M. Psaty, C. D. Furberg, J. Robbins and D. M. Lloyd-Jones Circulation (2008) 118; 2790-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064684
Effect of previous treatment with statins on outcome of patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention E. I. Lev, R. Kornowski, H. Vaknin-Assa, I. Ben-Dor, D. Brosh, I. Teplitsky, S. Fuchs, A. Battler and A. Assali Am J Cardiol (2009) 103; 165-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121430
An integrated TAXUS IV, V, and VI intravascular ultrasound analysis of the predictors of edge restenosis after bare metal or paclitaxel-eluting stents J. Liu, A. Maehara, G. S. Mintz, N. J. Weissman, A. Yu, H. Wang, L. Mandinov, J. J. Popma, S. G. Ellis, E. Grube, K. D. Dawkins and G. W. Stone Am J Cardiol (2009) 103; 501-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195510
Usefulness of serum cathepsin L as an independent biomarker in patients with coronary heart disease Y. Liu, X. Li, D. Peng, Z. Tan, H. Liu, Y. Qing, Y. Xue and G. P. Shi Am J Cardiol (2009) 103; 476-81
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195505

Outcomes in elderly patients with acute coronary syndromes randomized to enoxaparin vs. unfractionated heparin: results from the SYNERGY trial R. D. Lopes, K. P.

Alexander, G. Marcucci, H. D. White, S. Spinler, J. Col, P. E. Aylward, R. M. Califf and K. W. Mahaffey Eur Heart J (2008) 29; 1827-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18519426

High-dose atorvastatin does not negatively influence clinical outcomes among clopidogrel treated acute coronary syndrome patients--a Pravastatin or Atorvastatin Evaluation and Infection Therapy-Thrombolysis in Myocardial Infarction 22 (PROVE IT-TIMI 22) analysis A. Lotfi, M. J. Schweiger, G. R. Giugliano, S. A. Murphy and C. P. Cannon Am Heart J (2008) 155; 954-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440347

Comparison of the sirolimus-eluting versus paclitaxel-eluting coronary stent in patients with diabetes mellitus: the diabetes and drug-eluting stent (DiabeDES) randomized angiography trial M. Maeng, L. O. Jensen, A. M. Galloe, P. Thayssen, E. H. Christiansen, K. N. Hansen, S. Helqvist, H. E. Botker, J. F. Lassen and L. Thuesen Am J Cardiol (2009) 103; 345-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166687

One-year outcomes from the TAXUS express stent versus cypher stent M. Mayor, A. Z. Malik, R. J. Minor, Jr., M. C. Deshpande, W. E. Strauss, T. H. Maloney, D. S. Baim, W. O'Neill and D. E. Kandzari Am J Cardiol (2009) 103; 930-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327418

Prognostic value of a multimarker approach for patients presenting to hospital with acute chest pain C. J. McCann, B. M. Glover, I. B. Menown, M. J. Moore, J. McEneny, C. G. Owens, B. Smith, P. C. Sharpe, I. S. Young and J. A. Adgey Am J Cardiol (2009) 103; 22-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101224

Treatment disparities in patients with acute coronary syndromes and kidney disease P. A. McCullough Eur Heart J (2009) 30; 526-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19201760

Comparison of outcomes and safety of "facilitated" versus primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction R. G. McKay, M. R. Dada, J. F. Mather, R. R. Mennet, D. J. Murphy, K. W. Maloney, J. A. Hirst and F. J. Kiernan Am J Cardiol (2009) 103; 316-21

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166682

A randomized, double-blind, placebo-controlled, multicenter study to evaluate the cardioprotective effects of MC-1 in patients undergoing high-risk coronary artery bypass graft surgery: MC-1 to Eliminate Necrosis and Damage in Coronary Artery Bypass Graft Surgery Trial (MEND-CABG) II--study design and rationale R. H. Mehta, J. H. Alexander, R. Emery, S. J. Ellis, V. Hasselblad, A. Khalil, M. Carrier, R. A. Harrington and J. C.

Tardif Am Heart J (2008) 155; 600-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371465

Variation in the use of stress testing and outcomes in patients with non-ST-elevation acute coronary syndromes: insights from GUSTO IIb R. H. Mehta, S. V. Rao, E. M. Ohman, E. R. Bates, G. Marcucci, M. Zhang, K. S. Pieper, P. W. Armstrong, H. D. White, F. Van de Werf, R. M. Califf and C. B. Granger Eur Heart J (2008) 29; 880-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18334473

Estimated glomerular filtration rate, inflammation, and cardiovascular events after an acute coronary syndrome L. M. Mielniczuk, M. A. Pfeffer, E. F. Lewis, M. A. Blazing, J. A. de Lemos, A. Shui, S. Mohanavelu, R. M. Califf and E. Braunwald Am Heart J (2008) 155; 725-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371483

Increased serum levels and expression of S100A8/A9 complex in infiltrated neutrophils in atherosclerotic plaque of unstable angina S. Miyamoto, M. Ueda, M. Ikemoto, T. Naruko, A. Itoh, S. Tamaki, R. Nohara, F. Terasaki, S. Sasayama and M. Fujita Heart (2008) 94; 1002-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308864

Concurrent evaluation of novel cardiac biomarkers in acute coronary syndrome: myeloperoxidase and soluble CD40 ligand and the risk of recurrent ischaemic events in TACTICS-TIMI 18 D. A. Morrow, M. S. Sabatine, M. L. Brennan, J. A. de Lemos, S. A. Murphy, C. T. Ruff, N. Rifai, C. P. Cannon and S. L. Hazen Eur Heart J (2008) 29; 1096-102

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18339606

Hematologic parameters, atherosclerotic progression, and prognosis in patients with previous coronary artery bypass grafting (from the Post CABG Trial) K. J. Mukamal, G. A. Wellenius and M. A. Mittleman Am J Cardiol (2009) 103; 328-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166684

Reduction in recurrent cardiovascular events with prasugrel compared with clopidogrel in patients with acute coronary syndromes from the TRITON-TIMI 38 trial S. A. Murphy, E. M. Antman, S. D. Wiviott, G. Weerakkody, G. Morocutti, K. Huber, J. Lopez-Sendon, C. H. McCabe and E. Braunwald Eur Heart J (2008) 29; 2473-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682445

Impact of admission blood glucose on outcomes of nondiabetic patients with acute ST-elevation myocardial infarction (from the German Acute Coronary Syndromes [ACOS] Registry) C. K. Naber, R. H. Mehta, C. Junger, U. Zeymer, H. Wienbergen, G. V. Sabin, R. Erbel, J. Senges and A. Gitt Am J Cardiol (2009) 103; 583-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231316

Assessment of patients after coronary artery bypass grafting using 64-slice computed

tomography I. Nazeri, P. Shahabi, M. Tehrai, B. Sharif-Kashani and A. Nazeri Am J Cardiol (2009) 103; 667-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231331

One-year clinical outcomes with abciximab vs. placebo in patients with non-ST-segment elevation acute coronary syndromes undergoing percutaneous coronary intervention after pre-treatment with clopidogrel: results of the ISAR-REACT 2 randomized trial G. Ndreppepa, A. Kastrati, J. Mehilli, F. J. Neumann, J. ten Berg, O. Bruskina, F. Dotzer, M. Seyfarth, J. Pache, J. Dirschinger, P. B. Berger and A. Schomig Eur Heart J (2008) 29; 455-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18158289

A simple prognostic classification model for postprocedural complications after percutaneous coronary intervention for acute myocardial infarction (from the New York State percutaneous coronary intervention database) A. Negassa, E. S. Monrad and V. S. Srinivas Am J Cardiol (2009) 103; 937-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327419

Incremental value of cardiac magnetic resonance imaging in the differential diagnosis of acute coronary syndrome in a young man M. Neizel, M. Kelm and H. P. Kuehl Eur Heart J (2009) 30; 380

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18791201

Thrombus aspiration during percutaneous coronary intervention J. Oh, N. Hong and S. M. Kang Lancet (2008) 372; 1034; author reply 34-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805324

Effect of culprit-lesion remodeling versus plaque rupture on three-year outcome in patients with acute coronary syndrome H. Okura, Y. Kobayashi, S. Sumitsuji, M. Terashima, T. Kataoka, M. Masutani, M. Ohyanagi, K. Shimada, H. Taguchi, Y. Yasuga, Y. Takeda, Y. Ohashi, K. Awano, K. Fujii and G. S. Mintz Am J Cardiol (2009) 103; 791-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268733

Xa inhibition and coagulation activity--the influence of prolonged dalteparin treatment and gender in patients with acute coronary syndrome and healthy individuals J. Oldgren, N. Johnston and A. Siegbahn Am Heart J (2008) 155; 493 e1-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18294482

Coronary artery spasm as a frequent cause of acute coronary syndrome: The CASPAR (Coronary Artery Spasm in Patients With Acute Coronary Syndrome) Study P. Ong, A. Athanasiadis, S. Hill, H. Vogelsberg, M. Voehringer and U. Sechtem J Am Coll Cardiol (2008) 52; 523-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18687244

Impact of renal insufficiency on angiographic, procedural, and in-hospital outcomes

following percutaneous coronary intervention M. D. Osten, J. Ivanov, J. Eichhofer, P. H. Seidelin, J. R. Ross, A. Barolet, E. M. Horlick, D. Ing, L. Schwartz, K. Mackie and V. Dzavik Am J Cardiol (2008) 101; 780-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18328840

Relation between plasma adiponectin, high-sensitivity C-reactive protein, and coronary plaque components in patients with acute coronary syndrome H. Otake, J. Shite, T. Shinke, S. Watanabe, Y. Tanino, D. Ogasawara, T. Sawada, K. Hirata and M. Yokoyama Am J Cardiol (2008) 101; 1-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157956

Effectiveness of primary percutaneous coronary interventions for stent thrombosis G. Parodi, G. Memisha, B. Bellandi, R. Valenti, A. Migliorini, N. Carrabba, R. Vergara and D. Antoniucci Am J Cardiol (2009) 103; 913-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327415

Comparison of six-month outcomes for primary percutaneous revascularization for acute myocardial infarction with drug-eluting versus bare metal stents (from the APEX-AMI study) M. R. Patel, M. E. Pfisterer, A. Betriu, P. Widmisky, D. R. Holmes, Jr., W. W. O'Neill, A. Stebbins, F. Van de Werf, P. W. Armstrong and C. B. Granger Am J Cardiol (2009) 103; 181-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121433

Initial assessment of clinical impact of a drug interaction between clopidogrel and proton pump inhibitors E. Pezalla, D. Day and I. Pulliadath J Am Coll Cardiol (2008) 52; 1038-9; author reply 39
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18786491

Noninvasive assessment of coronary in-stent restenosis by dual-source computed tomography T. Pfleiderer, M. Marwan, A. Renz, S. Bachmann, D. Ropers, A. Kuettner, K. Anders, F. Bamberg, W. G. Daniel and S. Achenbach Am J Cardiol (2009) 103; 812-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268737

Evaluation of plaque characteristics in acute coronary syndromes: non-invasive assessment with multi-slice computed tomography and invasive evaluation with intravascular ultrasound radiofrequency data analysis G. Pundziute, J. D. Schuijff, J. W. Jukema, I. Decramer, G. Sarno, P. K. Vanhoenacker, E. Boersma, J. H. Reiber, M. J. Schalij, W. Wijns and J. J. Bax Eur Heart J (2008) 29; 2373-81
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682447

Effect of beta blockers (metoprolol or propranolol) on effect of simvastatin in lowering C-reactive protein in acute myocardial infarction J. C. Quinaglia e Silva, D. B. Munhoz, T. N. Morato, A. Gurgel, A. C. Macedo, P. Sever and A. C. Sposito Am J Cardiol (2009) 103; 461-3
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195502

Intimal hyperplasia and cystic medial necrosis as substrate of acute coronary syndrome in a cocaine abuser: an in vivo/ex vivo pathological correlation A. B. Ramondo, F. Mistrorigo and A. Angelini Heart (2009) 95; 82
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19047443

Comparison of effects of rosuvastatin (10 mg) versus atorvastatin (40 mg) on rho kinase activity in caucasian men with a previous atherosclerotic event R. Rawlings, A. Nohria, P. Y. Liu, J. Donnelly, M. A. Creager, P. Ganz, A. Selwyn and J. K. Liao Am J Cardiol (2009) 103; 437-41
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195498

Immediate versus deferred coronary angioplasty in non-ST-elevation acute coronary syndromes R. K. Riezebos, E. Ronner, E. Ter Bals, T. Slagboom, P. C. Smits, J. M. Ten Berg, F. Kiemeneij, G. Amoroso, M. S. Patterson, M. J. Suttorp, J. G. Tijssen and G. J. Laarman Heart (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19098058

Patterns and prognostic implications of low high-density lipoprotein levels in patients with non-ST-segment elevation acute coronary syndromes M. T. Roe, F. S. Ou, K. P. Alexander, L. K. Newby, J. M. Foody, W. B. Gibler, W. E. Boden, E. M. Ohman, S. C. Smith, Jr. and E. D. Peterson Eur Heart J (2008) 29; 2480-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18716006

Platelet glycoprotein IIb/IIIa receptor inhibitors--end of an era? M. Roffi and D. Mukherjee Eur Heart J (2008) 29; 429-31
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276614

Requirement for emergent coronary artery bypass surgery following percutaneous coronary intervention in the stent era P. Roy, A. de Labriolle, N. Hanna, L. Bonello, T. Okabe, T. L. Pinto Slottow, D. H. Steinberg, R. Torguson, K. Kaneshige, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 950-3
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327421

Once-a-week rosuvastatin (2.5 to 20 mg) in patients with a previous statin intolerance J. F. Ruisinger, J. M. Backes, C. A. Gibson and P. M. Moriarty Am J Cardiol (2009) 103; 393-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166695

Feasibility of combined use of intravascular ultrasound radiofrequency data analysis and optical coherence tomography for detecting thin-cap fibroatheroma T. Sawada, J. Shite, H. M. Garcia-Garcia, T. Shinke, S. Watanabe, H. Otake, D. Matsumoto, Y. Tanino, D. Ogasawara, H. Kawamori, H. Kato, N. Miyoshi, M. Yokoyama, P. W. Serruys and K. Hirata Eur Heart J (2008) 29; 1136-46
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18397871

Long-term outcome of prophylactic coronary revascularization in cardiac high-risk patients undergoing major vascular surgery (from the randomized DECREASE-V Pilot Study) O. Schouten, J. P. van Kuijk, W. J. Flu, T. A. Winkel, G. M. Welten, E. Boersma, H. J. Verhagen, J. J. Bax and D. Poldermans Am J Cardiol (2009) 103; 897-901
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327412

Baseline coronary angiographic findings in the Bypass Angioplasty Revascularization Investigation 2 Diabetes trial (BARI 2D) L. Schwartz, K. E. Kip, E. Alderman, J. Lu, E. R. Bates, V. Srinivas, R. G. Bach, L. D. Mighton, F. Feit, S. King, 3rd and R. L. Frye Am J Cardiol (2009) 103; 632-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231325

Arterial access-site-related outcomes of patients undergoing invasive coronary procedures for acute coronary syndromes (from the ComPaRison of Early Invasive and Conservative Treatment in Patients With Non-ST-ElevatiOn Acute Coronary Syndromes [PRESTO-ACS] Vascular Substudy) A. Sciahbasi, C. Pristipino, G. Ambrosio, I. Sperduti, E. V. Scabbia, C. Greco, R. Ricci, G. Ferraiolo, D. Di Clemente, C. Giombolini, E. Lioy and M. Tubaro Am J Cardiol (2009) 103; 796-800
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268734

Outcomes and quality of life in patients >or=85 years of age with ST-elevation myocardial infarction P. Shah, A. H. Najafi, J. A. Panza and H. A. Cooper Am J Cardiol (2009) 103; 170-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121431

Effect of prehospital triage on revascularization times, left ventricular function, and survival in patients with ST-elevation myocardial infarction G. Sivagangabalan, A. T. Ong, A. Narayan, N. Sadick, P. S. Hansen, G. C. Nelson, M. Flynn, D. L. Ross, S. C. Boyages and P. Kovoor Am J Cardiol (2009) 103; 907-12
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327414

Acute vessel occlusion after coronary stenting: intravascular ultrasound diagnosis of extensive intramural haematoma G. Souteyrand and P. Motreff Eur Heart J (2008) 29; 9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17675314

Evolving applications for patient-centered health status measures J. A. Spertus Circulation (2008) 118; 2103-10
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001034

Prognostic implications of normal (<0.10 ng/ml) and borderline (0.10 to 1.49 ng/ml) troponin elevation levels in critically ill patients without acute coronary syndrome R. Stein, B. Gupta, S. Agarwal, J. Golub, D. Bhutani, A. Rosman and C. Eng Am J Cardiol (2008) 102; 509-12
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721503

Outcome differences with the use of drug-eluting stents for the treatment of in-stent

restenosis of bare-metal stents versus drug-eluting stents D. H. Steinberg, M. A. Gaglia, Jr., T. L. Pinto Slottow, P. Roy, L. Bonello, A. De Labriolle, G. Lemesle, R. Torguson, K. Kineshige, Z. Xue, W. O. Suddath, K. M. Kent, L. F. Satler, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 491-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195508

Expression of stromal-cell-derived factor-1 on circulating platelets is increased in patients with acute coronary syndrome and correlates with the number of CD34+ progenitor cells K. Stellos, B. Bigalke, H. Langer, T. Geisler, A. Schad, A. Kogel, F. Pfaff, D. Stakos, P. Seizer, I. Muller, P. Htun, S. Lindemann and M. Gawaz Eur Heart J (2009) 30; 584-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19109356

Clopidogrel in acute coronary syndrome: to genotype or not? R. F. Storey Lancet (2009) 373; 276-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19108882

Early invasive compared with a selective invasive strategy in women with non-ST-elevation acute coronary syndromes: a substudy of the OASIS 5 trial and a meta-analysis of previous randomized trials E. Swahn, J. Alfredsson, R. Afzal, A. Budaj, S. Chrolavicius, K. Fox, S. Jolly, S. R. Mehta, R. de Winter and S. Yusuf Eur Heart J (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19202154

Delay to angiography and outcomes following presentation with high-risk, non-ST-elevation acute coronary syndromes: results from the Global Registry of Acute Coronary Events N. Swanson, G. Montalescot, K. A. Eagle, S. G. Goodman, W. Huang, D. Brieger and G. Devlin Heart (2009) 95; 211-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18801782

Left ventricular function after ST-elevation myocardial infarction in patients treated with primary percutaneous coronary intervention and abciximab or tirofiban (from the Facilitated Angioplasty with Tirofiban or Abciximab [FATA] Trial) N. Taglieri, F. Saia, V. Guiducci, S. Tondi, F. Conrotto, C. Marrozzini, G. Rocchi, E. Biagini, M. L. Reggiani, P. Giacometti, G. Piovaccari, A. Manari and A. Marzocchi Am J Cardiol (2009) 103; 785-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268732

Comparison of drug-eluting stents and bare-metal stents for the treatment of unprotected left main coronary artery disease in acute coronary syndromes C. Tamburino, M. E. Di Salvo, D. Capodanno, T. Palmerini, I. Sheiban, M. Margheri, G. Vecchi, G. Sangiorgi, G. Piovaccari, A. Bartorelli, C. Briguori, D. Ardissino, F. Di Pede, A. Ramondo, L. Inglese, A. S. Petronio, L. Bolognese, A. Benassi, C. Palmieri, V. Filippone and S. De Servi Am J Cardiol (2009) 103; 187-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121434

Relationship between longitudinal morphology of ruptured plaques and TIMI flow grade

in acute coronary syndrome: a three-dimensional intravascular ultrasound imaging study A. Tanaka, K. Shimada, M. Namba, T. Sakamoto, Y. Nakamura, Y. Nishida, J. Yoshikawa and T. Akasaka Eur Heart J (2008) 29; 38-44
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17989077

Effects of succinobucol (AGI-1067) after an acute coronary syndrome: a randomised, double-blind, placebo-controlled trial J. C. Tardif, J. J. McMurray, E. Klug, R. Small, J. Schumi, J. Choi, J. Cooper, R. Scott, E. F. Lewis, P. L. L'Allier and M. A. Pfeffer Lancet (2008) 371; 1761-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18502300

Temporal course of pregnancy-associated plasma protein-A in angioplasty-treated ST-elevation myocardial infarction patients and potential significance of concomitant heparin administration C. J. Terkelsen, C. Oxvig, B. L. Norgaard, S. Glerup, T. S. Poulsen, J. F. Lassen, H. J. Moller, L. Thuesen, E. Falk, T. T. Nielsen and H. R. Andersen Am J Cardiol (2009) 103; 29-35
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101225

Long-term benefit of postconditioning H. Thibault, C. Piot, P. Staat, L. Bontemps, C. Sportouch, G. Rioufol, T. T. Cung, E. Bonnefoy, D. Angoulvant, J. F. Aupetit, G. Finet, X. Andre-Fouet, J. C. Macia, F. Raczkja, R. Rossi, R. Itti, G. Kirkorian, G. Derumeaux and M. Ovize Circulation (2008) 117; 1037-44
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268150

Usefulness of persistent symptoms of depression to predict physical health status 12 months after an acute coronary syndrome B. D. Thombs, R. C. Ziegelstein, D. E. Stewart, S. E. Abbey, K. Parakh and S. L. Grace Am J Cardiol (2008) 101; 15-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157958

Comparison of efficacy and safety of atorvastatin (80 mg) to simvastatin (20 to 40 mg) in patients aged <65 versus ≥65 years with coronary heart disease (from the Incremental DEcrease through Aggressive Lipid Lowering [IDEAL] study) M. J. Tikkanen, I. Holme, N. B. Cater, M. Szarek, O. Faergeman, J. J. Kastelein, A. G. Olsson, M. L. Larsen, C. Lindahl and T. R. Pedersen Am J Cardiol (2009) 103; 577-82
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231315

Interleukin-8 is increased in the membrane of circulating erythrocytes in patients with acute coronary syndrome D. N. Tziakas, G. K. Chalikias, I. K. Tentes, D. Stakos, S. V. Chatzikyriakou, K. Mitrousi, A. X. Kortsaris, J. C. Kaski and H. Boudoulas Eur Heart J (2008) 29; 2713-22
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18765457

Prognostic value of free plasma homocysteine levels in patients hospitalized with acute coronary syndrome M. G. van Oijen, B. E. Claessen, N. Clappers, A. van Schaik, R. J. Laheij, J. B. Jansen, W. H. Peters and F. W. Verheugt Am J Cardiol (2008) 102; 135-9
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18602509

9-month clinical, angiographic, and intravascular ultrasound results of a prospective evaluation of the Axxess self-expanding biolimus A9-eluting stent in coronary bifurcation lesions: the DIVERGE (Drug-Eluting Stent Intervention for Treating Side Branches Effectively) study S. Verheye, P. Agostoni, C. L. Dubois, J. Dens, J. Ormiston, S. Worthley, B. Trauthen, T. Hasegawa, B. K. Koo, P. J. Fitzgerald, R. Mehran and A. J. Lansky J Am Coll Cardiol (2009) 53; 1031-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19298915

Acute coronary syndrome in the elderly C. J. Vrints Eur Heart J (2008) 29; 1213-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18434425

Impact of home warfarin use on treatment patterns and bleeding complications for patients with non-ST-segment elevation acute coronary syndromes: observations from the CRUSADE quality improvement initiative T. Y. Wang, A. Y. Chen, E. D. Peterson, R. C. Becker, W. B. Gibler, E. M. Ohman and M. T. Roe Eur Heart J (2008) 29; 1103-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18353757

Discharge antithrombotic strategies among patients with acute coronary syndrome previously on warfarin anticoagulation: physician practice in the CRUSADE registry T. Y. Wang, L. A. Robinson, F. S. Ou, M. T. Roe, E. M. Ohman, W. B. Gibler, S. C. Smith, Jr., E. D. Peterson and R. C. Becker Am Heart J (2008) 155; 361-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215609

Temporal management patterns and outcomes of non-ST elevation acute coronary syndromes in patients with kidney dysfunction J. A. Wong, S. G. Goodman, R. T. Yan, R. Wald, A. J. Bagnall, R. C. Welsh, G. C. Wong, J. Kornder, K. A. Eagle, P. G. Steg and A. T. Yan Eur Heart J (2009) 30; 549-57

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19201761