

- Novel self-expanding stent system for enhanced provisional bifurcation stenting: Examination by StentBoost and intravascular ultrasound P. Agostoni and S. Verheyen Catheter Cardiovasc Interv (2009) 73; 481-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133672
- Impact of mild or moderate renal insufficiency on the intravascular ultrasonic analysis of chronic vascular response to paclitaxel-eluting and bare-metal stents (from the TAXUS IV, V, and VI trials) J. Aoki, G. S. Mintz, N. J. Weissman, L. Mandinov, E. Grube, K. D. Dawkins, S. G. Ellis, J. Greenberg, A. Yu, J. T. Mann, L. Cannon, P. A. Cambier and G. W. Stone Am J Cardiol (2008) 102; 1009-16
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929701
- Predictors of slow flow during primary percutaneous coronary intervention: an intravascular ultrasound-virtual histology study J. H. Bae, T. G. Kwon, D. W. Hyun, C. S. Rihal and A. Lerman Heart (2008) 94; 1559-64
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18381376
- Effect of rosuvastatin therapy on coronary artery stenoses assessed by quantitative coronary angiography: a study to evaluate the effect of rosuvastatin on intravascular ultrasound-derived coronary atheroma burden C. M. Ballantyne, J. S. Raichlen, S. J. Nicholls, R. Erbel, J. C. Tardif, S. J. Brener, V. A. Cain and S. E. Nissen Circulation (2008) 117; 2458-66
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378607
- In vivo comparative study of linear versus geometrically correct three-dimensional reconstruction of coronary arteries Y. S. Chatzizisis, G. D. Giannoglou, G. Sianos, A. Ziakas, D. Tsikaderis, P. Dardas, A. Matakos, C. Basdekidou, G. Misirlis, C. Zamboulis, G. E. Louridas and G. E. Parcharidis Am J Cardiol (2008) 101; 263-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18178419
- Comparison of 64-slice multidetector computed tomography with spectral analysis of intravascular ultrasound backscatter signals for characterizations of noncalcified coronary arterial plaques B. J. Choi, D. K. Kang, S. J. Tahk, S. Y. Choi, M. H. Yoon, H. S. Lim, S. J. Kang, H. M. Yang, J. S. Park, M. Zheng, G. S. Hwang and J. H. Shin Am J Cardiol (2008) 102; 988-93
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929698
- Classification and potential mechanisms of intravascular ultrasound patterns of stent fracture H. Doi, A. Maehara, G. S. Mintz, K. Tsujita, T. Kubo, C. Castellanos, J. Liu, J. Yang, C. Oviedo, J. Aoki, T. Franklin-Bond, N. Dasgupta, A. J. Lansky, G. D. Dangas, G. W. Stone, J. W. Moses, R. Mehran and M. B. Leon Am J Cardiol (2009) 103; 818-23
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268738
- Localized elevation of shear stress is related to coronary plaque rupture: a 3-dimensional intravascular ultrasound study with in-vivo color mapping of shear stress distribution Y. Fukumoto, T. Hiro, T. Fujii, G. Hashimoto, T. Fujimura, J. Yamada, T.

- Okamura and M. Matsuzaki J Am Coll Cardiol (2008) 51; 645-50
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261684
- Defining a new standard for IVUS optimized drug eluting stent implantation: The PRAVIO study R. T. Gerber, A. Latib, A. Ielasi, J. Cosgrave, A. Qasim, F. Airoldi, A. Chieffo, M. Montorfano, M. Carlino, I. Michev, J. Tobis and A. Colombo Catheter Cardiovasc Interv (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213067
- Long-term clinical, angiographic, and intravascular ultrasound outcomes of biodegradable polymer-coated sirolimus-eluting stents Y. Han, Q. Jing, X. Chen, S. Wang, Y. Ma, H. Liu, B. Luan, G. Wang, Y. Li, Z. Wang, D. Wang, B. Xu and R. Gao Catheter Cardiovasc Interv (2008) 72; 177-83
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18655114
- Analysis of left main coronary artery bifurcation lesions treated with biolimus-eluting DEVAX AXXESS plus nitinol self-expanding stent: intravascular ultrasound results of the AXXENT trial T. Hasegawa, J. Ako, B. K. Koo, A. Miyazawa, R. Sakurai, H. Chang, J. Dens, S. Verheye, E. Grube, Y. Honda and P. J. Fitzgerald Catheter Cardiovasc Interv (2009) 73; 34-41
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19089934
- A three-vessel virtual histology intravascular ultrasound analysis of frequency and distribution of thin-cap fibroatheromas in patients with acute coronary syndrome or stable angina pectoris M. K. Hong, G. S. Mintz, C. W. Lee, J. W. Lee, J. H. Park, D. W. Park, S. W. Lee, Y. H. Kim, S. S. Cheong, J. J. Kim, S. W. Park and S. J. Park Am J Cardiol (2008) 101; 568-72
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308000
- Impact of plaque components on no-reflow phenomenon after stent deployment in patients with acute coronary syndrome: a virtual histology-intravascular ultrasound analysis Y. J. Hong, M. H. Jeong, Y. H. Choi, J. S. Ko, M. G. Lee, W. Y. Kang, S. E. Lee, S. H. Kim, K. H. Park, D. S. Sim, N. S. Yoon, H. J. Youn, K. H. Kim, H. W. Park, J. H. Kim, Y. Ahn, J. G. Cho, J. C. Park and J. C. Kang Eur Heart J (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228713
- Disease progression in nonintervened saphenous vein graft segments a serial intravascular ultrasound analysis Y. J. Hong, G. S. Mintz, S. W. Kim, S. Y. Lee, S. Y. Kim, T. Okabe, A. D. Pichard, L. F. Satler, R. Waksman, K. M. Kent, W. O. Suddath and N. J. Weissman J Am Coll Cardiol (2009) 53; 1257-64
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19358938
- Intravascular ultrasound assessment of expansion of the sirolimus-eluting (cypher select) and paclitaxel-eluting (Taxus Express-2) stent in patients with diabetes mellitus L. O. Jensen, M. Maeng, G. S. Mintz, E. H. Christiansen, K. N. Hansen, A. Gallooe, H. Kelbaek, H. S. Hansen, E. Joergensen, J. F. Lassen, L. Thuesen and P. Thayssen Am

J Cardiol (2008) 102; 19-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572030

Comparison of intravascular ultrasound and angiographic assessment of coronary reference segment size in patients with type 2 diabetes mellitus L. O. Jensen, P.

Thayssen, G. S. Mintz, R. Egede, M. Maeng, A. Junker, A. Galloee, E. H. Christiansen, K. E. Pedersen, H. S. Hansen and K. N. Hansen Am J Cardiol (2008) 101; 590-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308004

Impact of time of presentation on the care and outcomes of acute myocardial infarction

H. Jneid, G. C. Fonarow, C. P. Cannon, I. F. Palacios, T. Kilic, G. V. Moukarbel, A. O. Maree, K. A. LaBresh, L. Liang, L. K. Newby, G. Fletcher, L. Wexler and E. Peterson Circulation (2008) 117; 2502-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18427127

Fondaparinux compared to enoxaparin in patients with acute coronary syndromes without ST-segment elevation: outcomes and treatment effect across different levels of risk C. D. Joyner, R. J. Peters, R. Afzal, S. Chrolavicius, S. R. Mehta, K. A. Fox, C. B. Granger, M. G. Franzosi, M. Flather, A. Budaj, J. P. Bassand and S. Yusuf Am Heart J (2009) 157; 502-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249421

Effects of stem cell therapy with G-CSF on coronary artery after drug-eluting stent implantation in patients with acute myocardial infarction H. J. Kang, Y. S. Kim, B. K. Koo, K. W. Park, H. Y. Lee, D. W. Sohn, B. H. Oh, Y. B. Park and H. S. Kim Heart (2008) 94; 604-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18070947

Intravascular ultrasound evaluation of optimal drug-eluting stent expansion after poststent balloon dilation using a noncompliant balloon versus a semicompliant balloon (from the Poststent Optimal Stent Expansion Trial [POET]) J. S. Kim, J. Y. Moon, Y. G. Ko, D. Choi, Y. Jang, W. C. Kang, T. Ahn, B. K. Kim, S. J. Oh, D. W. Jeon and J. Y. Yang Am J Cardiol (2008) 102; 304-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638591

The virtual histology intravascular ultrasound appearance of newly placed drug-eluting stents S. W. Kim, G. S. Mintz, Y. J. Hong, R. Pakala, K. S. Park, A. D. Pichard, L. F. Satler, K. M. Kent, W. O. Suddath, R. Waksman and N. J. Weissman Am J Cardiol (2008) 102; 1182-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940288

Meta-analysis of the effects of paclitaxel-eluting stents versus bare metal stents on volumetric intravascular ultrasound in patients with versus without diabetes mellitus M. Kimura, G. S. Mintz, N. J. Weissman, K. D. Dawkins, E. Grube, S. G. Ellis, L. A. Cannon, Z. Masud, L. Mandinov, D. Baim and G. W. Stone Am J Cardiol (2008) 101; 1263-8

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18435955

An integrated TAXUS IV, V, and VI intravascular ultrasound analysis of the predictors of edge restenosis after bare metal or paclitaxel-eluting stents J. Liu, A. Maehara, G. S.

Mintz, N. J. Weissman, A. Yu, H. Wang, L. Mandinov, J. J. Popma, S. G. Ellis, E. Grube, K. D. Dawkins and G. W. Stone Am J Cardiol (2009) 103; 501-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195510

Evaluation of intermediate coronary stenosis with intravascular ultrasound and fractional flow reserve: Its use and abuse V. Magni, A. Chieffo and A. Colombo Catheter Cardiovasc Interv (2009) 73; 441-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19133668

Multidetector CT coronary angiography for patient triage to invasive coronary angiography: Performance and cost in ambulatory patients with equivocal or suspected inaccurate noninvasive stress tests M. Menon, J. R. Lesser, H. Hara, R. Birkett, T. Knickelbine, T. Longe, B. Flygenring, J. Henry and R. Schwartz Catheter Cardiovasc Interv (2009) 73; 497-502

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19229981

Necrotic core and its ratio to dense calcium are predictors of high-risk non-ST-elevation acute coronary syndrome E. Missel, G. S. Mintz, S. G. Carlier, K. Sano, J. Qian, R. K. Kaple, C. Castellanos, G. Dangas, R. Mehran, J. W. Moses, G. W. Stone and M. B. Leon Am J Cardiol (2008) 101; 573-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308001

Comparison of vascular response to zotarolimus-eluting stent versus sirolimus-eluting stent: intravascular ultrasound results from ENDEAVOR III A. Miyazawa, J. Ako, Y. Hongo, S. H. Hur, I. Tsujino, B. K. Courtney, A. H. Hassan, D. E. Kandzari, Y. Honda and P. J. Fitzgerald Am Heart J (2008) 155; 108-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082499

Usefulness of pravastatin in primary prevention of cardiovascular events in women: analysis of the Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese (MEGA study) K. Mizuno, N. Nakaya, Y. Ohashi, N. Tajima, T. Kushiro, T. Teramoto, S. Uchiyama and H. Nakamura Circulation (2008) 117; 494-502

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18172039

Plaque characterisation by Virtual Histology intravascular ultrasound analysis in patients with type 2 diabetes K. Nasu, E. Tsuchikane, O. Katoh, H. Fujita, J. F. Surmely, M. Ehara, Y. Kinoshita, N. Tanaka, T. Matsubara, Y. Asakura, K. Asakura, M. Terashima and T. Suzuki Heart (2008) 94; 429-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17646194

Impact of intramural thrombus in coronary arteries on the accuracy of tissue characterization by in vivo intravascular ultrasound radiofrequency data analysis K. Nasu, E. Tsuchikane, O. Katoh, D. G. Vince, P. M. Margolis, R. Virmani, J. F. Surmely,

M. Ehara, Y. Kinoshita, H. Fujita, M. Kimura, K. Asakura, Y. Asakura, T. Matsubara, M. Terashima and T. Suzuki Am J Cardiol (2008) 101; 1079-83
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18394436

Effect of diabetes on progression of coronary atherosclerosis and arterial remodeling: a pooled analysis of 5 intravascular ultrasound trials S. J. Nicholls, E. M. Tuzcu, S. Kalidindi, K. Wolski, K. W. Moon, I. Sipahi, P. Schoenhagen and S. E. Nissen J Am Coll Cardiol (2008) 52; 255-62
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18634979

Comparison of intravascular ultrasound to contrast-enhanced 64-slice computed tomography to assess the significance of angiographically ambiguous coronary narrowings T. Okabe, W. G. Weigold, G. S. Mintz, R. Roswell, S. Joshi, S. Y. Lee, B. Lee, D. H. Steinberg, P. Roy, T. L. Slottow, K. Smith, R. Torguson, Z. Xue, L. F. Satler, K. M. Kent, A. D. Pichard, N. J. Weissman, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 994-1001
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929699

Intravascular ultrasound guidance may be an option for coronary interventions T. Pawlowski and R. Gil Catheter Cardiovasc Interv (2008) 72; 750-1
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18942136

Plaque burden, intravascular ultrasound, and distal embolization phenomenon I. Porto, L. Testa and A. P. Banning J Am Coll Cardiol (2008) 51; 1323-4; author reply 24-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371570

Evaluation of plaque characteristics in acute coronary syndromes: non-invasive assessment with multi-slice computed tomography and invasive evaluation with intravascular ultrasound radiofrequency data analysis G. Pundziute, J. D. Schuijff, J. W. Jukema, I. Decramer, G. Sarno, P. K. Vanhoenacker, E. Boersma, J. H. Reiber, M. J. Schalij, W. Wijns and J. J. Bax Eur Heart J (2008) 29; 2373-81
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682447

The potential clinical utility of intravascular ultrasound guidance in patients undergoing percutaneous coronary intervention with drug-eluting stents P. Roy, D. H. Steinberg, S. J. Sushinsky, T. Okabe, T. L. Pinto Slottow, K. Kaneshige, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard, N. J. Weissman, J. Lindsay and R. Waksman Eur Heart J (2008) 29; 1851-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550555

Feasibility of combined use of intravascular ultrasound radiofrequency data analysis and optical coherence tomography for detecting thin-cap fibroatheroma T. Sawada, J. Shite, H. M. Garcia-Garcia, T. Shinke, S. Watanabe, H. Otake, D. Matsumoto, Y. Tanino, D. Ogasawara, H. Kawamori, H. Kato, N. Miyoshi, M. Yokoyama, P. W. Serruys and K. Hirata Eur Heart J (2008) 29; 1136-46
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18397871

In vivo validation of CAAS QCA-3D coronary reconstruction using fusion of angiography and intravascular ultrasound (ANGUS) J. C. Schuurbiers, N. G. Lopez, J. Lighthart, F. J. Gijsen, J. Dijkstra, P. W. Serruys, A. F. Van der Steen and J. J. Wentzel Catheter Cardiovasc Interv (2009) 73; 620-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309696

Acute vessel occlusion after coronary stenting: intravascular ultrasound diagnosis of extensive intramural haematoma G. Souteyrand and P. Motreff Eur Heart J (2008) 29; 9 http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17675314

Combining coronary angiography and intravascular ultrasound in three-dimensional space J. Tobis Catheter Cardiovasc Interv (2008) 72; 176

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18651638

Comparison of angiographic and intravascular ultrasonic detection of myocardial bridging of the left anterior descending coronary artery K. Tsujita, A. Maehara, G. S. Mintz, H. Doi, T. Kubo, C. Castellanos, J. Liu, J. Yang, C. Oviedo, T. Franklin-Bond, N. Dasgupta, S. Biro, L. Dani, G. D. Dangas, R. Mehran, A. J. Kirtane, A. J. Lansky, E. M. Kreps, M. B. Collins, G. W. Stone, J. W. Moses and M. B. Leon Am J Cardiol (2008) 102; 1608-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064013

The correlation between lipid volume in the target lesion, measured by integrated backscatter intravascular ultrasound, and post-procedural myocardial infarction in patients with elective stent implantation T. Uetani, T. Amano, H. Ando, K. Yokoi, K. Arai, M. Kato, N. Marui, M. Nanki, T. Matsubara, H. Ishii, H. Izawa and T. Murohara Eur Heart J (2008) 29; 1714-20

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18559327

Sirolimus-eluting stents versus bare-metal stents in patients with ST-segment elevation myocardial infarction: 9-month angiographic and intravascular ultrasound results and 12-month clinical outcome results from the MISSION! Intervention Study B. L. van der Hoeven, S. S. Liem, J. W. Jukema, N. Suraphakdee, H. Putter, J. Dijkstra, D. E. Atsma, M. Bootsma, K. Zeppenfeld, P. V. Oemrawsingh, E. E. van der Wall and M. J. Schalij J Am Coll Cardiol (2008) 51; 618-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261680

Intravascular ultrasound and 3D angle measurements of coronary bifurcations E. C. van der Waal, G. S. Mintz, H. M. Garcia-Garcia, A. B. Bui, M. Pehlivanova, C. Girasis, P. W. Serruys, W. J. van der Giessen and N. J. Weissman Catheter Cardiovasc Interv (2008) http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19301356

9-month clinical, angiographic, and intravascular ultrasound results of a prospective evaluation of the Axxess self-expanding biolimus A9-eluting stent in coronary bifurcation lesions: the DIVERGE (Drug-Eluting Stent Intervention for Treating Side Branches

Effectively) study S. Verheyen, P. Agostoni, C. L. Dubois, J. Dens, J. Ormiston, S. Worthley, B. Trauthen, T. Hasegawa, B. K. Koo, P. J. Fitzgerald, R. Mehran and A. J. Lansky J Am Coll Cardiol (2009) 53; 1031-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19298915

Acute myocardial infarction after football chest trauma: management guided by intravascular ultrasound D. Vivas, L. Hernando and A. Fernandez-Ortiz Eur Heart J (2009) 30; 739
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19066208

Changes in unstable coronary atherosclerotic plaque composition after balloon angioplasty as determined by analysis of intravascular ultrasound radiofrequency H. Wei, F. Schiele, V. Descotes-Genon, J. Oettinger, N. Meneveau, M. F. Seronde, F. Ecarnot, J. Varini and J. P. Bassand Am J Cardiol (2008) 101; 173-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18178402