

- Drug-eluting stents vs. coronary-artery bypass grafting A. Abbate and M. J. Lipinski N Engl J Med (2008) 358; 2642; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557173
- Edema as a very early marker for acute myocardial ischemia: a cardiovascular magnetic resonance study H. Abdel-Aty, M. Cocker, C. Meek, J. V. Tyberg and M. G. Friedrich J Am Coll Cardiol (2009) 53; 1194-201
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19341860
- Hemodynamic evaluation of coronary artery bypass graft lesions using fractional flow reserve R. Aqel, G. J. Zoghbi, F. Hage, L. Dell'Italia and A. E. Iskandrian Catheter Cardiovasc Interv (2008) 72; 479-85
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18814221
- Stents versus bypass grafting for left main coronary artery disease J. R. Arnold and A. P. Banning N Engl J Med (2008) 359; 424-5; author reply 25
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18655246
- Impact of clopidogrel in patients with acute coronary syndromes requiring coronary artery bypass surgery: a multicenter analysis J. S. Berger, C. B. Frye, Q. Harshaw, F. H. Edwards, S. R. Steinblubl and R. C. Becker J Am Coll Cardiol (2008) 52; 1693-701
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19007688
- Improving long-term outcomes following coronary artery bypass graft or percutaneous coronary revascularisation: results from a large, population-based cohort with first intervention 1995-2004 H. M. Blackledge and I. B. Squire Heart (2009) 95; 304-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001000
- Randomized, controlled trial of coronary artery bypass surgery versus percutaneous coronary intervention in patients with multivessel coronary artery disease: six-year follow-up from the Stent or Surgery Trial (SoS) J. Booth, T. Clayton, J. Pepper, F. Nugara, M. Flather, U. Sigwart and R. H. Stables Circulation (2008) 118; 381-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18606919
- Comparison of percutaneous versus surgical revascularization of severe unprotected left main coronary stenosis in matched patients S. J. Brener, J. M. Galla, R. Bryant, 3rd, J. F. Sabik, 3rd and S. G. Ellis Am J Cardiol (2008) 101; 169-72
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18178401
- Outcomes of patients with acute coronary syndrome and previous coronary artery bypass grafting (from the Pravastatin or Atorvastatin Evaluation and Infection Therapy [PROVE IT-TIMI 22] and the Aggrastat to Zocor [A to Z] trials) E. S. Brilakis, J. A. de Lemos, C. P. Cannon, S. D. Wiviott, S. A. Murphy, D. A. Morrow, M. S. Sabatine, S. Banerjee, M. A. Blazing, R. M. Califf and E. Braunwald Am J Cardiol (2008) 102; 552-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721511

Drug-eluting stents vs. coronary-artery bypass grafting J. H. Burack N Engl J Med (2008) 358; 2643; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557176

Patients with non-ST-elevation acute coronary syndromes undergoing coronary artery bypass grafting in the modern era of antithrombotic therapy D. P. Chew, Z. Huang, K. S. Pieper, H. White, K. W. Mahaffey, J. J. Ferguson, R. M. Califf and P. G. Aylward Am Heart J (2008) 155; 239-44
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215592

Coronary artery bypass surgery in patients with acute coronary syndromes is difficult to predict D. P. Chew, K. W. Mahaffey, H. D. White, Z. Huang, J. W. Hoekstra, J. J. Ferguson, R. M. Califf and P. E. Aylward Am Heart J (2008) 155; 841-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440330

Long-term safety and efficacy of percutaneous coronary intervention with stenting and coronary artery bypass surgery for multivessel coronary artery disease: a meta-analysis with 5-year patient-level data from the ARTS, ERACI-II, MASS-II, and SoS trials J. Daemen, E. Boersma, M. Flather, J. Booth, R. Stables, A. Rodriguez, G. Rodriguez-Granillo, W. A. Hueb, P. A. Lemos and P. W. Serruys Circulation (2008) 118; 1146-54
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18725490

Drug-eluting stents vs. coronary-artery bypass grafting J. Daemen, N. Kukreja and P. W. Serruys N Engl J Med (2008) 358; 2641-2; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550881

Results of percutaneous coronary intervention of the unprotected left main coronary artery in 143 patients and comparison of 30-day mortality to results of coronary artery bypass grafting C. Dubois, J. Dens, P. Sinnaeve, A. Belmans, J. Van Cleemput, M. Mendez, J. Piessens and W. Desmet Am J Cardiol (2008) 101; 75-81
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157969

Design of the Future REvascularization Evaluation in patients with Diabetes mellitus: Optimal management of Multivessel disease (FREEDOM) Trial M. E. Farkouh, G. Dangas, M. B. Leon, C. Smith, R. Nesto, J. B. Buse, D. J. Cohen, E. Mahoney, L. Sleeper, S. King, 3rd, M. Domanski, S. McKinlay and V. Fuster Am Heart J (2008) 155; 215-23
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215589

10-year follow-up of a prospective randomized trial comparing bare-metal stenting with internal mammary artery grafting for proximal, isolated de novo left anterior coronary artery stenosis the SIMA (Stenting versus Internal Mammary Artery grafting) trial J. J. Goy, U. Kaufmann, M. Hurni, S. Cook, F. Versaci, P. Ruchat, O. Bertel, M. Pieper, B. Meier, L. Chiarello and E. Eeckhout J Am Coll Cardiol (2008) 52; 815-7
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18755343

Drug-eluting compared with bare-metal coronary stents among elderly patients P. W. Groeneveld, M. A. Matta, A. P. Greenhut and F. Yang J Am Coll Cardiol (2008) 51; 2017-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498954

Relationship between preventability of death after coronary artery bypass graft surgery and all-cause risk-adjusted mortality rates V. Guru, J. V. Tu, E. Etchells, G. M. Anderson, C. D. Naylor, R. J. Novick, C. M. Feindel, F. D. Rubens, K. Teoh, A. Mathur, A. Hamilton, D. Bonneau, C. Cutrara, P. C. Austin and S. E. Fremes Circulation (2008) 117; 2969-76

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18541752

Drug-eluting stents vs. coronary-artery bypass grafting in multivessel coronary disease E. L. Hannan, C. Wu, G. Walford, A. T. Culliford, J. P. Gold, C. R. Smith, R. S. Higgins, R. E. Carlson and R. H. Jones N Engl J Med (2008) 358; 331-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18216353

Drug-eluting stents vs. coronary-artery bypass grafting K. J. Harjai N Engl J Med (2008) 358; 2642-3; author reply 43-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557174

Coronary artery bypass surgery compared with percutaneous coronary interventions for multivessel disease: a collaborative analysis of individual patient data from ten randomised trials M. A. Hlatky, D. B. Boothroyd, D. M. Bravata, E. Boersma, J. Booth, M. M. Brooks, D. Carrie, T. C. Clayton, N. Danchin, M. Flather, C. W. Hamm, W. A. Hueb, J. Kahler, S. F. Kelsey, S. B. King, A. S. Kosinski, N. Lopes, K. M. McDonald, A. Rodriguez, P. Serruys, U. Sigwart, R. H. Stables, D. K. Owens and S. J. Pocock Lancet (2009) 373; 1190-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19303634

Percutaneous coronary intervention versus coronary artery bypass grafting as primary revascularization in patients with acute coronary syndrome W. Hochholzer, H. J. Buettner, D. Trenk, T. Breidthardt, M. Noveanu, K. Laule, M. Christ, C. Schindler, F. J. Neumann and C. Mueller Am J Cardiol (2008) 102; 173-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602516

Percutaneous intervention vs. coronary-artery bypass grafting in left main coronary disease R. H. Jones N Engl J Med (2008) 358; 1851-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378518

Long-term outcome in patients treated with sirolimus-eluting stents in complex coronary artery lesions: 3-year results of the SCANDSTENT (Stenting Coronary Arteries in Non-Stress/Benestent Disease) trial H. Kelbaek, L. Klovgaard, S. Helqvist, J. F. Lassen, L. R. Krusell, T. Engstrom, H. E. Botker, E. Jorgensen, K. Saunamaki, S. Aljabbari, P. Thayssen, A. Galloe, G. V. Jensen and L. Thuesen J Am Coll Cardiol (2008) 51; 2011-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498953
Clopidogrel use and bleeding after coronary artery bypass graft surgery J. H. Kim, L. K. Newby, R. M. Clare, L. K. Shaw, A. J. Lodge, P. K. Smith, E. M. Jolicoeur, S. V. Rao, R. C. Becker, D. B. Mark and C. B. Granger Am Heart J (2008) 156; 886-92
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19061702
Association of previous coronary artery bypass graft surgery with door-to-balloon time and in-hospital outcomes: a report from the National Cardiovascular Data Registry (NCDR) M. S. Kim, T. Y. Wang, D. Dai, A. J. Klein, E. D. Peterson, J. S. Rumsfeld and J. C. Messenger J Am Coll Cardiol (2008) 52; 1665-70
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18992658
Sirolimus-eluting stents, bare metal stents or coronary artery bypass grafting for patients with multivessel disease including involvement of the proximal left anterior descending artery: analysis of the Arterial Revascularization Therapies study part 2 (ARTS-II) N. Kukreja, P. W. Serruys, B. de Bruyne, A. Colombo, C. Macaya, G. Richardt, J. Fajadet, C. Hamm, D. Goedhart, N. Macours and H. P. Stoll Heart (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19304671
Impact of statin use on outcomes after coronary artery bypass graft surgery A. Kulik, M. A. Brookhart, R. Levin, M. Ruel, D. H. Solomon and N. K. Choudhry Circulation (2008) 118; 1785-92
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18852363
Coronary revascularization in context R. A. Lange and L. D. Hillis N Engl J Med (2009) 360; 1024-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228611
CABG vs. stenting--clinical implications of the SYNTAX trial T. H. Lee, L. D. Hillis and E. G. Nabel N Engl J Med (2009) 360; e10
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228613
Prognostic value of the Syntax score in patients undergoing coronary artery bypass grafting for three-vessel coronary artery disease G. Lemesle, L. Bonello, A. de Labriolle, D. H. Steinberg, P. Roy, T. L. Pinto Slottow, R. Torguson, K. Kaneshige, Z. Xue, W. O. Suddath, L. F. Satler, K. M. Kent, J. Lindsay, A. D. Pichard and R. Waksman Catheter Cardiovasc Interv (2009) 73; 612-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309700
Comparison of Drug-Eluting Stents and Coronary Artery Bypass Surgery for the Treatment of Multivessel Coronary Disease. Three-Year Follow-Up Results From a Single Institution Y. Li, Z. Zheng, B. Xu, S. Zhang, W. Li, R. Gao and S. Hu Circulation (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19349321

- Off-pump coronary artery bypass graft surgery in California, 2003 to 2005 Z. Li, K. K. Yeo, J. P. Parker, G. Mahendra, J. N. Young and E. A. Amsterdam Am Heart J (2008) 156; 1095-102
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19033004
- Diagnostic-therapeutic cascade revisited: coronary angiography, coronary artery bypass graft surgery, and percutaneous coronary intervention in the modern era F. L. Lucas, A. E. Siewers, D. J. Malenka and D. E. Wennberg Circulation (2008) 118; 2797-802
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064681
- In vivo molecular imaging of angiogenesis, targeting alphavbeta3 integrin expression, in a patient after acute myocardial infarction M. R. Makowski, U. Ebersberger, S. Nekolla and M. Schwaiger Eur Heart J (2008) 29; 2201
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18375397
- Preventing heart disease in the 21st century: implications of the Pathobiological Determinants of Atherosclerosis in Youth (PDAY) study H. C. McGill, Jr., C. A. McMahan and S. S. Gidding Circulation (2008) 117; 1216-27
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18316498
- Clinical characteristics and in-hospital outcomes of patients with cardiogenic shock undergoing coronary artery bypass surgery: insights from the Society of Thoracic Surgeons National Cardiac Database R. H. Mehta, J. D. Grab, S. M. O'Brien, D. D. Glower, C. K. Haan, J. S. Gammie and E. D. Peterson Circulation (2008) 117; 876-85
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18250266
- Percutaneous coronary intervention or coronary artery bypass graft for unprotected left main coronary artery disease: the endless debate E. Meliga, M. Valgimigli, P. Buszman and P. W. Serruys J Am Coll Cardiol (2008) 52; 582-4; author reply 84-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18687257
- Hematologic parameters, atherosclerotic progression, and prognosis in patients with previous coronary artery bypass grafting (from the Post CABG Trial) K. J. Mukamal, G. A. Wellenius and M. A. Mittleman Am J Cardiol (2009) 103; 328-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166684
- Assessment of patients after coronary artery bypass grafting using 64-slice computed tomography I. Nazeri, P. Shahabi, M. Tehrai, B. Sharif-Kashani and A. Nazeri Am J Cardiol (2009) 103; 667-73
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231331
- Drug-eluting stents vs. coronary-artery bypass grafting A. C. Ng and L. Kritharides N Engl J Med (2008) 358; 2643; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557175
- Evolution of surgical treatment of coronary artery occlusive disease G. P. Noon JAMA

(2009) 301; 970-1

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19258588

Appropriateness of coronary artery bypass graft surgery performed in northern New England G. T. O'Connor, E. M. Olmstead, W. C. Nugent, B. J. Leavitt, R. A. Clough, P. W. Weldner, D. C. Charlesworth, K. Chaisson, D. Sisto, E. R. Nowicki, R. P. Cochran and D. J. Malenka *J Am Coll Cardiol* (2008) 51; 2323-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549917

Long-term mortality after percutaneous coronary intervention with drug-eluting stent implantation versus coronary artery bypass surgery for the treatment of multivessel coronary artery disease D. W. Park, S. C. Yun, S. W. Lee, Y. H. Kim, C. W. Lee, M. K. Hong, J. J. Kim, S. J. Choo, H. Song, C. H. Chung, J. W. Lee, S. W. Park and S. J. Park *Circulation* (2008) 117; 2079-86

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18413495

A randomized trial of on-pump beating heart and conventional cardioplegic arrest in coronary artery bypass surgery patients with impaired left ventricular function using cardiac magnetic resonance imaging and biochemical markers T. J. Pegg, J. B. Selvanayagam, J. M. Francis, T. D. Karamitsos, Z. Maunsell, L. M. Yu, S. Neubauer and D. P. Taggart *Circulation* (2008) 118; 2130-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18981306

Effects of off-pump versus on-pump coronary artery bypass grafting on early and late right ventricular function T. J. Pegg, J. B. Selvanayagam, T. D. Karamitsos, R. J. Arnold, J. M. Francis, S. Neubauer and D. P. Taggart *Circulation* (2008) 117; 2202-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18413501

Stents versus bypass grafting for left main coronary artery disease M. Pocar, F. Donatelli and A. Moneta *N Engl J Med* (2008) 359; 423; author reply 25

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18650520

Endovascular carotid artery stenting and early coronary artery bypass grafting for asymptomatic carotid artery stenosis: long-term outcomes and neurologic events P. S. Ranaweera, B. C. Bigelow, M. C. Leary, R. de la Torre, F. Sellke and L. A. Garcia *Catheter Cardiovasc Interv* (2009) 73; 139-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156875

Simultaneous "hybrid" percutaneous coronary intervention and minimally invasive surgical bypass grafting: feasibility, safety, and clinical outcomes B. Reicher, R. S. Poston, M. R. Mehra, A. Joshi, P. Odonkor, Z. Kon, P. A. Reyes and D. A. Zimrin *Am Heart J* (2008) 155; 661-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371473

Nonrandomized comparison of coronary artery bypass surgery and percutaneous coronary intervention for the treatment of unprotected left main coronary artery disease

in octogenarians J. Rodes-Cabau, J. Deblois, O. F. Bertrand, S. Mohammadi, J. Courtis, E. Larose, F. Dagenais, J. P. Dery, P. Mathieu, M. Rousseau, G. Barbeau, R. Baillot, O. Gleeton, J. Perron, C. M. Nguyen, L. Roy, D. Doyle, R. De Larochelliere, P. Bogaty and P. Voisine Circulation (2008) 118; 2374-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19029471

Effects of angiotensin-converting enzyme inhibition in low-risk patients early after coronary artery bypass surgery J. L. Rouleau, W. J. Warnica, R. Baillot, P. J. Block, S. Chocron, D. Johnstone, M. G. Myers, C. D. Calciu, S. Dalle-Ave, P. Martineau, C. Mormont and W. H. van Gilst Circulation (2008) 117; 24-31

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18071079

Requirement for emergent coronary artery bypass surgery following percutaneous coronary intervention in the stent era P. Roy, A. de Labriolle, N. Hanna, L. Bonello, T. Okabe, T. L. Pinto Slottow, D. H. Steinberg, R. Torguson, K. Kaneshige, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 950-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327421

Does location of the second internal thoracic artery graft influence outcome of coronary artery bypass grafting? J. F. Sabik, 3rd, A. Stockins, E. R. Nowicki, E. H. Blackstone, P. L. Houghtaling, B. W. Lytle and F. D. Loop Circulation (2008) 118; S210-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18824756

Baseline coronary angiographic findings in the Bypass Angioplasty Revascularization Investigation 2 Diabetes trial (BARI 2D) L. Schwartz, K. E. Kip, E. Alderman, J. Lu, E. R. Bates, V. Srinivas, R. G. Bach, L. D. Mighton, F. Feit, S. King, 3rd and R. L. Frye Am J Cardiol (2009) 103; 632-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231325

Percutaneous coronary intervention versus coronary-artery bypass grafting for severe coronary artery disease P. W. Serruys, M. C. Morice, A. P. Kappetein, A. Colombo, D. R. Holmes, M. J. Mack, E. Stahle, T. E. Feldman, M. van den Brand, E. J. Bass, N. Van Dyck, K. Leadley, K. D. Dawkins and F. W. Mohr N Engl J Med (2009) 360; 961-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228612

Stents versus coronary-artery bypass grafting for left main coronary artery disease K. B. Seung, D. W. Park, Y. H. Kim, S. W. Lee, C. W. Lee, M. K. Hong, S. W. Park, S. C. Yun, H. C. Gwon, M. H. Jeong, Y. Jang, H. S. Kim, P. J. Kim, I. W. Seong, H. S. Park, T. Ahn, I. H. Chae, S. J. Tahk, W. S. Chung and S. J. Park N Engl J Med (2008) 358; 1781-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378517

Intensive lipid-lowering with atorvastatin for secondary prevention in patients after coronary artery bypass surgery S. J. Shah, D. D. Waters, P. Barter, J. J. Kastelein, J. Shepherd, N. K. Wenger, D. A. DeMicco, A. Breazna and J. C. LaRosa J Am Coll Cardiol (2008) 51; 1938-43

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18482661

Mayo Clinic Risk Score for percutaneous coronary intervention predicts in-hospital mortality in patients undergoing coronary artery bypass graft surgery M. Singh, B. J. Gersh, S. Li, J. S. Rumsfeld, J. A. Spertus, S. M. O'Brien, R. M. Suri and E. D. Peterson Circulation (2008) 117; 356-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18172033

The impact of diabetic status on coronary artery bypass graft patency: insights from the radial artery patency study S. K. Singh, N. D. Desai, S. D. Petroff, S. Deb, E. A. Cohen, S. Radhakrishnan, L. Schwartz, J. Dubbin and S. E. Fremes Circulation (2008) 118; S222-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18824758

PCI or CABG in coronary artery disease? D. P. Taggart Lancet (2009) 373; 1150-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19303631

Meta-analysis of four randomized controlled trials on long-term outcomes of coronary artery bypass grafting versus percutaneous coronary intervention with stenting for multivessel coronary artery disease H. Takagi, N. Kawai and T. Umemoto Am J Cardiol (2008) 101; 1259-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18435954

Stents versus bypass grafting for left main coronary artery disease J. A. Tayek N Engl J Med (2008) 359; 424; author reply 25

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18655244

Stents versus bypass grafting for left main coronary artery disease H. Tomoda N Engl J Med (2008) 359; 423-4; author reply 25

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18655245

Impact of early and delayed stroke on in-hospital and long-term mortality after isolated coronary artery bypass grafting I. K. Toumpoulis, C. E. Anagnostopoulos, T. P. Chamogeorgakis, D. C. Angouras, M. A. Kariou, D. G. Swistel and C. K. Rokkas Am J Cardiol (2008) 102; 411-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678297

Three life-years gained from smoking cessation after coronary artery bypass surgery: a 30-year follow-up study R. T. van Domburg, W. S. op Reimer, S. E. Hoeks, A. P. Kappetein and A. J. Bogers Am Heart J (2008) 156; 473-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18760128

Impact on contrast, fluoroscopy, and catheter utilization from knowing the coronary artery bypass graft anatomy before diagnostic coronary angiography I. Varghese, D. M. Boatman, C. T. Peters, J. Daye, A. Haider, M. Roesle, S. Banerjee and E. S. Brilakis Am J Cardiol (2008) 101; 1729-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549848

The relationship between obesity and atherosclerotic progression and prognosis among patients with coronary artery bypass grafts the effect of aggressive statin therapy C. C. Wee, S. Girotra, A. R. Weinstein, M. A. Mittleman and K. J. Mukamal J Am Coll Cardiol (2008) 52; 620-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18702964

Routine intraoperative completion angiography after coronary artery bypass grafting and 1-stop hybrid revascularization results from a fully integrated hybrid catheterization laboratory/operating room D. X. Zhao, M. Leacche, J. M. Balaguer, K. D. Boudoulas, J. A. Damp, J. P. Greelish, J. G. Byrne, R. M. Ahmad, S. K. Ball, J. H. Cleator, R. J. Deegan, S. S. Eagle, P. P. Fong, J. L. Fredi, S. J. Hoff, H. S. Jennings, 3rd, J. A. McPherson, R. N. Piana, M. Pretorius, M. A. Robbins, D. A. Slosky and A. Thompson J Am Coll Cardiol (2009) 53; 232-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147039