

- Drug-eluting stents vs. coronary-artery bypass grafting A. Abbate and M. J. Lipinski N Engl J Med (2008) 358; 2642; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557173
- Culotte stenting technique in coronary bifurcation disease: angiographic follow-up using dedicated quantitative coronary angiographic analysis and 12-month clinical outcomes T. Adriaenssens, R. A. Byrne, A. Dibra, R. Iijima, J. Mehilli, O. Bruskina, A. Schomig and A. Kastrati Eur Heart J (2008) 29; 2868-76
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001472
- Are surrogate end points in drug-eluting stent trials reliable? P. Agostoni and G. G. Biondi-Zoccai J Am Coll Cardiol (2008) 51; 1991-2; author reply 92
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18482673
- Bare-metal versus drug-eluting coronary stents P. Agostoni and P. Vermeersch N Engl J Med (2008) 358; 2516-7; author reply 17-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18536096
- Long-term clinical benefit of sirolimus-eluting stents in patients with in-stent restenosis results of the RIBS-II (Restenosis Intra-stent: Balloon angioplasty vs. elective sirolimus-eluting Stenting) study F. Alfonso, M. J. Perez-Vizcayno, R. Hernandez, A. Bethencourt, V. Marti, J. R. Lopez-Minguez, J. Angel, A. Iniguez, C. Moris, A. Cequier, M. Sabate, J. Escaned, P. Jimenez-Quevedo, C. Banuelos, A. Suarez and C. Macaya J Am Coll Cardiol (2008) 52; 1621-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18992651
- Sirolimus-eluting stents versus bare-metal stents in patients with in-stent restenosis: results of a pooled analysis of two randomized studies F. Alfonso, M. J. Perez-Vizcayno, R. Hernandez, C. Fernandez, J. Escaned, C. Banuelos, A. Bethencourt, J. R. Lopez-Minguez, J. Angel, A. Cequier, M. Sabate, C. Moris, J. Zueco and R. Seabra-Gomes Catheter Cardiovasc Interv (2008) 72; 459-67
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18814274
- Treatment of drug-eluting stent restenosis: An emerging challenge A. Aminian, T. Kabir and E. Eeckhout Catheter Cardiovasc Interv (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19199365
- Early stent thrombosis in patients with acute coronary syndromes treated with drug-eluting and bare metal stents: the Acute Catheterization and Urgent Intervention Triage Strategy trial J. Aoki, A. J. Lansky, R. Mehran, J. Moses, M. E. Bertrand, B. T. McLaurin, D. A. Cox, A. M. Lincoff, E. M. Ohman, H. D. White, H. Parise, M. B. Leon and G. W. Stone Circulation (2009) 119; 687-98
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19171852
- Late outcomes of drug-eluting versus bare metal stents in saphenous vein grafts: Propensity score analysis R. J. Applegate, M. Sacrity, M. Kutcher, R. Santos, S.

- Gandhi and W. Little Catheter Cardiovasc Interv (2008) 72; 7-12
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412239
- "Off-label" stent therapy 2-year comparison of drug-eluting versus bare-metal stents R. J. Applegate, M. T. Sacrinity, M. A. Kutcher, R. M. Santos, S. K. Gandhi, T. T. Baki and W. C. Little J Am Coll Cardiol (2008) 51; 607-14
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261678
- Incidence of coronary stent thrombosis based on academic research consortium definitions R. J. Applegate, M. T. Sacrinity, W. C. Little, R. M. Santos, S. K. Gandhi and M. A. Kutcher Am J Cardiol (2008) 102; 683-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773988
- Drug-eluting stents: do the risks really outweigh the benefits? D. Austin, J. P. Pell and K. G. Oldroyd Heart (2008) 94; 127-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18195113
- Bare-metal versus drug-eluting coronary stents D. Austin, J. P. Pell and K. G. Oldroyd N Engl J Med (2008) 358; 2516; author reply 17-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18525053
- Angioscopic comparison of neointimal coverage between zotarolimus- and sirolimus-eluting stents M. Awata, S. Nanto, M. Uematsu, T. Morozumi, T. Watanabe, T. Onishi, O. Iida, F. Sera, J. Kotani, M. Hori and S. Nagata J Am Coll Cardiol (2008) 52; 789-90
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18718430
- Percutaneous intervention in saphenous vein bypass graft disease: case against the use of drug-eluting stents D. Bansal, R. Sachdeva and J. L. Mehta J Am Coll Cardiol (2008) 51; 970-1; author reply 71-2
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308169
- Appropriate use of drug-eluting stents: balancing the reduction in restenosis with the concern of late thrombosis A. A. Bavry and D. L. Bhatt Lancet (2008) 371; 2134-43
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572082
- Outcomes in the era of bare-metal stents vs the era of drug-eluting stents A. Beri JAMA (2009) 301; 33; author reply 34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19126807
- Inflation time and drug-eluting stent: the longer, the better O. F. Bertrand Catheter Cardiovasc Interv (2009) 73; 212-3
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156881
- Two-year clinical outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents in diabetic patients M. Billinger, J. Beutler, K. R. Taghetchian, A. Remondino, P.

- Wenaweser, S. Cook, M. Togni, C. Seiler, C. Stettler, F. R. Eberli, T. F. Luscher, S. Wandel, P. Juni, B. Meier and S. Windecker Eur Heart J (2008) 29; 718-25
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18272504
- Comparison of outcomes of drug-eluting stents versus bare-metal stents in nonostial proximal left anterior descending coronary arteries L. Bonello, A. De Labriolle, G. Lemesle, P. Roy, D. H. Steinberg, T. L. Slottow, Z. Xue, R. Torguson, K. Kaneshige, W. O. Suddath, L. F. Satler, K. M. Kent, J. Lindsay, A. D. Pichard and R. Waksman Am J Cardiol (2009) 103; 496-500
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195509
- A randomized controlled trial of a paclitaxel-eluting stent versus a similar bare-metal stent in saphenous vein graft lesions the SOS (Stenting of Saphenous Vein Grafts) trial E. S. Brilakis, C. Lichtenwalter, J. A. de Lemos, M. Roesle, O. Obel, D. Haagen, B. Saeed, C. Gadiparthi, J. K. Bissett, R. Sachdeva, V. V. Voudris, P. Karyfillis, B. Kar, J. Rossen, P. Fasseas, P. Berger and S. Banerjee J Am Coll Cardiol (2009) 53; 919-28
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19281920
- Outcomes with drug-eluting stents versus bare metal stents in acute ST-elevation myocardial infarction: results from the Strategic Transcatheter Evaluation of New Therapies (STENT) Group B. R. Brodie, T. Stuckey, W. Downey, A. Humphrey, M. Nussbaum, S. Laurent, B. Bradshaw, C. Metzger, J. Hermiller, F. Krainin, S. Juk, B. Cheek, P. Duffy and C. A. Simonton Catheter Cardiovasc Interv (2008) 72; 893-900
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19016465
- Drug-eluting stents vs. coronary-artery bypass grafting J. H. Burack N Engl J Med (2008) 358; 2643; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557176
- Angiographic and clinical outcome of invasively managed patients with thrombosed coronary bare metal or drug-eluting stents: the OPTIMIST study F. Burzotta, A. Parma, C. Pristipino, A. Manzoli, F. Belloni, G. Sardella, S. Rigattieri, A. Danesi, P. Mazzarotto, F. Summaria, E. Romagnoli, F. Prati, C. Trani and F. Crea Eur Heart J (2008) 29; 3011-21
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18987096
- Outcome of patients treated by a novel thin-strut cobalt-chromium stent in the drug-eluting stent era: Results of the SKICE (Skylor in real world practice) registry F. Burzotta, C. Trani, D. Todaro, M. A. Mazzari, I. Porto, M. De Vita, S. Brugaletta, S. F. Coroleu, G. Niccoli, A. M. Leone, M. Gianninaro, R. Mongiardo, G. Schiavoni and F. Crea Catheter Cardiovasc Interv (2009) 73; 457-65
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19229977
- Long-term clinical benefit of drug-eluting stents over bare-metal stents in diabetic patients with de novo left main coronary artery disease: results from a real-world multicenter registry D. Capodanno, M. E. Di Salvo, T. Palmerini, I. Sheiban, M. Margheri,

- G. Vecchi, G. Sangiorgi, G. Piovaccari, A. Bartorelli, C. Briguori, D. Ardissino, F. Di Pede, A. Ramondo, L. Inglesi, A. S. Petronio, L. Bolognese, A. Benassi, C. Palmieri, V. Filippone, S. De Servi and C. Tamburino Catheter Cardiovasc Interv (2009) 73; 310-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19214964
- Drug-eluting stents--pushing the envelope beyond the labels? J. P. Carrozza, Jr. N Engl J Med (2008) 358; 405-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18216362
- Left ventricular morphology and systolic function in sleep-disordered breathing: the Sleep Heart Health Study H. A. Chami, R. B. Devereux, J. S. Gottdiener, R. Mehra, M. J. Roman, E. J. Benjamin and D. J. Gottlieb Circulation (2008) 117; 2599-607
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18458174
- Randomized study of the crush technique versus provisional side-branch stenting in true coronary bifurcations: the CACTUS (Coronary Bifurcations: Application of the Crushing Technique Using Sirolimus-Eluting Stents) Study A. Colombo, E. Bramucci, S. Sacca, R. Violini, C. Lettieri, R. Zanini, I. Sheiban, L. Paloscia, E. Grube, J. Schofer, L. Bolognese, M. Orlandi, G. Niccoli, A. Latib and F. Airoldi Circulation (2009) 119; 71-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19103990
- Randomized study of the crush technique versus provisional side-branch stenting in true coronary bifurcations: the CACTUS (Coronary Bifurcations: Application of the Crushing Technique Using Sirolimus-Eluting Stents) Study A. Colombo, E. Bramucci, S. Sacca, R. Violini, C. Lettieri, R. Zanini, I. Sheiban, L. Paloscia, E. Grube, J. Schofer, L. Bolognese, M. Orlandi, G. Niccoli, A. Latib and F. Airoldi Circulation (2009) 119; 71-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19103990
- Late incomplete stent apposition after drug-eluting stent implantation: a true risk factor or "an innocent bystander"? A. Colombo and A. Latib Heart (2008) 94; 253-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276805
- Drug-eluting stents vs. coronary-artery bypass grafting J. Daemen, N. Kukreja and P. W. Serruys N Engl J Med (2008) 358; 2641-2; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550881
- Four-year clinical follow-up of the rapamycin-eluting stent evaluated at Rotterdam Cardiology Hospital registry J. Daemen, N. Kukreja, P. H. van Twisk, Y. Onuma, P. P. de Jaegere, R. van Domburg and P. W. Serruys Am J Cardiol (2008) 101; 1105-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18394442
- ESC Forum on Drug Eluting Stents European Heart House, Nice, 27-28 September 2007 J. Daemen, M. L. Simoons, W. Wijns, A. Bagust, G. Bos, J. M. Bowen, E. Braunwald, E. Camenzind, B. Chevalier, C. Dimario, J. Fajadet, A. Gitt, G. Guagliumi, H. L. Hillege, S. James, P. Juni, A. Kastrati, S. Kloft, S. D. Kristensen, M. Krucoff, V. Legrand, M. Pfisterer, M. Rothman, P. W. Serruys, S. Silber, P. G. Steg, I. Tariah, L.

Wallentin, S. W. Windecker, A. Aimonetti, D. Allocco, A. Baczynska, M. Berenger, A. Boam, J. P. Calle, G. Campo, S. Carlier, J. de Schepper, G. Di Bisceglie, H. Dobbels, A. Farb, J. C. Ghislain, S. Hellbardt, R. Ten Hoedt, C. Isaia, P. de Jong, E. Klasen, M. Lekehal, L. Lenarz, F. Ni Mhullain, H. Nagai, A. Patteet, D. Paunovic, A. Potgieter, I. Purdy, C. Raveau-Landon, S. Ternstrom, J. Van Wuytswinkel and M. Waliszewski Eur Heart J (2009) 30; 152-61
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19036745

NICE guidelines for the use of drug-eluting stents: how do we establish worth? M. A. de Belder Heart (2008) 94; 1646-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18728067

Drug-eluting stent thrombosis: results from the multicenter Spanish registry ESTROFA (Estudio Espanol sobre TROmbosis de stents FArmacoactivos) J. M. de la Torre-Hernandez, F. Alfonso, F. Hernandez, J. Elizaga, M. Sanmartin, E. Pinar, I. Lozano, J. M. Vazquez, J. Botas, A. P. de Prado, J. M. Hernandez, J. Sanchis, J. M. Nodar, A. Gomez-Jaume, M. Larman, J. A. Diarte, J. Rodriguez-Collado, J. R. Rumoroso, J. R. Lopez-Minguez and J. Mauri J Am Coll Cardiol (2008) 51; 986-90
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325436

Angiographic and clinical outcomes of drug-eluting versus bare metal stent deployment in the Occluded Artery Trial V. Dzavik, C. E. Buller, G. Devlin, R. G. Carere, G. B. Mancini, W. J. Cantor, P. E. Buszman, J. M. Rankin, C. Vozzi, J. R. Ross, S. Forman, B. A. Barton, A. G. Lamas and J. S. Hochman Catheter Cardiovasc Interv (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309733

Safety of short-term discontinuation of antiplatelet therapy in patients with drug-eluting stents M. J. Eisenberg, P. R. Richard, D. Libersan and K. B. Filion Circulation (2009) 119; 1634-42
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19289638

Two-year clinical outcomes after paclitaxel-eluting stent or brachytherapy treatment for bare metal stent restenosis: the TAXUS V ISR trial S. G. Ellis, C. D. O'Shaughnessy, S. L. Martin, K. Kent, T. McGarry, M. A. Turco, D. J. Kereiakes, J. J. Popma, M. Friedman, J. Koglin and G. W. Stone Eur Heart J (2008) 29; 1625-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556716

Safety and efficacy of drug-eluting balloons in percutaneous treatment of bifurcation lesions: the DEBIUT (drug-eluting balloon in bifurcation Utrecht) registry J. C. Fanggiday, P. R. Stella, S. H. Guyomi and P. A. Doevedans Catheter Cardiovasc Interv (2008) 71; 629-35
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360855

Randomized trial on routine vs. provisional T-stenting in the treatment of de novo coronary bifurcation lesions M. Ferenc, M. Gick, R. P. Kienzle, H. P. Bestehorn, K. D. Werner, T. Comberg, P. Kuebler, H. J. Buttner and F. J. Neumann Eur Heart J (2008)

29; 2859-67

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18845665

Outcomes after percutaneous coronary intervention of ostial lesions in the era of drug-eluting stents M. Freeman, D. J. Clark, N. Andrianopoulos, S. J. Duffy, H. S. Lim, A. Brennan, K. Charter, J. Shaw, M. Horrigan, A. E. Ajani, M. Sebastian, C. M. Reid and H. M. Farouque Catheter Cardiovasc Interv (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309731

Contribution of organized thrombus to in-stent restenosis after sirolimus-eluting stent implantation: optical coherence tomography findings K. Fujii, M. Masutani and M. Ohyanagi Eur Heart J (2008) 29; 1385

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18077442

Comparison of paclitaxel- and sirolimus-eluting stents in everyday clinical practice: the SORT OUT II randomized trial A. M. Galloe, L. Thuesen, H. Kelbaek, P. Thayssen, K. Rasmussen, P. R. Hansen, N. Bligaard, K. Saunamaki, A. Junker, J. Aaroe, U. Abildgaard, J. Ravkilde, T. Engstrom, J. S. Jensen, H. R. Andersen, H. E. Botker, S. Galatius, S. D. Kristensen, J. K. Madsen, L. R. Krusell, S. Z. Abildstrom, G. B. Stephansen and J. F. Lassen JAMA (2008) 299; 409-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18230778

Balancing the risks of restenosis and stent thrombosis in bare-metal versus drug-eluting stents: results of a decision analytic model P. Garg, D. J. Cohen, T. Gaziano and L. Mauri J Am Coll Cardiol (2008) 51; 1844-53

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18466798

Drug-eluting or bare-metal stenting in patients with diabetes mellitus: results from the Massachusetts Data Analysis Center Registry P. Garg, S. L. Normand, T. S. Silbaugh, R. E. Wolf, K. Zelevinsky, A. Lovett, M. R. Varma, Z. Zhou and L. Mauri Circulation (2008) 118; 2277-85, 7p following 85

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001019

Measures of obesity and cardiovascular risk among men and women R. P. Gelber, J. M. Gaziano, E. J. Orav, J. E. Manson, J. E. Buring and T. Kurth J Am Coll Cardiol (2008) 52; 605-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18702962

Defining a new standard for IVUS optimized drug eluting stent implantation: The PRAVIO study R. T. Gerber, A. Latib, A. Ielasi, J. Cosgrave, A. Qasim, F. Airolidi, A. Chieffo, M. Montorfano, M. Carlino, I. Michev, J. Tobis and A. Colombo Catheter Cardiovasc Interv (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19213067

Lack of clinical long-term benefit with the use of a drug eluting stent compared to use of a bare metal stent in saphenous vein grafts G. Gioia, A. Benassi, R. Mohendra, K.

Chowdhury, I. Masood and W. Matthai Catheter Cardiovasc Interv (2008) 72; 13-20
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18561143

Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry) C. Godino, S. Furuichi, A. Latib, N. Morici, A. Chieffo, E. Romagnoli, C. Tamburino, R. Barbagallo, M. Cera, D. Antoniucci, O. Goktekin, C. Di Mario, B. Reimers, E. Grube, F. Airolidi, G. M. Sangiorgi and A. Colombo Am J Cardiol (2008) 102; 1002-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929700

Incidence and clinical impact of dual nonresponsiveness to aspirin and clopidogrel in patients with drug-eluting stents A. M. Gori, R. Marcucci, A. Migliorini, R. Valenti, G. Moschi, R. Paniccia, P. Buonamici, G. F. Gensini, R. Vergara, R. Abbate and D. Antoniucci J Am Coll Cardiol (2008) 52; 734-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18718420

Infrapopliteal drug-eluting stents for chronic limb ischemia A. G. Grant, C. J. White, T. J. Collins, J. S. Jenkins, J. P. Reilly and S. R. Ramee Catheter Cardiovasc Interv (2008) 71; 108-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18098211

Drug-eluting compared with bare-metal coronary stents among elderly patients P. W. Groeneveld, M. A. Matta, A. P. Greenhut and F. Yang J Am Coll Cardiol (2008) 51; 2017-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498954

Comparative safety and efficacy of a sirolimus-eluting versus paclitaxel-eluting stent: a meta-analysis H. S. Gurm, T. Boyden and K. B. Welch Am Heart J (2008) 155; 630-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371469

The impact of lesion length and vessel size on outcomes after sirolimus-eluting stent implantation for in-stent restenosis S. Habara, K. Mitsudo, T. Goto, K. Kadota, S. Fujii, H. Yamamoto, H. Kato, S. Takenaka, Y. Fuku, S. Hosogi, A. Hirano, K. Yamamoto, H. Tanaka, D. Hasegawa, Y. Nakamura, H. Tasaka, S. Otsuru, Y. Okamoto, C. Yamada, M. Miyamoto and K. Inoue Heart (2008) 94; 1162-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18032460

Differential effects of drug-eluting stents on local endothelium-dependent coronary vasomotion M. I. Hamilos, M. Ostojic, B. Beleslin, D. Sagic, L. Mangovski, S. Stojkovic, M. Nedeljkovic, D. Orlic, B. Milosavljevic, D. Topic, N. Karanovic and W. Wijns J Am Coll Cardiol (2008) 51; 2123-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18510958

Long-term clinical, angiographic, and intravascular ultrasound outcomes of biodegradable polymer-coated sirolimus-eluting stents Y. Han, Q. Jing, X. Chen, S. Wang, Y. Ma, H. Liu, B. Luan, G. Wang, Y. Li, Z. Wang, D. Wang, B. Xu and R. Gao

Catheter Cardiovasc Interv (2008) 72; 177-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18655114

Comparison of long-term efficacy of the paclitaxel-eluting stent versus the bare-metal stent for treatment of unprotected left main coronary artery disease Y. Han, S. Wang, Q. Jing, Y. Li, H. Liu, Y. Ma, Z. Wang, D. Wang, B. Luan, G. Wang and T. Chen Am J Cardiol (2009) 103; 194-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121435

Comparison of coronary artery stenting outcomes in the eras before and after the introduction of drug-eluting stents E. L. Hannan, M. Racz, D. R. Holmes, G. Walford, S. Sharma, S. Katz, R. H. Jones and S. B. King, 3rd Circulation (2008) 117; 2071-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18391112

Drug-eluting stents vs. coronary-artery bypass grafting in multivessel coronary disease E. L. Hannan, C. Wu, G. Walford, A. T. Culliford, J. P. Gold, C. R. Smith, R. S. Higgins, R. E. Carlson and R. H. Jones N Engl J Med (2008) 358; 331-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18216353

Drug-eluting stents vs. coronary-artery bypass grafting K. J. Harjai N Engl J Med (2008) 358; 2642-3; author reply 43-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557174

Late stent malapposition risk is higher after drug-eluting stent compared with bare-metal stent implantation and associates with late stent thrombosis A. K. Hassan, S. C.

Bergheanu, T. Stijnen, B. L. van der Hoeven, J. D. Snoep, J. W. Plevier, M. J. Schalij and J. W. Jukema Eur Heart J (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19158118

Late target lesion revascularization after implantation of sirolimus-eluting stent M. K. Hong, G. S. Mintz, C. W. Lee, D. W. Park, S. W. Lee, Y. H. Kim, I. H. Jung, S. H. Kim, S. S. Cheong, J. J. Kim, S. W. Park and S. J. Park Catheter Cardiovasc Interv (2008) 71; 299-303

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17985380

Comparison of ticagrelor, the first reversible oral P2Y(12) receptor antagonist, with clopidogrel in patients with acute coronary syndromes: Rationale, design, and baseline characteristics of the PLATElet inhibition and patient Outcomes (PLATO) trial S. James, A. Akerblom, C. P. Cannon, H. Emanuelsson, S. Husted, H. Katus, A. Skene, P. G. Steg, R. F. Storey, R. Harrington, R. Becker and L. Wallentin Am Heart J (2009) 157; 599-605

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332184

Intravascular ultrasound assessment of expansion of the sirolimus-eluting (cypher select) and paclitaxel-eluting (Taxus Express-2) stent in patients with diabetes mellitus L. O. Jensen, M. Maeng, G. S. Mintz, E. H. Christiansen, K. N. Hansen, A. Galloe, H.

Kelbaek, H. S. Hansen, E. Joergensen, J. F. Lassen, L. Thuesen and P. Thayssen Am J Cardiol (2008) 102; 19-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572030

Neointimal hyperplasia after sirolimus-eluting and paclitaxel-eluting stent implantation in diabetic patients: the Randomized Diabetes and Drug-Eluting Stent (DiabeDES) Intravascular Ultrasound Trial L. O. Jensen, M. Maeng, P. Thayssen, E. H. Christiansen, K. N. Hansen, A. Galloe, H. Kelbaek, J. F. Lassen and L. Thuesen Eur Heart J (2008) 29; 2733-41

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18832385

Prevalence and prognostic significance of preprocedural cardiac troponin elevation among patients with stable coronary artery disease undergoing percutaneous coronary intervention: results from the evaluation of drug eluting stents and ischemic events registry A. Jeremias, N. S. Kleiman, D. Nassif, W. H. Hsieh, M. Pencina, K. Maresh, M. Parikh, D. E. Cutlip, R. Waksman, S. Goldberg, P. B. Berger and D. J. Cohen Circulation (2008) 118; 632-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18645057

Paclitaxel-eluting stent long-term outcomes in percutaneous saphenous vein graft interventions (PELOPS) study M. H. Jim, H. H. Ho, R. L. Ko, K. H. Yiu, C. W. Siu, C. P. Lau and W. H. Chow Am J Cardiol (2009) 103; 199-202

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121436

2-year clinical outcomes after implantation of sirolimus-eluting, paclitaxel-eluting, and bare-metal coronary stents: results from the WDHR (Western Denmark Heart Registry) A. Kaltoft, L. O. Jensen, M. Maeng, H. H. Tilsted, P. Thayssen, M. Bottcher, J. F. Lassen, L. R. Krusell, K. Rasmussen, K. N. Hansen, L. Pedersen, S. P. Johnsen, H. T. Sorensen and L. Thuesen J Am Coll Cardiol (2009) 53; 658-64

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19232897

Effects of stem cell therapy with G-CSF on coronary artery after drug-eluting stent implantation in patients with acute myocardial infarction H. J. Kang, Y. S. Kim, B. K. Koo, K. W. Park, H. Y. Lee, D. W. Sohn, B. H. Oh, Y. B. Park and H. S. Kim Heart (2008) 94; 604-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18070947

Impact of a prolonged delivery inflation time for optimal drug-eluting stent expansion T. Kawasaki, H. Koga, T. Serikawa, Y. Orita, S. Ikeda, T. Mito, Y. Gotou, Y. Shintani, A. Tanaka, H. Tanaka, T. Fukuyama and N. Koga Catheter Cardiovasc Interv (2009) 73; 205-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19085915

Long-term outcome in patients treated with sirolimus-eluting stents in complex coronary artery lesions: 3-year results of the SCANDSTENT (Stenting Coronary Arteries in Non-Stress/Benestent Disease) trial H. Kelbaek, L. Klovgaard, S. Helqvist, J. F. Lassen,

L. R. Krusell, T. Engstrom, H. E. Botker, E. Jorgensen, K. Saunamaki, S. Aljabbari, P. Thayssen, A. Galloe, G. V. Jensen and L. Thuesen J Am Coll Cardiol (2008) 51; 2011-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498953

Drug-eluting versus bare metal stents in patients with st-segment-elevation myocardial infarction: eight-month follow-up in the Drug Elution and Distal Protection in Acute Myocardial Infarction (DEDICATION) trial H. Kelbaek, L. Thuesen, S. Helqvist, P. Clemmensen, L. Klovgaard, A. Kaltoft, B. Andersen, H. Thuesen, T. Engstrom, H. E. Botker, K. Saunamaki, L. R. Krusell, E. Jorgensen, H. H. Hansen, E. H. Christiansen, J. Ravkilde, L. Kober, K. F. Kofoed, C. J. Terkelsen and J. F. Lassen Circulation (2008) 118; 1155-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18725489

Are "treatment" bare metal stents superior to "control" bare metal stents? A meta-analytic approach D. M. Kent and T. A. Trikalinos Am Heart J (2008) 155; 624-9, 29 e1-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371468

Impact of body mass index on the one-year clinical outcome of patients undergoing multivessel revascularization with sirolimus-eluting stents (from the Arterial Revascularization Therapies Study Part II) A. A. Khattab, J. Daemen, G. Richardt, P. Rioux, F. W. Amann, R. Levy, I. G. Horvath, R. C. Teles, F. Ordoubadi, M. Pieters, K. Wittebols, H. P. Stoll and P. W. Serruys Am J Cardiol (2008) 101; 1550-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489932

Drug-eluting versus bare-metal stents in acute myocardial infarction D. H. Kim N Engl J Med (2009) 360; 300-1; author reply 01-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19148960

Comparison of sirolimus-eluting stent and paclitaxel-eluting stent for long-term cardiac adverse events in diabetic patients: the Korean Multicenter Angioplasty Team (KOMATE) Registry J. S. Kim, B. H. Lee, Y. G. Ko, D. Choi, Y. Jang, P. K. Min, Y. W. Yoon, B. K. Hong, H. M. Kwon, M. S. Ahn, S. H. Lee, J. H. Yoon, B. K. Lee, B. O. Kim, B. K. Kim, S. J. Oh, D. W. Jeon, J. Y. Yang, J. R. Cho, J. H. Jung and S. K. Ryu Catheter Cardiovasc Interv (2008) 72; 601-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18942123

Intravascular ultrasound evaluation of optimal drug-eluting stent expansion after poststent balloon dilation using a noncompliant balloon versus a semicompliant balloon (from the Poststent Optimal Stent Expansion Trial [POET]) J. S. Kim, J. Y. Moon, Y. G. Ko, D. Choi, Y. Jang, W. C. Kang, T. Ahn, B. K. Kim, S. J. Oh, D. W. Jeon and J. Y. Yang Am J Cardiol (2008) 102; 304-10
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638591

The virtual histology intravascular ultrasound appearance of newly placed drug-eluting stents S. W. Kim, G. S. Mintz, Y. J. Hong, R. Pakala, K. S. Park, A. D. Pichard, L. F.

Satler, K. M. Kent, W. O. Suddath, R. Waksman and N. J. Weissman Am J Cardiol (2008) 102; 1182-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940288
The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation Y. S. Kim, B. K. Koo, J. B. Seo, K. W. Park, J. W. Suh, H. Y. Lee, J. S. Park, H. J. Kang, Y. S. Cho, W. Y. Chung, I. H. Chae, D. J. Choi, H. S. Kim, B. H. Oh and Y. B. Park Catheter Cardiovasc Interv (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360868
Meta-analysis of the effects of paclitaxel-eluting stents versus bare metal stents on volumetric intravascular ultrasound in patients with versus without diabetes mellitus M. Kimura, G. S. Mintz, N. J. Weissman, K. D. Dawkins, E. Grube, S. G. Ellis, L. A. Cannon, Z. Masud, L. Mandinov, D. Baim and G. W. Stone Am J Cardiol (2008) 101; 1263-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18435955
Antiplatelet therapy and stent thrombosis after sirolimus-eluting stent implantation T. Kimura, T. Morimoto, Y. Nakagawa, T. Tamura, K. Kadota, H. Yasumoto, H. Nishikawa, Y. Hiasa, T. Muramatsu, T. Meguro, N. Inoue, H. Honda, Y. Hayashi, S. Miyazaki, S. Oshima, T. Honda, N. Shiode, M. Namura, T. Sone, M. Nobuyoshi, T. Kita and K. Mitsudo Circulation (2009) 119; 987-95
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19204304
Physiological evaluation of the provisional side-branch intervention strategy for bifurcation lesions using fractional flow reserve B. K. Koo, K. W. Park, H. J. Kang, Y. S. Cho, W. Y. Chung, T. J. Youn, I. H. Chae, D. J. Choi, S. J. Tahk, B. H. Oh, Y. B. Park and H. S. Kim Eur Heart J (2008) 29; 726-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308689
A novel bioresorbable polymer paclitaxel-eluting stent for the treatment of single and multivessel coronary disease: primary results of the COSTAR (Cobalt Chromium Stent With Antiproliferative for Restenosis) II study M. W. Krucoff, D. J. Kereiakes, J. L. Petersen, R. Mehran, V. Hasselblad, A. J. Lansky, P. J. Fitzgerald, J. Garg, M. A. Turco, C. A. Simonton, 3rd, S. Verheye, C. L. Dubois, R. Gammon, W. B. Batchelor, C. D. O'Shaughnessy, J. B. Hermiller, Jr., J. Schofer, M. Buchbinder and W. Wijns J Am Coll Cardiol (2008) 51; 1543-52
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18420096
Three-year survival following multivessel percutaneous coronary intervention with bare-metal or drug-eluting stents in unselected patients N. Kukreja, Y. Onuma, H. M. Garcia-Garcia, J. Daemen, R. van Domburg and P. W. Serruys Am J Cardiol (2009) 103; 203-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121437
Sirolimus-eluting stents, bare metal stents or coronary artery bypass grafting for

patients with multivessel disease including involvement of the proximal left anterior descending artery: analysis of the Arterial Revascularization Therapies study part 2 (ARTS-II) N. Kukreja, P. W. Serruys, B. de Bruyne, A. Colombo, C. Macaya, G. Richardt, J. Fajadet, C. Hamm, D. Goedhart, N. Macours and H. P. Stoll Heart (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19304671

Coronary revascularization in context R. A. Lange and L. D. Hillis N Engl J Med (2009) 360; 1024-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228611

Bifurcation stenting: current strategies and new devices A. Latib, A. Colombo and G. M. Sangiorgi Heart (2009) 95; 495-504
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18812408

Sirolimus-eluting and paclitaxel-eluting stents for the treatment of coronary bifurcations A. Latib, J. Cosgrave, C. Godino, A. Qasim, S. J. Corbett, D. Tavano, N. Morici, N. Cristell, A. Chieffo, M. Carlino, M. Montorfano, F. Airolidi and A. Colombo Am Heart J (2008) 156; 745-50
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18946894

Prospective randomized comparison of sirolimus- versus paclitaxel-eluting stents for the treatment of acute ST-elevation myocardial infarction: pROSIT trial J. H. Lee, H. S. Kim, S. W. Lee, J. H. Park, S. W. Choi, J. O. Jeong, Y. Cho, N. Lee, K. S. Rhee, J. K. Ko and I. W. Seong Catheter Cardiovasc Interv (2008) 72; 25-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412270

Drug-eluting stenting of unprotected left main coronary artery stenosis in patients with orthotopic heart transplantation: Initial clinical experience M. S. Lee, K. J. Chun and J. M. Tobis Catheter Cardiovasc Interv (2008) 71; 306-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18288757

Impact of diabetes and acute coronary syndrome on survival in patients treated with drug-eluting stents M. S. Lee, D. Jurewitz, R. Zimmer, A. Pessegueiro, R. Bhatia, J. Currier, L. Yeatman and J. M. Tobis Catheter Cardiovasc Interv (2008) 72; 909-14
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19016467

Multicenter international registry of unprotected left main coronary artery percutaneous coronary intervention with drug-eluting stents in patients with myocardial infarction M. S. Lee, D. Sillano, A. Latib, A. Chieffo, G. B. Zocca, R. Bhatia, I. Sheiban, A. Colombo and J. Tobis Catheter Cardiovasc Interv (2009) 73; 15-21
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19089930

Outcomes of nonagenarians who undergo percutaneous coronary intervention with drug-eluting stents M. S. Lee, R. Zimmer, A. Pessegueiro, D. Jurewitz and J. Tobis Catheter Cardiovasc Interv (2008) 71; 526-30
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18307230

Drug-eluting stenting followed by cilostazol treatment reduces late restenosis in patients with diabetes mellitus the DECLARE-DIABETES Trial (A Randomized Comparison of Triple Antiplatelet Therapy with Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Diabetic Patients) S. W. Lee, S. W. Park, Y. H. Kim, S. C. Yun, D. W. Park, C. W. Lee, M. K. Hong, H. S. Kim, J. K. Ko, J. H. Park, J. H. Lee, S. W. Choi, I. W. Seong, Y. H. Cho, N. H. Lee, J. H. Kim, K. J. Chun and S. J. Park J Am Coll Cardiol (2008) 51; 1181-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18355656

A randomized comparison of sirolimus- versus Paclitaxel-eluting stent implantation in patients with diabetes mellitus S. W. Lee, S. W. Park, Y. H. Kim, S. C. Yun, D. W. Park, C. W. Lee, M. K. Hong, K. S. Rhee, J. K. Chae, J. K. Ko, J. H. Park, J. H. Lee, S. W. Choi, J. O. Jeong, I. W. Seong, Y. H. Cho, N. H. Lee, J. H. Kim, K. J. Chun, H. S. Kim and S. J. Park J Am Coll Cardiol (2008) 52; 727-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18718419

A randomized comparison of sirolimus- versus paclitaxel-eluting stent implantation in patients with diabetes mellitus 2-year clinical outcomes of the DES-DIABETES trial S. W. Lee, S. W. Park, Y. H. Kim, S. C. Yun, D. W. Park, C. W. Lee, M. K. Hong, K. S. Rhee, J. K. Chae, J. K. Ko, J. H. Park, J. H. Lee, S. W. Choi, J. O. Jeong, I. W. Seong, Y. H. Cho, N. H. Lee, J. H. Kim, K. J. Chun, H. S. Kim and S. J. Park J Am Coll Cardiol (2009) 53; 812-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19245976

CABG vs. stenting--clinical implications of the SYNTAX trial T. H. Lee, L. D. Hillis and E. G. Nabel N Engl J Med (2009) 360; e10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228613

Three aneurysms developed in three different drug-eluting stents Y. S. Lee, K. S. Kim and S. G. Chang Eur Heart J (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19240068

Early days of an ingenious aspirin and sirolimus-eluting stent P. A. Lemos Catheter Cardiovasc Interv (2008) 72; 195

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18651647

Comparison of Drug-Eluting Stents and Coronary Artery Bypass Surgery for the Treatment of Multivessel Coronary Disease. Three-Year Follow-Up Results From a Single Institution Y. Li, Z. Zheng, B. Xu, S. Zhang, W. Li, R. Gao and S. Hu Circulation (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19349321

An integrated TAXUS IV, V, and VI intravascular ultrasound analysis of the predictors of edge restenosis after bare metal or paclitaxel-eluting stents J. Liu, A. Maehara, G. S. Mintz, N. J. Weissman, A. Yu, H. Wang, L. Mandinov, J. J. Popma, S. G. Ellis, E. Grube,

- K. D. Dawkins and G. W. Stone Am J Cardiol (2009) 103; 501-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195510
- Comparison of the sirolimus-eluting versus paclitaxel-eluting coronary stent in patients with diabetes mellitus: the diabetes and drug-eluting stent (DiabeDES) randomized angiography trial M. Maeng, L. O. Jensen, A. M. Galloe, P. Thayssen, E. H. Christiansen, K. N. Hansen, S. Helqvist, H. E. Botker, J. F. Lassen and L. Thuesen Am J Cardiol (2009) 103; 345-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166687
- Comparison of stent thrombosis, myocardial infarction, and mortality following drug-eluting versus bare-metal stent coronary intervention in patients with diabetes mellitus M. Maeng, L. O. Jensen, A. Kaltoft, H. H. Hansen, M. Bottcher, J. F. Lassen, P. Thayssen, L. R. Krusell, K. Rasmussen, L. Pedersen, H. T. Sorensen, S. P. Johnsen and L. Thuesen Am J Cardiol (2008) 102; 165-72
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602515
- Clinical efficacy of drug-eluting stents in diabetic patients: a meta-analysis E. Mahmud, G. Bromberg-Marin, V. Palakodeti, L. Ang, D. Creanga and A. N. Demaria J Am Coll Cardiol (2008) 51; 2385-95
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18565394
- Outcomes following coronary stenting in the era of bare-metal vs the era of drug-eluting stents D. J. Malenka, A. V. Kaplan, F. L. Lucas, S. M. Sharp and J. S. Skinner JAMA (2008) 299; 2868-76
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18577731
- Comparison of effectiveness and safety of sirolimus-eluting stents versus bare-metal stents in patients with diabetes mellitus (from the Italian Multicenter Randomized DESSERT Study) A. Maresta, E. Varani, M. Balducelli, F. Varbella, C. Lettieri, L. Uggioni, P. Sangiorgio and G. B. Zocca Am J Cardiol (2008) 101; 1560-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489933
- A comparison of bare-metal and drug-eluting stents for off-label indications O. C. Marroquin, F. Selzer, S. R. Mulukutla, D. O. Williams, H. A. Vlachos, R. L. Wilensky, J. F. Tanguay, E. M. Holper, J. D. Abbott, J. S. Lee, C. Smith, W. D. Anderson, S. F. Kelsey and K. E. Kip N Engl J Med (2008) 358; 342-52
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18216354
- A new 0.010-inch guidewire and compatible balloon catheter system: the IKATEN registry T. Matsukage, F. Yoshimachi, M. Masutani, T. Katsuki, S. Saito, A. Takahashi, K. Iida, Y. Katahira, I. Michishita, K. Tanabe, Y. Kan and Y. Ikari Catheter Cardiovasc Interv (2009) 73; 605-10
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19309699
- Drug-eluting or bare-metal stents for acute myocardial infarction L. Mauri, T. S. Silbaugh,

P. Garg, R. E. Wolf, K. Zelevinsky, A. Lovett, M. R. Varma, Z. Zhou and S. L. Normand
N Engl J Med (2008) 359; 1330-42
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18815397
Long-term clinical outcomes after drug-eluting and bare-metal stenting in Massachusetts L. Mauri, T. S. Silbaugh, R. E. Wolf, K. Zelevinsky, A. Lovett, Z. Zhou, F. S. Resnic and S. L. Normand Circulation (2008) 118; 1817-27
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18852368
One-year outcomes from the TAXUS express stent versus cypher stent M. Mayor, A. Z. Malik, R. J. Minor, Jr., M. C. Deshpande, W. E. Strauss, T. H. Maloney, D. S. Baim, W. O'Neill and D. E. Kandzari Am J Cardiol (2009) 103; 930-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327418
Randomized trial of three rapamycin-eluting stents with different coating strategies for the reduction of coronary restenosis J. Mehilli, R. A. Byrne, A. Wieczorek, R. Iijima, S. Schulz, O. Bruskina, J. Pache, R. Wessely, A. Schomig and A. Kastrati Eur Heart J (2008) 29; 1975-82
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550554
Optimizing trial design: sequential, adaptive, and enrichment strategies C. Mehta, P. Gao, D. L. Bhatt, R. A. Harrington, S. Skerjanec and J. H. Ware Circulation (2009) 119; 597-605
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19188520
Longest available clinical outcomes after drug-eluting stent implantation for unprotected left main coronary artery disease: the DELFT (Drug Eluting stent for LeFT main) Registry E. Meliga, H. M. Garcia-Garcia, M. Valgimigli, A. Chieffo, G. Biondi-Zocca, A. O. Maree, S. Cook, L. Reardon, C. Moretti, S. De Servi, I. F. Palacios, S. Windecker, A. Colombo, R. van Domburg, I. Sheiban and P. W. Serruys J Am Coll Cardiol (2008) 51; 2212-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18534266
Drug-eluting stents: a critique N. Melikian and W. Wijns Heart (2008) 94; 145-52
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18195121
Correlates of late and very late thrombosis of drug eluting stents G. J. Mishkel, A. L. Moore, S. Markwell and M. E. Shelton Am Heart J (2008) 156; 141-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585509
Comparison of vascular response to zotarolimus-eluting stent versus sirolimus-eluting stent: intravascular ultrasound results from ENDEAVOR III A. Miyazawa, J. Ako, Y. Hongo, S. H. Hur, I. Tsujino, B. K. Courtney, A. H. Hassan, D. E. Kandzari, Y. Honda and P. J. Fitzgerald Am Heart J (2008) 155; 108-13
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082499

NICE, drug-eluting stents and the limits of trial data R. Mohindra Heart (2009) 95; 505-6; author reply 06
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19252009

Optimal treatment for in-stent restenosis after BMS--DES, coated balloon, or scalpel? D. Mukherjee Eur Heart J (2008) 29; 1595-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556717

Effectiveness of drug-eluting stents in real-world patients D. Mukherjee and D. J. Moliterno JAMA (2008) 299; 454-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18230785

Drug-eluting stent implantation may not affect vasomotor function in early phase G. Nakazawa, Q. Cheng, X. Xu, A. V. Finn, F. D. Kolodgie and R. Virmani J Am Coll Cardiol (2008) 51; 1124-5; author reply 25
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18342236

Delayed arterial healing and increased late stent thrombosis at culprit sites after drug-eluting stent placement for acute myocardial infarction patients: an autopsy study G. Nakazawa, A. V. Finn, M. Joner, E. Ladich, R. Kutys, E. K. Mont, H. K. Gold, A. P. Burke, F. D. Kolodgie and R. Virmani Circulation (2008) 118; 1138-45
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18725485

Drug-eluting stents vs. coronary-artery bypass grafting A. C. Ng and L. Kritharides N Engl J Med (2008) 358; 2643; author reply 43-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18557175

Biodegradable coating for drug-eluting stents--more than a facelift? K. O. Niemela Eur Heart J (2008) 29; 1930-1
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18586664

Impact of platelet glycoprotein IIb/IIIa receptor inhibitors on outcomes of diabetic patients undergoing percutaneous coronary interventions using sirolimus-eluting stents E. Nikolsky, D. R. Holmes, R. Mehran, G. Dangas, E. Schampaert, M. C. Morice, J. Schofer, J. E. Sousa, M. Fahy, Y. Na, D. J. Donohoe, J. W. Moses and M. B. Leon Catheter Cardiovasc Interv (2008) 71; 896-906
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498145

Multivessel drug-eluting stenting and impact of diabetes mellitus-A report from the EVENT registry V. Novack, D. Tsvyine, D. J. Cohen, M. Pencina, J. Dubin, H. Dehghani, N. S. Kleiman and D. E. Cutlip Catheter Cardiovasc Interv (2008)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19180665

Drug-eluting stents versus bare metal stents for narrowing in saphenous vein grafts T. Okabe, J. Lindsay, A. N. Buch, D. H. Steinberg, P. Roy, T. L. Slottow, K. Smith, R. Torguson, Z. Xue, L. F. Satler, K. M. Kent, A. D. Pichard, N. J. Weissman and R.

Waksman Am J Cardiol (2008) 102; 530-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721507

Two-year clinical outcomes with drug-eluting stents for diabetic patients with de novo coronary lesions: results from a real-world multicenter registry P. Ortolani, M. Balducelli, P. Marzaroli, G. Piovaccari, A. Menozzi, V. Guiducci, P. Sangiorgio, F. Tarantino, G. Geraci, F. Castriota, S. Tondi, F. Saia, R. M. Cooke, P. Guastaroba, R. Grilli, A. Marzocchi and A. Maresta Circulation (2008) 117; 923-30

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18250265

Two-year clinical outcome with drug-eluting stents versus bare-metal stents in a real-world registry of unprotected left main coronary artery stenosis from the Italian Society of Invasive Cardiology T. Palmerini, A. Marzocchi, C. Tamburino, I. Sheiban, M. Margheri, G. Vecchi, G. Sangiorgi, A. Santarelli, A. Bartorelli, C. Briguori, L. Vignali, F. Di Pede, A. Ramondo, L. Inglese, M. De Carlo, L. Bolognese, A. Benassi, C. Palmieri, V. Filippone, D. Sangiorgi and S. De Servi Am J Cardiol (2008) 102; 1463-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026296

Long-term mortality after percutaneous coronary intervention with drug-eluting stent implantation versus coronary artery bypass surgery for the treatment of multivessel coronary artery disease D. W. Park, S. C. Yun, S. W. Lee, Y. H. Kim, C. W. Lee, M. K. Hong, J. J. Kim, S. J. Choo, H. Song, C. H. Chung, J. W. Lee, S. W. Park and S. J. Park Circulation (2008) 117; 2079-86

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18413495

Current status of percutaneous coronary intervention with drug-eluting stents in Asia S. J. Park and Y. H. Kim Circulation (2008) 118; 2730-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19106397

Next-generation drug-eluting stents: a spirited step forward or more of the same M. R. Patel and D. R. Holmes, Jr. JAMA (2008) 299; 1952-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18430915

Comparison of six-month outcomes for primary percutaneous revascularization for acute myocardial infarction with drug-eluting versus bare metal stents (from the APEX-AMI study) M. R. Patel, M. E. Pfisterer, A. Betriu, P. Widmisky, D. R. Holmes, Jr., W. W. O'Neill, A. Stebbins, F. Van de Werf, P. W. Armstrong and C. B. Granger Am J Cardiol (2009) 103; 181-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121433

Meta-analysis comparison (nine trials) of outcomes with drug-eluting stents versus bare metal stents in patients with diabetes mellitus G. Patti, A. Nusca and G. Di Sciascio Am J Cardiol (2008) 102; 1328-34

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18993150

Drug-eluting or bare-metal stents for large coronary vessel stenting? The

BASKET-PROVE (PROspective Validation Examination) trial: study protocol and design
M. Pfisterer, O. Bertel, P. O. Bonetti, H. P. Brunner-La Rocca, F. R. Eberli, P. Erne, S. Galatius, B. Hornig, W. Kiowski, O. Pachinger, G. Pedrazzini, H. Rickli, S. De Servi and C. Kaiser Am Heart J (2008) 155; 609-14
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371466
The balance of risks and benefits of drug-eluting versus bare-metal stents M. Pfisterer, H. P. Brunner-La Rocca and C. Kaiser J Am Coll Cardiol (2008) 51; 972; author reply 72-3
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308171
Long-term benefit-risk balance of drug-eluting vs. bare-metal stents in daily practice: does stent diameter matter? Three-year follow-up of BASKET M. Pfisterer, H. P. Brunner-La Rocca, P. Rickenbacher, P. Hunziker, C. Mueller, F. Nietlispach, G. Leibundgut, F. Bader and C. Kaiser Eur Heart J (2009) 30; 16-24
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19033260
Commentary on drug-eluting stents: to use or not to use--that is the question! M. E. Pfisterer Heart (2008) 94; 1648-50
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18782796
Clinical impact of sirolimus-eluting stent in ST-segment elevation myocardial infarction: A meta-analysis of randomized clinical trials F. Piscione, R. Piccolo, S. Cassese, G. Galasso and M. Chiariello Catheter Cardiovasc Interv (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360858
Long-term (>3 Years) outcome and predictors of clinical events after insertion of sirolimus-eluting stent in one or more native coronary arteries (from the Israeli arm of the e-Cypher registry) D. Planer, R. Beyar, Y. Almagor, S. Banai, V. Guetta, H. Miller, R. Kornowski, S. Brandes, R. Krakover, M. Solomon and C. Lotan Am J Cardiol (2008) 101; 953-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359314
Angiographic surrogate end points in drug-eluting stent trials: a systematic evaluation based on individual patient data from 11 randomized, controlled trials S. J. Pocock, A. J. Lansky, R. Mehran, J. J. Popma, M. P. Fahy, Y. Na, G. Dangas, J. W. Moses, T. Pucelikova, D. E. Kandzari, S. G. Ellis, M. B. Leon and G. W. Stone J Am Coll Cardiol (2008) 51; 23-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18174032
Prognostic significance of post-clopidogrel platelet reactivity assessed by a point-of-care assay on thrombotic events after drug-eluting stent implantation M. J. Price, S. Endemann, R. R. Gollapudi, R. Valencia, C. T. Stinis, J. P. Levisay, A. Ernst, N. S. Sawhney, R. A. Schatz and P. S. Teirstein Eur Heart J (2008) 29; 992-1000
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18263931

- Short- and long-term outcomes after stent-assisted percutaneous treatment of saphenous vein grafts in the drug-eluting stent era T. Pucelikova, R. Mehran, A. J. Kirtane, Y. H. Kim, M. Fahy, G. Weisz, A. J. Lansky, I. Moussa, W. A. Gray, M. B. Collins, S. K. Kodali, G. W. Stone, J. W. Moses, M. B. Leon and G. Dangas Am J Cardiol (2008) 101; 63-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157967
- Long-term clinical outcomes of real-world experience using sirolimus-eluting stents in saphenous vein graft disease R. K. Ramana, A. Ronan, K. Cohoon, D. Homan, J. Sutherland, L. Steen, J. Liu, H. Loeb and B. E. Lewis Catheter Cardiovasc Interv (2008) 71; 886-93
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412238
- Outcomes in the era of bare-metal stents vs the era of drug-eluting stents J. A. Rassen and S. Schneeweiss JAMA (2009) 301; 33-4; author reply 34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19126806
- Commentary on drug-eluting stents: NICE technology appraisal guidance J. Richardson, A. Stevens, D. Barnett and C. Longson Heart (2008) 94; 1650-2
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18768567
- Safety and effectiveness of drug eluting stent in patients with ST elevation myocardial infarction undergoing primary angioplasty M. Romano, F. Buffoli, L. Tomasi, L. Corrado, M. R. Ferrari and R. Zanini Catheter Cardiovasc Interv (2008) 71; 759-63
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412066
- Drug eluting stents for below the knee lesions in patients with critical limb ischemia : long-term follow-up O. R. Rosales, S. Mathewkutty and C. Gnaim Catheter Cardiovasc Interv (2008) 72; 112-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412272
- Pericardial fat, visceral abdominal fat, cardiovascular disease risk factors, and vascular calcification in a community-based sample: the Framingham Heart Study G. A. Rosito, J. M. Massaro, U. Hoffmann, F. L. Ruberg, A. A. Mahabadi, R. S. Vasan, C. J. O'Donnell and C. S. Fox Circulation (2008) 117; 605-13
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18212276
- Drug-eluting versus bare-metal stents in acute myocardial infarction K. J. Rothman N Engl J Med (2009) 360; 301; author reply 01-2
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19148961
- Two-year outcome of patients treated with sirolimus- versus paclitaxel-eluting stents in an unselected population with coronary artery disease (from the REWARDS Registry) P. Roy, L. Bonello, A. de Labriolle, T. Okabe, T. L. Pinto Slottow, D. H. Steinberg, R. Torguson, K. Smith, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard and R. Waksman Am J Cardiol (2008) 102; 292-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638589

Impact of "off-label" utilization of drug-eluting stents on clinical outcomes in patients undergoing percutaneous coronary intervention P. Roy, A. N. Buch, A. Javaid, T. Okabe, V. Raya, T. L. Pinto Slottow, D. H. Steinberg, K. Smith, Z. Xue, N. Gevorkian, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2008) 101; 293-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18237587

The potential clinical utility of intravascular ultrasound guidance in patients undergoing percutaneous coronary intervention with drug-eluting stents P. Roy, D. H. Steinberg, S. J. Sushinsky, T. Okabe, T. L. Pinto Slottow, K. Kaneshige, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard, N. J. Weissman, J. Lindsay and R. Waksman Eur Heart J (2008) 29; 1851-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18550555

Comparison of a polymer-free rapamycin-eluting stent (YUKON) with a polymer-based paclitaxel-eluting stent (TAXUS) in real-world coronary artery lesions J. Ruef, H. Storger, F. Schwarz and J. Haase Catheter Cardiovasc Interv (2008) 71; 333-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18288747

Temporal changes in coronary revascularization procedures, outcomes, and costs in the bare-metal stent and drug-eluting stent eras: results from the US Medicare program J. Ryan, W. Linde-Zwirble, L. Engelhart, L. Cooper and D. J. Cohen Circulation (2009) 119; 952-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19204307

Which patients receiving warfarin can be treated safely with a drug-eluting stent? A. D. Ryding and A. P. Banning Heart (2008) 94; 275-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276815

Stenting of spontaneous intramural coronary haematoma: long-term consequences A. Sanchez-Recalde, R. Moreno and S. Jimenez-Valero Eur Heart J (2008) 29; 1593

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18250124

A comparison of the mechanical performance characteristics of seven drug-eluting stent systems W. Schmidt, P. Lanzer, P. Behrens, L. D. Topoleski and K. P. Schmitz Catheter Cardiovasc Interv (2009) 73; 350-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19085917

Percutaneous coronary intervention versus coronary-artery bypass grafting for severe coronary artery disease P. W. Serruys, M. C. Morice, A. P. Kappetein, A. Colombo, D. R. Holmes, M. J. Mack, E. Stahle, T. E. Feldman, M. van den Brand, E. J. Bass, N. Van Dyck, K. Leadley, K. D. Dawkins and F. W. Mohr N Engl J Med (2009) 360; 961-72

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228612

A bioabsorbable everolimus-eluting coronary stent system (ABSORB): 2-year outcomes and results from multiple imaging methods P. W. Serruys, J. A. Ormiston, Y. Onuma, E. Regar, N. Gonzalo, H. M. Garcia-Garcia, K. Nieman, N. Bruining, C. Dorange, K. Miquel-Hebert, S. Veldhof, M. Webster, L. Thuesen and D. Dudek Lancet (2009) 373; 897-910

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19286089

Stents versus coronary-artery bypass grafting for left main coronary artery disease K. B. Seung, D. W. Park, Y. H. Kim, S. W. Lee, C. W. Lee, M. K. Hong, S. W. Park, S. C. Yun, H. C. Gwon, M. H. Jeong, Y. Jang, H. S. Kim, P. J. Kim, I. W. Seong, H. S. Park, T. Ahn, I. H. Chae, S. J. Tahk, W. S. Chung and S. J. Park N Engl J Med (2008) 358; 1781-92

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378517

Safety and efficacy of overlapping sirolimus-eluting versus paclitaxel-eluting stents M. H. Shishehbor, R. Amini, R. E. Raymond, A. A. Bavry, S. J. Brener, S. R. Kapadia, P. L. Whitlow, S. G. Ellis and D. L. Bhatt Am Heart J (2008) 155; 1075-80

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18513522

Long-term impact of drug-eluting stents versus bare-metal stents on all-cause mortality M. H. Shishehbor, S. S. Goel, S. R. Kapadia, D. L. Bhatt, P. Kelly, R. E. Raymond, J. M. Galla, S. J. Brener, P. L. Whitlow and S. G. Ellis J Am Coll Cardiol (2008) 52; 1041-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18848135

Platelet reactivity after clopidogrel treatment assessed with point-of-care analysis and early drug-eluting stent thrombosis D. Sibbing, S. Braun, T. Morath, J. Mehilli, W. Vogt, A. Schomig, A. Kastrati and N. von Beckerath J Am Coll Cardiol (2009) 53; 849-56

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19264241

Angiographic patterns of drug-eluting stent restenosis and one-year outcomes after treatment with repeated percutaneous coronary intervention E. Solinas, G. Dangas, A. J. Kirtane, A. J. Lansky, T. Franklin-Bond, P. Boland, G. Syros, Y. H. Kim, A. Gupta, G. Mintz, M. Fahy, M. Collins, S. Kodali, G. W. Stone, J. W. Moses, M. B. Leon and R. Mehran Am J Cardiol (2008) 102; 311-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638592

Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events P. G. Steg, K. A. Fox, K. A. Eagle, M. Furman, F. Van de Werf, G. Montalescot, S. G. Goodman, A. Avezum, W. Huang and J. M. Gore Eur Heart J (2009) 30; 321-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147604

Outcome differences with the use of drug-eluting stents for the treatment of in-stent restenosis of bare-metal stents versus drug-eluting stents D. H. Steinberg, M. A. Gaglia, Jr., T. L. Pinto Slottow, P. Roy, L. Bonello, A. De Labriolle, G. Lemesle, R. Torguson, K. Kineshige, Z. Xue, W. O. Suddath, K. M. Kent, L. F. Satler, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2009) 103; 491-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195508

Randomized comparison of everolimus-eluting and paclitaxel-eluting stents: two-year clinical follow-up from the Clinical Evaluation of the Xience V Everolimus Eluting Coronary Stent System in the Treatment of Patients with de novo Native Coronary Artery Lesions (SPIRIT) III trial G. W. Stone, M. Midei, W. Newman, M. Sanz, J. B. Hermiller, J. Williams, N. Farhat, R. Caputo, N. Xenopoulos, R. Applegate, P. Gordon, R. M. White, K. Sudhir, D. E. Cutlip and J. L. Petersen Circulation (2009) 119; 680-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19171853

Comparison of an everolimus-eluting stent and a paclitaxel-eluting stent in patients with coronary artery disease: a randomized trial G. W. Stone, M. Midei, W. Newman, M. Sanz, J. B. Hermiller, J. Williams, N. Farhat, K. W. Mahaffey, D. E. Cutlip, P. J. Fitzgerald, P. Sood, X. Su and A. J. Lansky JAMA (2008) 299; 1903-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18430909

The DELFT (Drug Eluting stent for LeFT main) registry: the unknowns D. Taggart J Am Coll Cardiol (2008) 52; 1680-1; author reply 81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18992662

Does prior PCI increase the risk of subsequent CABG? D. P. Taggart Eur Heart J (2008) 29; 573-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18285359

Long-term follow-up evaluation after sirolimus-eluting stent implantation by optical coherence tomography: do uncovered struts persist? M. Takano, M. Yamamoto, S. Inami, D. Murakami, K. Seimiya, T. Ohba, Y. Seino and K. Mizuno J Am Coll Cardiol (2008) 51; 968-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308167

Long-term clinical outcomes after drug-eluting stent implantation in unprotected left main coronary artery disease C. Tamburino, D. J. Angiolillo, P. Capranzano, M. Di Salvo, G. Ussia, A. La Manna, L. A. Guzman, A. R. Galassi and T. A. Bass Catheter Cardiovasc Interv (2009) 73; 291-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19214963

Complete versus incomplete revascularization in patients with multivessel disease undergoing percutaneous coronary intervention with drug-eluting stents C. Tamburino, D. J. Angiolillo, P. Capranzano, K. Dimopoulos, A. La Manna, R. Barbagallo, F. Tagliareni, S. Mangiafico, L. A. Guzman, A. R. Galassi and T. A. Bass Catheter Cardiovasc Interv (2008) 72; 448-56

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18814218

Real world safety and efficacy of the Janus Tacrolimus-Eluting stent: long-term clinical outcome and angiographic findings from the Tacrolimus-Eluting STent (TEST) registry C. Tamburino, M. E. Di Salvo, D. Capodanno, P. Capranzano, R. Parisi, F. Mirabella, F.

- Scardaci, G. Ussia, A. R. Galassi, D. Fiscella, R. Mehran and G. Dangas Catheter Cardiovasc Interv (2009) 73; 243-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19156896
Are drug-eluting stents superior to bare-metal stents in patients with unprotected non-bifurcational left main disease? Insights from a multicentre registry C. Tamburino, M. E. Di Salvo, D. Capodanno, A. Marzocchi, I. Sheiban, M. Margheri, A. Maresta, F. Barlocco, G. Sangiorgi, G. Piovaccari, A. Bartorelli, C. Briguori, D. Ardissino, F. Di Pede, A. Ramondo, L. Inglese, A. S. Petronio, L. Bolognese, A. Benassi, C. Palmieri, A. Patti and S. De Servi Eur Heart J (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19276194
Comparison of drug-eluting stents and bare-metal stents for the treatment of unprotected left main coronary artery disease in acute coronary syndromes C. Tamburino, M. E. Di Salvo, D. Capodanno, T. Palmerini, I. Sheiban, M. Margheri, G. Vecchi, G. Sangiorgi, G. Piovaccari, A. Bartorelli, C. Briguori, D. Ardissino, F. Di Pede, A. Ramondo, L. Inglese, A. S. Petronio, L. Bolognese, A. Benassi, C. Palmieri, V. Filippone and S. De Servi Am J Cardiol (2009) 103; 187-93
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121434
Time dependent vascular and myocardial responses of a second generation, small vessel, paclitaxel-eluting stent platform C. A. Thompson, B. Huibregtse, B. Poff and G. J. Wilson Catheter Cardiovasc Interv (2009) 73; 597-604
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19180652
An evidence-based approach to the use of rotational and directional coronary atherectomy in the era of drug-eluting stents: when does it make sense? T. Tran, M. Brown and J. Lasala Catheter Cardiovasc Interv (2008) 72; 650-62
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18942126
Cytochrome P450 2C19 681G>A polymorphism and high on-clopidogrel platelet reactivity associated with adverse 1-year clinical outcome of elective percutaneous coronary intervention with drug-eluting or bare-metal stents D. Trenk, W. Hochholzer, M. F. Fromm, L. E. Chialda, A. Pahl, C. M. Valina, C. Stratz, P. Schmiebusch, H. P. Bestehorn, H. J. Buttner and F. J. Neumann J Am Coll Cardiol (2008) 51; 1925-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18482659
Percutaneous coronary intervention for a right coronary artery stent occlusion using retrograde delivery of a sirolimus-eluting stent via a septal perforator M. Utunomiya, O. Katoh and S. Nakamura Catheter Cardiovasc Interv (2009) 73; 475-80
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19229979
Impact of complete revascularization with percutaneous coronary intervention on survival in patients with at least one chronic total occlusion R. Valenti, A. Migliorini, U. Signorini, R. Vergara, G. Parodi, N. Carrabba, G. Cerisano and D. Antonucci Eur Heart J (2008) 29; 2336-42

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682446

Comparison of angioplasty with infusion of tirofiban or abciximab and with implantation of sirolimus-eluting or uncoated stents for acute myocardial infarction: the MULTISTRATEGY randomized trial M. Valgimigli, G. Campo, G. Percoco, L. Bolognese, C. Vassanelli, S. Colangelo, N. de Cesare, A. E. Rodriguez, M. Ferrario, R. Moreno, T. Piva, I. Sheiban, G. Pasquetto, F. Prati, M. S. Nazzaro, G. Parrinello and R. Ferrari JAMA (2008) 299; 1788-99

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18375998

Sirolimus-eluting stents versus bare-metal stents in patients with ST-segment elevation myocardial infarction: 9-month angiographic and intravascular ultrasound results and 12-month clinical outcome results from the MISSION! Intervention Study B. L. van der Hoeven, S. S. Liem, J. W. Jukema, N. Suraphakdee, H. Putter, J. Dijkstra, D. E. Atsma, M. Bootsma, K. Zeppenfeld, P. V. Oemrawsingh, E. E. van der Wall and M. J. Schalij J Am Coll Cardiol (2008) 51; 618-26

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261680

9-month clinical, angiographic, and intravascular ultrasound results of a prospective evaluation of the Axxess self-expanding biolimus A9-eluting stent in coronary bifurcation lesions: the DIVERGE (Drug-Eluting Stent Intervention for Treating Side Branches Effectively) study S. Verheye, P. Agostoni, C. L. Dubois, J. Dens, J. Ormiston, S. Worthley, B. Trauthen, T. Hasegawa, B. K. Koo, P. J. Fitzgerald, R. Mehran and A. J. Lansky J Am Coll Cardiol (2009) 53; 1031-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19298915

Long-term outcomes with drug-eluting stents versus bare metal stents in the treatment of saphenous vein graft disease (results from the REgistro Regionale AngiopLastiche Emilia-Romagna registry) L. Vignali, F. Saia, A. Manari, A. Santarelli, A. Rubboli, E. Varani, G. Piovaccari, A. Menozzi, G. Percoco, A. Benassi, G. Rusticali, P. Marzaroli, P. Guastaroba, R. Grilli, A. Maresta and A. Marzocchi Am J Cardiol (2008) 101; 947-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359313

Drug-eluting stents in octogenarians: early and intermediate outcome P. J. Vlaar, R. J. Lennon, C. S. Rihal, M. Singh, H. H. Ting, J. F. Bresnahan and D. R. Holmes, Jr. Am Heart J (2008) 155; 680-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371476

Safety and efficacy of drug-eluting stent for ST-segment elevation myocardial infarction in an unselected consecutive cohort P. J. Vlaar, C. S. Rihal, M. Singh, R. Lennon, H. H. Ting, J. F. Bresnahan and D. R. Holmes, Jr. Catheter Cardiovasc Interv (2008) 71; 764-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412074

Drug-eluting stents: is new necessarily better? R. Waksman Lancet (2008) 372; 1126-8

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18765163

Survival advantage in Medicare patients receiving drug-eluting stents compared with bare metal stents: real or artefactual? F. W. Wang, B. F. Uretsky, J. L. Freeman, D. Zhang, S. H. Giordano and J. S. Goodwin Catheter Cardiovasc Interv (2008) 71; 636-43
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18360856

Incidence and correlates of drug-eluting stent thrombosis in routine clinical practice. 4-year results from a large 2-institutional cohort study P. Wenaweser, J. Daemen, M. Zwahlen, R. van Domburg, P. Juni, S. Vaina, G. Hellige, K. Tsuchida, C. Morger, E. Boersma, N. Kukreja, B. Meier, P. W. Serruys and S. Windecker J Am Coll Cardiol (2008) 52; 1134-40

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18804739

Long-term clinical outcomes after sirolimus-eluting stent implantation for treatment of restenosis within bare-metal versus drug-eluting stents C. Whan Lee, S. H. Kim, J. Suh, D. W. Park, S. H. Lee, Y. H. Kim, M. K. Hong, J. J. Kim, S. W. Park and S. J. Park Catheter Cardiovasc Interv (2008) 71; 594-8

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18311841

Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial S. Windecker, P. W. Serruys, S. Wandel, P. Buszman, S. Trznadel, A. Linke, K. Lenk, T. Ischinger, V. Klauss, F. Eberli, R. Corti, W. Wijns, M. C. Morice, C. di Mario, S. Davies, R. J. van Geuns, P. Eerdmans, G. A. van Es, B. Meier and P. Juni Lancet (2008) 372; 1163-73

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18765162

Drug-eluting versus bare-metal stents in acute myocardial infarction B. Y. Wong N Engl J Med (2009) 360; 300; author reply 01-2

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=19144948

Unprotected left main disease managed with drug-eluting stents: long-term outcome of 100 patients with increased surgical risk F. O. Wood, E. K. Sailors, J. E. Schneider, R. L. Jobe and J. T. Mann, 3rd Catheter Cardiovasc Interv (2008) 71; 533-8

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18307224

Rates of stent thrombosis in bare-metal versus drug-eluting stents (from a large Australian multicenter registry) B. P. Yan, S. J. Duffy, D. J. Clark, J. Lefkovits, R. Warren, R. Gurvitch, R. Lew, M. Sebastian, A. Brennan, N. Andrianopoulos, C. M. Reid and A. E. Ajani Am J Cardiol (2008) 101; 1716-22

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18549846

Long-term clinical and angiographic outcomes after implantation of sirolimus-eluting stents with a "modified mini-crush" technique in coronary bifurcation lesions H. M. Yang, S. J. Tahk, S. I. Woo, H. S. Lim, B. J. Choi, S. Y. Choi, M. H. Yoon, J. S. Park, M. Zheng, G. S. Hwang, S. J. Kang and J. H. Shin Catheter Cardiovasc Interv (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360861