

Impact of mild or moderate renal insufficiency on the intravascular ultrasonic analysis of chronic vascular response to paclitaxel-eluting and bare-metal stents (from the TAXUS IV, V, and VI trials) J. Aoki, G. S. Mintz, N. J. Weissman, L. Mandinov, E. Grube, K. D. Dawkins, S. G. Ellis, J. Greenberg, A. Yu, J. T. Mann, L. Cannon, P. A. Cambier and G. W. Stone Am J Cardiol (2008) 102; 1009-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929701

Presence and extent of coronary artery disease by cardiac computed tomography and risk for acute coronary syndrome in cocaine users among patients with chest pain F.

Bamberg, C. L. Schlett, Q. A. Truong, I. S. Rogers, W. Koenig, J. T. Nagurney, S. Seneviratne, S. J. Lehman, R. C. Cury, S. Abbara, J. Butler, H. Lee, T. J. Brady and U. Hoffmann Am J Cardiol (2009) 103; 620-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231323

Risk factor management after myocardial infarction: reported adherence and outcomes C. Decker, H. Ahmad, K. L. Moreng, T. M. Maddox, K. J. Reid, P. G. Jones and J. A.

Spertus Am Heart J (2009) 157; 556-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249428

Predictive factors for in-stent late loss and coronary lesion progression in patients with type 2 diabetes mellitus randomized to rosiglitazone or placebo A. V. Finn, J. S. Oh, M. Hendricks, M. Daher, E. Cagliero, R. M. Byrne, J. Nadelson, J. Crimins, A. Kastrati, A. Schomig, O. Bruskina, I. Palacios, M. C. John and H. K. Gold Am Heart J (2009) 157; 383 e1-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19185649

Angina pectoris and atherosclerotic risk factors in the multisite cardiac lifestyle intervention program J. Frattaroli, G. Weidner, T. A. Merritt-Worden, S. Frenda and D. Ornish Am J Cardiol (2008) 101; 911-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359307

Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction A. Goyal, S. R. Mehta, H. C. Gerstein, R. Diaz, R. Afzal, D. Xavier, J. Zhu, P. Pais, L. Lisheng, K. A. Kazmi, M. Zubaid, L. S. Piezas, P. Widimsky, A. Budaj, A. Avezum and S. Yusuf Am Heart J (2009) 157; 763-70

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332208

Contribution of metabolic and anthropometric abnormalities to cardiovascular disease risk factors C. Grunfeld, D. P. Kotler, D. K. Arnett, J. M. Falutz, S. M. Haffner, P. Hruz, H. Masur, J. B. Meigs, K. Mulligan, P. Reiss and K. Samaras Circulation (2008) 118; e20-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18566314

How much of the recent decline in the incidence of myocardial infarction in British men can be explained by changes in cardiovascular risk factors? Evidence from a prospective population-based study S. L. Hardoon, P. H. Whincup, L. T. Lennon, S. G. Wannamethee, S. Capewell and R. W. Morris Circulation (2008) 117; 598-604

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18212284

Comparison of treatment and outcome of acute coronary syndrome in patients with versus patients without diabetes mellitus T. Hasin, M. Hochadel, A. K. Gitt, S. Behar, H. Bueno and Y. Hasin Am J Cardiol (2009) 103; 772-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268730

Relation of a coronary artery calcium score higher than 400 to coronary stenoses detected using multidetector computed tomography and to traditional cardiovascular risk factors J. S. Ho, S. J. Fitzgerald, L. L. Stolfus, W. A. Wade, D. B. Reinhardt, C. E. Barlow and J. J. Cannaday Am J Cardiol (2008) 101; 1444-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18471456

Comparison of intravascular ultrasound and angiographic assessment of coronary reference segment size in patients with type 2 diabetes mellitus L. O. Jensen, P. Thayssen, G. S. Mintz, R. Egede, M. Maeng, A. Junker, A. Galloee, E. H. Christiansen, K. E. Pedersen, H. S. Hansen and K. N. Hansen Am J Cardiol (2008) 101; 590-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308004

Perinatal risk factors for ischemic heart disease: disentangling the roles of birth weight and preterm birth M. Kaijser, A. K. Bonamy, O. Akre, S. Cnattingius, F. Granath, M. Norman and A. Ekbom Circulation (2008) 117; 405-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18172034

Safety of percutaneous coronary intervention during uninterrupted oral anticoagulant treatment P. P. Karjalainen, S. Vikman, M. Niemela, P. Porela, A. Ylitalo, M. A. Vaittinen, M. Puurunen, T. J. Airaksinen, K. Nyman, T. Vahlberg and K. E. Airaksinen Eur Heart J (2008) 29; 1001-10

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18346963

Impact of body mass index on the one-year clinical outcome of patients undergoing multivessel revascularization with sirolimus-eluting stents (from the Arterial Revascularization Therapies Study Part II) A. A. Khattab, J. Daemen, G. Richardt, P. Rioux, F. W. Amann, R. Levy, I. G. Horvath, R. C. Teles, F. Ordoubadi, M. Pieters, K. Wittebolts, H. P. Stoll and P. W. Serruys Am J Cardiol (2008) 101; 1550-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489932

Combined prognostic utility of white blood cell count, plasma glucose, and glomerular filtration rate in patients undergoing primary stent placement for acute myocardial infarction M. Kosuge, K. Kimura, S. Morita, S. Kojima, T. Sakamoto, M. Ishihara, Y. Asada, C. Tei, S. Miyazaki, M. Sonoda, K. Tsuchihashi, M. Yamagishi, M. Shirai, H. Hiraoka, T. Honda, Y. Ogata and H. Ogawa Am J Cardiol (2009) 103; 322-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166683

Secular trends in the incidence of and risk factors for ischemic stroke and its subtypes in Japanese population M. Kubo, J. Hata, Y. Doi, Y. Tanizaki, M. Iida and Y. Kiyohara

Circulation (2008) 118; 2672-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19106389

Smoking status and antithrombin therapy in patients with non-ST-segment elevation acute coronary syndrome S. Leung, D. Gallup, K. W. Mahaffey, M. Cohen, E. M. Antman, S. G. Goodman, R. A. Harrington, A. Langer, P. Aylward, J. J. Ferguson and R. M. Califf Am Heart J (2008) 156; 177-84

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585514

Comparison of the predictive value of four different risk scores for outcomes of patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention E. I. Lev, R. Kornowski, H. Vaknin-Assa, A. Porter, I. Teplitsky, I. Ben-Dor, D. Brosh, S. Fuchs, A. Battler and A. Assali Am J Cardiol (2008) 102; 6-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572028

Ethnic variation in adverse cardiovascular outcomes and bleeding complications in the Clopidogrel for High Atherothrombotic Risk and Ischemic Stabilization, Management, and Avoidance (CHARISMA) study K. H. Mak, D. L. Bhatt, M. Shao, G. J. Hankey, J. D. Easton, K. A. Fox and E. J. Topol Am Heart J (2009) 157; 658-65

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332192

Performance of cavopulmonary palliation at elevated altitude: midterm outcomes and risk factors for failure S. P. Malhotra, D. D. Ivy, M. B. Mitchell, D. N. Campbell, M. L. Dines, S. Miyamoto, J. Kay, D. R. Clarke and F. Lacour-Gayet Circulation (2008) 118; S177-81

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18824752

Impact of chronic kidney disease on major bleeding complications and mortality in patients with indication for oral anticoagulation undergoing coronary stenting S. Manzano-Fernandez, F. Marin, F. J. Pastor-Perez, C. Caro, F. Cambronero, J. Lacunza, E. Pinar, D. A. Pascual-Figal, M. Valdes and G. Y. Lip Chest (2009) 135; 983-90
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19017872

Comparison of effectiveness and safety of sirolimus-eluting stents versus bare-metal stents in patients with diabetes mellitus (from the Italian Multicenter Randomized DESSERT Study) A. Maresta, E. Varani, M. Balducelli, F. Varbella, C. Lettieri, L. Uggioni, P. Sangiorgio and G. B. Zoccali Am J Cardiol (2008) 101; 1560-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489933

Chronic kidney disease, prevalence of premature cardiovascular disease, and relationship to short-term mortality P. A. McCullough, S. Li, C. T. Jurkowitz, L. Stevens, A. J. Collins, S. C. Chen, K. C. Norris, S. McFarlane, B. Johnson, M. G. Shlipak, C. I. Obialo, W. W. Brown, J. Vassalotti, A. T. Whaley-Connell, R. M. Brenner and G. L. Bakris Am Heart J (2008) 156; 277-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657657

Clinical characteristics associated with poor long-term survival among patients with diabetes mellitus undergoing saphenous vein graft interventions R. H. Mehta, E. Honeycutt, L. K. Shaw and M. H. Sketch, Jr. Am Heart J (2008) 156; 728-35
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18926154

Usefulness of proteinuria as a prognostic marker of mortality and cardiovascular events among patients undergoing percutaneous coronary intervention (data from the Evaluation of Oral Xemilofibran in Controlling Thrombotic Events [EXCITE] trial) N. Mercado, J. J. Brugts, J. H. Ix, M. G. Shlipak, S. R. Dixon, B. J. Gersh, P. A. Lemos, M. Guarneri, P. S. Teirstein, W. Wijns, P. W. Serruys, E. Boersma and W. W. O'Neill Am J Cardiol (2008) 102; 1151-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940282

Estimated glomerular filtration rate, inflammation, and cardiovascular events after an acute coronary syndrome L. M. Mielniczuk, M. A. Pfeffer, E. F. Lewis, M. A. Blazing, J. A. de Lemos, A. Shui, S. Mohanavelu, R. M. Califf and E. Braunwald Am Heart J (2008) 155; 725-31
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371483

Fasting compared with nonfasting lipids and apolipoproteins for predicting incident cardiovascular events S. Mora, N. Rifai, J. E. Buring and P. M. Ridker Circulation (2008) 118; 993-1001
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18711012

Beyond established and novel risk factors: lifestyle risk factors for cardiovascular disease D. Mozaffarian, P. W. Wilson and W. B. Kannel Circulation (2008) 117; 3031-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18541753

Hematologic parameters, atherosclerotic progression, and prognosis in patients with previous coronary artery bypass grafting (from the Post CABG Trial) K. J. Mukamal, G. A. Wellenius and M. A. Mittleman Am J Cardiol (2009) 103; 328-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166684

Gender disparity in cardiac procedures and medication use for acute myocardial infarction J. T. Nguyen, A. K. Berger, S. Duval and R. V. Luepker Am Heart J (2008) 155; 862-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440333

Comparison of intravascular ultrasound to contrast-enhanced 64-slice computed tomography to assess the significance of angiographically ambiguous coronary narrowings T. Okabe, W. G. Weigold, G. S. Mintz, R. Roswell, S. Joshi, S. Y. Lee, B. Lee, D. H. Steinberg, P. Roy, T. L. Slottow, K. Smith, R. Torguson, Z. Xue, L. F. Satler, K. M. Kent, A. D. Pichard, N. J. Weissman, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 994-1001
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929699

Effect of culprit-lesion remodeling versus plaque rupture on three-year outcome in patients with acute coronary syndrome H. Okura, Y. Kobayashi, S. Sumitsuji, M. Terashima, T. Kataoka, M. Masutani, M. Ohyanagi, K. Shimada, H. Taguchi, Y. Yasuga, Y. Takeda, Y. Ohashi, K. Awano, K. Fujii and G. S. Mintz Am J Cardiol (2009) 103; 791-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19268733

Impact of renal insufficiency on angiographic, procedural, and in-hospital outcomes following percutaneous coronary intervention M. D. Osten, J. Ivanov, J. Eichhofer, P. H. Seidelin, J. R. Ross, A. Barolet, E. M. Horlick, D. Ing, L. Schwartz, K. Mackie and V. Dzavik Am J Cardiol (2008) 101; 780-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18328840

Chronic kidney disease as a predictor of cardiovascular disease (from the Framingham Heart Study) N. I. Parikh, S. J. Hwang, M. G. Larson, D. Levy and C. S. Fox Am J Cardiol (2008) 102; 47-53
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572034

Disparities in use of same-day percutaneous coronary intervention for patients with ST-elevation myocardial infarction in Florida, 2001-2005 E. B. Pathak and J. A. Strom Am J Cardiol (2008) 102; 802-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805101

Meta-analysis comparison (nine trials) of outcomes with drug-eluting stents versus bare metal stents in patients with diabetes mellitus G. Patti, A. Nusca and G. Di Sciascio Am J Cardiol (2008) 102; 1328-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18993150

Causes of death in patients with acute myocardial infarction treated with angiotensin-converting enzyme inhibitors: findings from the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto (GISSI)-3 trial G. Pedrazzini, E. Santoro, R. Latini, L. Fromm, M. G. Franzosi, T. Mocetti, L. Staszewsky, S. Barlera, G. Tognoni and A. P. Maggioni Am Heart J (2008) 155; 388-94
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215613

Association of blood glucose with angiographic and clinical outcomes among patients with ST-segment elevation myocardial infarction (from the CLARITY-TIMI-28 study) D. S. Pinto, A. J. Kirtane, Y. B. Pride, S. A. Murphy, M. S. Sabatine, C. P. Cannon and C. M. Gibson Am J Cardiol (2008) 101; 303-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18237589

Impaired fasting glucose and outcomes of ST-elevation acute coronary syndrome treated with primary percutaneous intervention among patients without previously known diabetes mellitus A. Porter, A. R. Assali, A. Zahalka, Z. Iakobishvili, D. Brosh, E. I. Lev, A. Mager, A. Battler, R. Kornowski and D. Hasdai Am Heart J (2008) 155; 284-9
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18215598

Coronary artery calcium to predict all-cause mortality in elderly men and women P. Raggi, M. C. Gongora, A. Gopal, T. Q. Callister, M. Budoff and L. J. Shaw J Am Coll Cardiol (2008) 52; 17-23

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18582630

Change in high-density lipoprotein cholesterol and incident coronary heart disease in apparently healthy male physicians C. Rahilly-Tierney, T. S. Bowman, L. Djousse, H. D. Sesso and J. M. Gaziano Am J Cardiol (2008) 102; 1663-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064020

The case for chronic kidney disease, diabetes mellitus, and myocardial infarction being equivalent risk factors for cardiovascular mortality in patients older than 65 years A. Rashidi, A. R. Sehgal, M. Rahman and A. S. O'Connor Am J Cardiol (2008) 102; 1668-73

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064021

A Pilot Study To Examine the Effects of Smoking Cessation on Serum Markers of Inflammation in Women at Risk for Cardiovascular Disease V. Reichert, X. Xue, D. Bartscherer, D. Jacobsen, C. Fardellone, P. Folan, N. Kohn, A. Talwar and C. N. Metz Chest (2009)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19225057

Clinical, procedural, and pharmacologic correlates of acute and subacute stent thrombosis: results of a multicenter case-control study with 145 thrombosis events M. J. Rinaldi, A. J. Kirtane, R. N. Piana, R. P. Caputo, P. C. Gordon, J. J. Lopez, H. L. Dauerman, T. J. Ryan, Jr., F. J. Kiernan, D. E. Cutlip, K. K. Ho, C. M. Gibson, S. A. Murphy and D. J. Cohen Am Heart J (2008) 155; 654-60

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371472

Cardiovascular risk in women with non-specific chest pain (from the Women's Health Initiative Hormone Trials) J. G. Robinson, R. Wallace, M. Limacher, H. Ren, B. Cochrane, S. Wassertheil-Smoller, J. K. Ockene, P. L. Blanchette and M. G. Ko Am J Cardiol (2008) 102; 693-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773990

Pericardial fat, visceral abdominal fat, cardiovascular disease risk factors, and vascular calcification in a community-based sample: the Framingham Heart Study G. A. Rosito, J. M. Massaro, U. Hoffmann, F. L. Ruberg, A. A. Mahabadi, R. S. Vasan, C. J. O'Donnell and C. S. Fox Circulation (2008) 117; 605-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18212276

Prognostic role of flow-mediated dilation and cardiac risk factors in post-menopausal women R. Rossi, A. Nuzzo, G. Origliani and M. G. Modena J Am Coll Cardiol (2008) 51; 997-1002

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18325438

Relation of cardiac troponin I levels with in-hospital mortality in patients with ischemic stroke, intracerebral hemorrhage, and subarachnoid hemorrhage R. Sandhu, W. S. Aronow, A. Rajdev, R. Sukhija, H. Amin, K. D'Aquila and A. Sangha Am J Cardiol (2008) 102; 632-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721527

Contact-to-balloon time and door-to-balloon time after initiation of a formalized data feedback in patients with acute ST-elevation myocardial infarction K. H. Scholz, R. Hilgers, D. Ahlersmann, H. Duwald, R. Nitsche, G. von Knobelsdorff, B. Volger, K. Moller and F. K. Keating Am J Cardiol (2008) 101; 46-52

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157964

Long-term outcome of prophylactic coronary revascularization in cardiac high-risk patients undergoing major vascular surgery (from the randomized DECREASE-V Pilot Study) O. Schouten, J. P. van Kuijk, W. J. Flu, T. A. Winkel, G. M. Welten, E. Boersma, H. J. Verhagen, J. J. Bax and D. Poldermans Am J Cardiol (2009) 103; 897-901
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327412

Gender differences in the management and prognosis of myocardial infarction among patients > or = 65 years of age S. Setoguchi, D. H. Solomon, R. Levin and W. C. Winkelmayer Am J Cardiol (2008) 101; 1531-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489928

Emerging cardiovascular risk factors that account for a significant portion of attributable mortality risk in chronic kidney disease M. H. Shishehbor, L. P. Oliveira, M. S. Lauer, D. L. Sprecher, K. Wolski, L. Cho, B. J. Hoogwerf and S. L. Hazen Am J Cardiol (2008) 101; 1741-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549850

Usefulness of fasting plasma glucose to predict mortality or coronary heart disease in persons > or = 60 years of age without diabetes mellitus or in those with undiagnosed diabetes mellitus (from The Dubbo Study) L. A. Simons, J. Simons, Y. Friedlander and J. McCallum Am J Cardiol (2008) 102; 831-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805106

Effect of prehospital triage on revascularization times, left ventricular function, and survival in patients with ST-elevation myocardial infarction G. Sivagangabalan, A. T. Ong, A. Narayan, N. Sadick, P. S. Hansen, G. C. Nelson, M. Flynn, D. L. Ross, S. C. Boyages and P. Kovoov Am J Cardiol (2009) 103; 907-12

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327414

Comparison of usefulness of C-reactive protein versus white blood cell count to predict outcome after primary percutaneous coronary intervention for ST elevation myocardial infarction J. J. Smit, J. P. Ottervanger, R. J. Slingerland, J. J. Kolkman, H. Suryapranata, J. C. Hoornije, J. H. Dambrink, A. T. Gosselink, M. J. de Boer, F. Zijlstra and A. W. van

't Hof Am J Cardiol (2008) 101; 446-51

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18312755

Cardiovascular risk of celecoxib in 6 randomized placebo-controlled trials: the cross trial safety analysis S. D. Solomon, J. Wittes, P. V. Finn, R. Fowler, J. Viner, M. M.

Bertagnolli, N. Arber, B. Levin, C. L. Meinert, B. Martin, J. L. Pater, P. E. Goss, P. Lance, S. Obara, E. Y. Chew, J. Kim, G. Arndt and E. Hawk Circulation (2008) 117; 2104-13
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378608

Eighteen year (1985-2002) analysis of incidence, mortality, and cardiac procedure outcomes of acute myocardial infarction in patients > or = 65 years of age S. M. Tahir, L. L. Price, P. B. Shah and F. G. Welt Am J Cardiol (2008) 101; 930-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359310

Usefulness of persistent symptoms of depression to predict physical health status 12 months after an acute coronary syndrome B. D. Thombs, R. C. Ziegelstein, D. E.

Stewart, S. E. Abbey, K. Parakh and S. L. Grace Am J Cardiol (2008) 101; 15-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157958

Impact of female gender and transradial coronary stenting with maximal antiplatelet therapy on bleeding and ischemic outcomes H. Tizon-Marcos, O. F. Bertrand, J. Rodes-Cabau, E. Larose, V. Gaudreault, R. Bagur, O. Gleeton, J. Courtis, L. Roy, P. Poirier, O. Costerousse and R. De Larochelliere Am Heart J (2009) 157; 740-5
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332204

Missed opportunities for reperfusion therapy for ST-segment elevation myocardial infarction: results of the Emergency Department Quality in Myocardial Infarction (EDQMI) study A. J. Tricomi, D. J. Magid, J. S. Rumsfeld, D. R. Vinson, E. E. Lyons, L. Crounse, P. M. Ho, P. N. Peterson and F. A. Masoudi Am Heart J (2008) 155; 471-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18294479

Relationship of oxidized phospholipids on apolipoprotein B-100 particles to race/ethnicity, apolipoprotein(a) isoform size, and cardiovascular risk factors: results from the Dallas Heart Study S. Tsimikas, P. Clopton, E. S. Brilakis, S. M. Marcovina, A. Khera, E. R. Miller, J. A. de Lemos and J. L. Witztum Circulation (2009) 119; 1711-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19307470

Cardiovascular disease and risk factors in Asia: a selected review H. Ueshima, A. Sekikawa, K. Miura, T. C. Turin, N. Takashima, Y. Kita, M. Watanabe, A. Kadota, N. Okuda, T. Kadowaki, Y. Nakamura and T. Okamura Circulation (2008) 118; 2702-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19106393

Three life-years gained from smoking cessation after coronary artery bypass surgery: a 30-year follow-up study R. T. van Domburg, W. S. op Reimer, S. E. Hoeks, A. P. Kappetein and A. J. Bogers Am Heart J (2008) 156; 473-6
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list_uids=18760128

Effect of statin therapy on mortality in patients with peripheral arterial disease and comparison of those with versus without associated chronic obstructive pulmonary disease Y. R. van Gestel, S. E. Hoeks, D. D. Sin, C. Simsek, G. M. Welten, O. Schouten, H. Stam, F. W. Mertens, R. T. van Domburg and D. Poldermans Am J Cardiol (2008) 102; 192-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602520

Impact on contrast, fluoroscopy, and catheter utilization from knowing the coronary artery bypass graft anatomy before diagnostic coronary angiography I. Varghese, D. M. Boatman, C. T. Peters, J. Daye, A. Haider, M. Roesle, S. Banerjee and E. S. Brilakis Am J Cardiol (2008) 101; 1729-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18549848

Role of myocardial perfusion imaging in patients with end-stage renal disease undergoing coronary angiography R. Venkataraman, F. G. Hage, T. Dorfman, J. Heo, R. A. Aqel, A. M. de Mattos and A. E. Iskandrian Am J Cardiol (2008) 102; 1451-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026294

Drug-eluting stents in octogenarians: early and intermediate outcome P. J. Vlaar, R. J. Lennon, C. S. Rihal, M. Singh, H. H. Ting, J. F. Bresnahan and D. R. Holmes, Jr. Am Heart J (2008) 155; 680-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371476

Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice R. T. Yan, A. T. Yan, C. B. Granger, J. Lopez-Sendon, D. Brieger, B. Kennelly, A. Budaj, P. G. Steg, A. A. Georgescu, Q. Hassan and S. G. Goodman Am J Cardiol (2008) 101; 919-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359308

Development and validation of a total coronary heart disease risk score in type 2 diabetes mellitus X. Yang, W. Y. So, A. P. Kong, R. C. Ma, G. T. Ko, C. S. Ho, C. W. Lam, C. S. Cockram, J. C. Chan and P. C. Tong Am J Cardiol (2008) 101; 596-601

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308005