

In search of the "vulnerable plaque": can it be localized and will focal regional therapy ever be an option for cardiac prevention? J. A. Ambrose J Am Coll Cardiol (2008) 51; 1539-42

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18420095](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18420095)

Effect of intravenous FX06 as an adjunct to primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction results of the F.I.R.E. (Efficacy of FX06 in the Prevention of Myocardial Reperfusion Injury) trial D. Atar, P. Petzelbauer, J. Schwitter, K. Huber, B. Rensing, J. D. Kasprzak, C. Butter, L. Grip, P. R. Hansen, T. Suselbeck, P. M. Clemmensen, M. Marin-Galiano, B. Geudelin and P. T. Buser J Am Coll Cardiol (2009) 53; 720-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19232907](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19232907)

Efficacy of in-hospital multidimensional interventions of secondary prevention after acute coronary syndrome: a systematic review and meta-analysis R. Auer, J. Gaume, N. Rodondi, J. Cornuz and W. A. Ghali Circulation (2008) 117; 3109-17

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18541742](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18541742)

Effect of rosuvastatin therapy on coronary artery stenoses assessed by quantitative coronary angiography: a study to evaluate the effect of rosuvastatin on intravascular ultrasound-derived coronary atheroma burden C. M. Ballantyne, J. S. Raichlen, S. J. Nicholls, R. Erbel, J. C. Tardif, S. J. Brener, V. A. Cain and S. E. Nissen Circulation (2008) 117; 2458-66

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18378607](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378607)

Relationship between biomarkers of oxidized low-density lipoprotein, statin therapy, quantitative coronary angiography, and atherosclerosis: volume observations from the REVERSAL (Reversal of Atherosclerosis with Aggressive Lipid Lowering) study S. H. Choi, A. Chae, E. Miller, M. Messig, F. Ntanios, A. N. DeMaria, S. E. Nissen, J. L. Witztum and S. Tsimikas J Am Coll Cardiol (2008) 52; 24-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18582631](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18582631)

The role of aspirin in cardiovascular prevention: implications of aspirin resistance A. Y. Gasparyan, T. Watson and G. Y. Lip J Am Coll Cardiol (2008) 51; 1829-43

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18466797](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18466797)

Erectile dysfunction as a predictor of cardiovascular events and death in diabetic patients with angiographically proven asymptomatic coronary artery disease: a potential protective role for statins and 5-phosphodiesterase inhibitors C. Gazzarusso, S. B. Solerte, A. Pujia, A. Coppola, M. Vezzoli, F. Salvucci, C. Valenti, A. Giustina and A. Garzaniti J Am Coll Cardiol (2008) 51; 2040-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18498958](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18498958)

Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry) C. Godino, S. Furuichi, A. Latib, N. Morici, A. Chieffo, E. Romagnoli, C. Tamburino, R. Barbagallo, M. Cera, D. Antoniucci, O. Goktekin, C. Di

- Mario, B. Reimers, E. Grube, F. Aioldi, G. M. Sangiorgi and A. Colombo Am J Cardiol (2008) 102; 1002-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929700](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929700)
- Defining a rational approach to screening for cardiovascular risk in asymptomatic patients P. Greenland and D. Lloyd-Jones J Am Coll Cardiol (2008) 52; 330-2  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18652939](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18652939)
- Cost-effectiveness of aspirin treatment in the primary prevention of cardiovascular disease events in subgroups based on age, gender, and varying cardiovascular risk J. P. Greving, E. Buskens, H. Koffijberg and A. Algra Circulation (2008) 117; 2875-83  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18506010](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18506010)
- Promise of low-density lipoprotein-lowering therapy for primary and secondary prevention S. M. Grundy Circulation (2008) 117; 569-73; discussion 73  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18227397](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18227397)
- Omega-6 fatty acids and risk for cardiovascular disease: a science advisory from the American Heart Association Nutrition Subcommittee of the Council on Nutrition, Physical Activity, and Metabolism; Council on Cardiovascular Nursing; and Council on Epidemiology and Prevention W. S. Harris, D. Mozaffarian, E. Rimm, P. Kris-Etherton, L. L. Rudel, L. J. Appel, M. M. Engler, M. B. Engler and F. Sacks Circulation (2009) 119; 902-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19171857](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19171857)
- Association of the 719Arg variant of KIF6 with both increased risk of coronary events and with greater response to statin therapy O. Iakoubova, J. Shepherd and F. Sacks J Am Coll Cardiol (2008) 51; 2195; author reply 95-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18510970](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18510970)
- Fatal and Nonfatal Cardiovascular Disease and the Use of Therapies for Secondary Prevention in a Rural Region of India R. Joshi, C. K. Chow, P. K. Raju, R. Raju, K. S. Reddy, S. MacMahon, A. D. Lopez and B. Neal Circulation (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332466](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332466)
- The impact of prevention on reducing the burden of cardiovascular disease R. Kahn, R. M. Robertson, R. Smith and D. Eddy Circulation (2008) 118; 576-85  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18606915](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18606915)
- Lipids, apolipoproteins, and their ratios in relation to cardiovascular events with statin treatment J. J. Kastelein, W. A. van der Steeg, I. Holme, M. Gaffney, N. B. Cater, P. Barter, P. Deedwania, A. G. Olsson, S. M. Boekholdt, D. A. Demicco, M. Szarek, J. C. LaRosa, T. R. Pedersen and S. M. Grundy Circulation (2008) 117; 3002-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18519851](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18519851)
- Impact of statin use on outcomes after coronary artery bypass graft surgery A. Kulik, M.

- A. Brookhart, R. Levin, M. Ruel, D. H. Solomon and N. K. Choudhry Circulation (2008) 118; 1785-92  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18852363](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18852363)  
Primary prevention of cardiovascular mortality and events with statin treatments: a network meta-analysis involving more than 65,000 patients E. J. Mills, B. Rachlis, P. Wu, P. J. Devereaux, P. Arora and D. Perri J Am Coll Cardiol (2008) 52; 1769-81  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19022156](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19022156)  
Increased serum levels and expression of S100A8/A9 complex in infiltrated neutrophils in atherosclerotic plaque of unstable angina S. Miyamoto, M. Ueda, M. Ikemoto, T. Naruko, A. Itoh, S. Tamaki, R. Nohara, F. Terasaki, S. Sasayama and M. Fujita Heart (2008) 94; 1002-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18308864](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308864)  
Usefulness of pravastatin in primary prevention of cardiovascular events in women: analysis of the Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese (MEGA study) K. Mizuno, N. Nakaya, Y. Ohashi, N. Tajima, T. Kushiro, T. Teramoto, S. Uchiyama and H. Nakamura Circulation (2008) 117; 494-502  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18172039](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18172039)  
Prognostic role of flow-mediated dilation and cardiac risk factors in post-menopausal women R. Rossi, A. Nuzzo, G. Origliani and M. G. Modena J Am Coll Cardiol (2008) 51; 997-1002  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325438](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325438)  
Intensive lipid-lowering with atorvastatin for secondary prevention in patients after coronary artery bypass surgery S. J. Shah, D. D. Waters, P. Barter, J. J. Kastelein, J. Shepherd, N. K. Wenger, D. A. DeMicco, A. Breazna and J. C. LaRosa J Am Coll Cardiol (2008) 51; 1938-43  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18482661](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18482661)  
Intensive glycemic control and the prevention of cardiovascular events: implications of the ACCORD, ADVANCE, and VA Diabetes Trials: a position statement of the American Diabetes Association and a Scientific Statement of the American College of Cardiology Foundation and the American Heart Association J. S. Skyler, R. Bergenstal, R. O. Bonow, J. Buse, P. Deedwania, E. A. Gale, B. V. Howard, M. S. Kirkman, M. Kosiborod, P. Reaven and R. S. Sherwin J Am Coll Cardiol (2009) 53; 298-304  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19147051](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147051)  
Community-based provision of statin and aspirin after the detection of coronary artery calcium within a community-based screening cohort A. J. Taylor, J. Bindeman, I. Feuerstein, T. Le, K. Bauer, C. Byrd, H. Wu and P. G. O'Malley J Am Coll Cardiol (2008) 51; 1337-41  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18387433](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18387433)

Comparison of low-fat versus Mediterranean-style dietary intervention after first myocardial infarction (from The Heart Institute of Spokane Diet Intervention and Evaluation Trial) K. R. Tuttle, L. A. Shuler, D. P. Packard, J. E. Milton, K. B. Daratha, D. M. Bibus and R. A. Short Am J Cardiol (2008) 101; 1523-30  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18489927](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489927)

Simulation-based education improves quality of care during cardiac arrest team responses at an academic teaching hospital: a case-control study D. B. Wayne, A. Didwania, J. Feinglass, M. J. Fudala, J. H. Barsuk and W. C. McGaghie Chest (2008) 133; 56-61

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17573509](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17573509)

The relationship between obesity and atherosclerotic progression and prognosis among patients with coronary artery bypass grafts the effect of aggressive statin therapy C. C. Wee, S. Girotra, A. R. Weinstein, M. A. Mittleman and K. J. Mukamal J Am Coll Cardiol (2008) 52; 620-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18702964](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18702964)

Effects of a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, fluvastatin, on coronary spasm after withdrawal of calcium-channel blockers H. Yasue, Y. Mizuno, E. Harada, T. Itoh, H. Nakagawa, M. Nakayama, H. Ogawa, S. Tayama, T. Honda, S. Hokimoto, S. Ohshima, Y. Hokamura, K. Kugiyama, M. Horie, M. Yoshimura, M. Harada, S. Uemura and Y. Saito J Am Coll Cardiol (2008) 51; 1742-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18452779](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18452779)