

- No-reflow: the next challenge in treatment of ST-elevation acute myocardial infarction A. Abbate, M. C. Kontos and G. G. Biondi-Zocca Eur Heart J (2008) 29; 1795-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18617478](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617478)
- Rural interhospital transfer of ST-elevation myocardial infarction patients for percutaneous coronary revascularization: the Stat Heart Program F. V. Aguirre, J. J. Varghese, M. P. Kelley, W. Lam, C. L. Lucore, J. B. Gill, L. Page, L. Turner, C. Davis and F. L. Mikell Circulation (2008) 117; 1145-52  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18268151](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268151)
- Spontaneous coronary artery dissection: diagnosis by optical coherence tomography F. Alfonso, E. Canales and G. Aleong Eur Heart J (2009) 30; 385  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18835824](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18835824)
- Risk factors for myocardial infarction in women and men: insights from the INTERHEART study S. S. Anand, S. Islam, A. Rosengren, M. G. Franzosi, K. Steyn, A. H. Yusufali, M. Keltai, R. Diaz, S. Rangarajan and S. Yusuf Eur Heart J (2008) 29; 932-40  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18334475](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18334475)
- A comparison between B-type natriuretic peptide, global registry of acute coronary events (GRACE) score and their combination in ACS risk stratification D. S. Ang, L. Wei, M. P. Kao, C. C. Lang and A. D. Struthers Heart (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19321492](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19321492)
- Duration of symptoms is the key modulator of the choice of reperfusion for ST-elevation myocardial infarction P. W. Armstrong, C. M. Westerhout and R. C. Welsh Circulation (2009) 119; 1293-303  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19273730](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19273730)
- Drug-eluting stents: do the risks really outweigh the benefits? D. Austin, J. P. Pell and K. G. Oldroyd Heart (2008) 94; 127-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18195113](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18195113)
- Predictors of slow flow during primary percutaneous coronary intervention: an intravascular ultrasound-virtual histology study J. H. Bae, T. G. Kwon, D. W. Hyun, C. S. Rihal and A. Lerman Heart (2008) 94; 1559-64  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18381376](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18381376)
- Verapamil-sustained release-based treatment strategy is equivalent to atenolol-based treatment strategy at reducing cardiovascular events in patients with prior myocardial infarction: an INternational VErapamil SR-Trandolapril (INVEST) substudy S. Bangalore, F. H. Messerli, J. D. Cohen, P. H. Bacher, P. Sleight, G. Mancia, P. Kowey, Q. Zhou, A. Champion and C. J. Pepine Am Heart J (2008) 156; 241-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18657652](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657652)

- Hunting rifle shot to the chest: a rare cause of myocardial infarction A. E. Baruteau, R. P. Martins and D. Boulmier Eur Heart J (2008) 29; 1652  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18204090](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18204090)
- Improved Stratification of Autonomic Regulation for risk prediction in post-infarction patients with preserved left ventricular function (ISAR-Risk) A. Bauer, P. Barthel, R. Schneider, K. Ulm, A. Muller, A. Joeinig, R. Stich, A. Kiviniemi, K. Hnatkova, H. Huikuri, A. Schomig, M. Malik and G. Schmidt Eur Heart J (2009) 30; 576-83  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19109245](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19109245)
- Role of adjunctive thrombectomy and embolic protection devices in acute myocardial infarction: a comprehensive meta-analysis of randomized trials A. A. Bavry, D. J. Kumbhani and D. L. Bhatt Eur Heart J (2008) 29; 2989-3001  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18812323](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18812323)
- Effects of erythropoietin after an acute myocardial infarction: rationale and study design of a prospective, randomized, clinical trial (HEBE III) A. M. Belonje, A. A. Voors, W. H. van Gilst, S. D. Anker, R. H. Slart, R. A. Tio, F. Zijlstra and D. J. van Veldhuisen Am Heart J (2008) 155; 817-22  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18440327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440327)
- Patients with prior coronary artery bypass grafting have a poor outcome after myocardial infarction: an analysis of the VALsartan in acute myocardial iNfarcTion trial (VALIANT) C. Berry, K. S. Pieper, H. D. White, S. D. Solomon, F. Van de Werf, E. J. Velazquez, A. P. Maggioni, R. M. Califf, M. A. Pfeffer and J. J. McMurray Eur Heart J (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346225](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346225)
- Aldosterone and long-term outcome after myocardial infarction: A substudy of the french nationwide Observatoire sur la Prise en charge hospitaliere, l'Evolution a un an et les caRacteristiques de patients presentant un infArctus du myocarde avec ou sans onde Q (OPERA) study F. Beygui, G. Montalescot, E. Vicaut, S. Rouanet, E. Van Belle, C. Baulac, A. Degrandsart and J. Dallongeville Am Heart J (2009) 157; 680-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332195](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332195)
- Cytochrome P450 2C19 polymorphism and clopidogrel after MI S. Bhattacharyya and R. Rakhit Lancet (2009) 373; 1171; author reply 72-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19345825](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19345825)
- Acute coronary syndromes: to CRP or not to CRP? L. M. Biasucci, G. Liuzzo and F. Crea J Am Coll Cardiol (2008) 52; 1500; author reply 00-1  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19017520](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19017520)
- Improving long-term outcomes following coronary artery bypass graft or percutaneous coronary revascularisation: results from a large, population-based cohort with first intervention 1995-2004 H. M. Blackledge and I. B. Squire Heart (2009) 95; 304-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19001000](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001000)

Duration of symptoms is not always the key modulator of the choice of reperfusion for ST-elevation myocardial infarction P. Bogaty Circulation (2009) 119; 1304-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19273731](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19273731)

Thrombus aspiration during percutaneous coronary intervention L. Bonello, A. De Labriolle, D. Steinberg and R. Waksman Lancet (2008) 372; 1034; author reply 34-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18805323](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805323)

A dangerous bridge: myocardial infarction due to myocardial bridging in left ventricular hypertrophy H. Bonnemeier and M. Barantke Eur Heart J (2008) 29; 839  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17977845](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17977845)

What anti-thrombotic therapy is best with primary PCI for acute ST elevation myocardial infarction: how should the HORIZONS trial change current practice? B. R. Brodie Catheter Cardiovasc Interv (2008) 71; 816-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412079](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412079)

Outcomes with drug-eluting stents versus bare metal stents in acute ST-elevation myocardial infarction: results from the Strategic Transcatheter Evaluation of New Therapies (STENT) Group B. R. Brodie, T. Stuckey, W. Downey, A. Humphrey, M. Nussbaum, S. Laurent, B. Bradshaw, C. Metzger, J. Hermiller, F. Krainin, S. Juk, B. Cheek, P. Duffy and C. A. Simonton Catheter Cardiovasc Interv (2008) 72; 893-900  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19016465](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19016465)

Sustained coronary patency after fibrinolytic therapy as independent predictor of 10-year cardiac survival Observations from the Antithrombotics in the Prevention of Reocclusion in Coronary Thrombolysis (APRICOT) trial M. A. Brouwer, P. C. Kievit, H. J. Dieker, G. Veen, A. J. Karreman and F. W. Verheugt Am Heart J (2008) 155; 1039-46  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18513517](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18513517)

Oedema in acute myocardial infarction C. Bucciarelli-Ducci and D. J. Pennell Eur Heart J (2008) 29; 1249  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18385121](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18385121)

Do patients with angina alone have a more benign prognosis than patients with a history of acute myocardial infarction, revascularisation or both? Findings from a community cohort study B. Buckley and A. W. Murphy Heart (2009) 95; 461-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18669551](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18669551)

ST-segment recovery and outcome after primary percutaneous coronary intervention for ST-elevation myocardial infarction: insights from the Assessment of Pexelizumab in Acute Myocardial Infarction (APEX-AMI) trial C. E. Buller, Y. Fu, K. W. Mahaffey, T. G. Todaro, P. Adams, C. M. Westerhout, H. D. White, A. W. van 't Hof, F. J. Van de Werf, G. S. Wagner, C. B. Granger and P. W. Armstrong Circulation (2008) 118; 1335-46

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18779444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18779444)

Giant left ventricular pseudoaneurysm: a rare complication following left ventricular rupture caused by myocardial infarction T. Butz, L. Faber, C. Langer and D. Horstkotte Eur Heart J (2008) 29; 143

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17921516](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17921516)

Why do men and women differ in their risk of myocardial infarction? D. J. Campbell Eur Heart J (2008) 29; 835-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18337239](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18337239)

Rationale and design of the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI) W. J. Cantor, D. Fitchett, B. Borgundvaag, M. Heffernan, E. A. Cohen, L. J. Morrison, J. Ducas, A. Langer, S. Mehta, C. Lazzam, B. Schwartz, V. Dzavik and S. G. Goodman Am Heart J (2008) 155; 19-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082484](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082484)

Atrial fibrillation complicating acute myocardial infarction: how should it be interpreted and how should it be treated and prevented? R. Cappato Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19359325](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19359325)

Impact of coronary revascularization and transmural extent of scar on regional left ventricular remodelling J. Chan, F. Khafagi, A. A. Young, B. R. Cowan, C. Thompson and T. H. Marwick Eur Heart J (2008) 29; 1608-17

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18556718](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556718)

Explaining trends in coronary heart disease hospitalisations in New Zealand: trend for admissions and incidence can be in opposite directions W. C. Chan, C. Wright, M. Tobias, S. Mann and R. Jackson Heart (2008) 94; 1589-93

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18519549](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18519549)

Predictors of initial nontherapeutic anticoagulation with unfractionated heparin in ST-segment elevation myocardial infarction S. Cheng, D. A. Morrow, S. Sloan, E. M. Antman and M. S. Sabatine Circulation (2009) 119; 1195-202

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19237657](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19237657)

Interpretation of amino-terminal pro-brain natriuretic peptide levels in the HPS and the CORONA study J. G. Cleland, I. Squire and L. Ng J Am Coll Cardiol (2008) 52; 1104-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18848145](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18848145)

Use of endothelial progenitor cell capture stent (Genous Bio-Engineered R Stent) during primary percutaneous coronary intervention in acute myocardial infarction: intermediate-to long-term clinical follow-up M. Co, E. Tay, C. H. Lee, K. K. Poh, A. Low, J. Lim, I. H. Lim, Y. T. Lim and H. C. Tan Am Heart J (2008) 155; 128-32

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18082503

Cytochrome P450 2C19 polymorphism in young patients treated with clopidogrel after myocardial infarction: a cohort study J. P. Collet, J. S. Hulot, A. Pena, E. Villard, J. B. Esteve, J. Silvain, L. Payot, D. Brugier, G. Cayla, F. Beygui, G. Bensimon, C. Funck-Brentano and G. Montalescot Lancet (2009) 373; 309-17

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19108880](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19108880)

Physical exertion and triggering of myocardial infarction V. Culic Eur Heart J (2009) 30; 250; author reply 50-1

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19136680](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19136680)

Abacavir and the potential risk of myocardial infarction A. Cutrell, C. Brothers, J. Yeo, J. Hernandez and D. Lapierre Lancet (2008) 371; 1413

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18387668](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18387668)

PCI at non-PCI centres: immediate or rescue? N. Danchin and P. W. Armstrong Lancet (2008) 371; 534-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18280311](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18280311)

Challenging doctors' lifelong habits may be good for their patients: oxygen therapy in acute myocardial infarction N. Danchin and D. Chemla Heart (2009) 95; 176-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19029170](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19029170)

Comparison of thrombolysis followed by broad use of percutaneous coronary intervention with primary percutaneous coronary intervention for ST-segment-elevation acute myocardial infarction: data from the french registry on acute ST-elevation myocardial infarction (FAST-MI) N. Danchin, P. Coste, J. Ferrieres, P. G. Steg, Y. Cottin, D. Blanchard, L. Belle, B. Ritz, G. Kirkorian, M. Angioi, P. Sans, B. Charbonnier, H. Eltchaninoff, P. Gueret, K. Khalife, P. Asseman, J. Puel, P. Goldstein, J. P. Cambou and T. Simon Circulation (2008) 118; 268-76

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18591434](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18591434)

Pre-hospital thrombolysis in perspective N. Danchin, E. Durand and D. Blanchard Eur Heart J (2008) 29; 2835-42

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18948355](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18948355)

Contemporary outcomes of rescue percutaneous coronary intervention for acute myocardial infarction: comparison with primary angioplasty and the role of distal protection devices (EMERALD trial) G. Dangas, G. W. Stone, M. D. Weinberg, J. Webb, D. A. Cox, B. R. Brodie, M. W. Krucoff, R. J. Gibbons, A. J. Lansky and R. Mehran Am Heart J (2008) 155; 1090-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18513524](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18513524)

Early glycoprotein IIb-IIIa inhibitors in primary angioplasty (EGYPT) cooperation: an individual patient data meta-analysis G. De Luca, C. M. Gibson, F. Bellandi, S. Murphy, M. Maioli, M. Noc, U. Zeymer, D. Dudek, H. R. Arntz, S. Zorman, H. M. Gabriel, A. Emre,

- D. Cutlip, G. Biondi-Zoccai, T. Rakowski, M. Gyongyosi, P. Marino, K. Huber and A. W. van't Hof Heart (2008) 94; 1548-58  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18474534](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18474534)
- Risk factor management after myocardial infarction: reported adherence and outcomes C. Decker, H. Ahmad, K. L. Moreng, T. M. Maddox, K. J. Reid, P. G. Jones and J. A. Spertus Am Heart J (2009) 157; 556-62  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19249428](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249428)
- Cardiac magnetic resonance and 64-slice cardiac CT of lipomatous metaplasia of chronic myocardial infarction J. F. Deux, A. Rahmouni and J. Garot Eur Heart J (2008) 29; 570  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17881345](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17881345)
- Intracoronary administration of bone marrow-derived progenitor cells improves left ventricular function in patients at risk for adverse remodeling after acute ST-segment elevation myocardial infarction: results of the Reinfusion of Enriched Progenitor cells And Infarct Remodeling in Acute Myocardial Infarction study (REPAIR-AMI) cardiac magnetic resonance imaging substudy T. Dill, V. Schachinger, A. Rolf, S. Mollmann, H. Thiele, H. Tillmanns, B. Assmus, S. Dimmeler, A. M. Zeiher and C. Hamm Am Heart J (2009) 157; 541-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19249426](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249426)
- Prognostic value of admission myeloperoxidase levels in patients with ST-segment elevation myocardial infarction and cardiogenic shock A. Dominguez-Rodriguez, S. Samimi-Fard, P. Abreu-Gonzalez, M. J. Garcia-Gonzalez and J. C. Kaski Am J Cardiol (2008) 101; 1537-40  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18489929](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489929)
- President's page: responding to the drum beat for health care reform J. T. Dove J Am Coll Cardiol (2008) 51; 1042-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325446](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325446)
- Trends in acute reperfusion therapy for ST-segment elevation myocardial infarction from 1999 to 2006: we are getting better but we have got a long way to go K. A. Eagle, B. K. Nallamothu, R. H. Mehta, C. B. Granger, P. G. Steg, F. Van de Werf, J. Lopez-Sendon, S. G. Goodman, A. Quill and K. A. Fox Eur Heart J (2008) 29; 609-17  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18310671](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18310671)
- The pharmaco-invasive approach to STEMI: when should fibrinolytic-treated patients go to the "cath lab"? J. J. Edmond, C. P. Juergens and J. K. French Heart (2009) 95; 358-61  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18467356](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18467356)
- Abacavir and increased risk of myocardial infarction R. Edwards, A. Bate and M. Lindquist Lancet (2008) 372; 805

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18774415](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18774415)

Two-year clinical outcomes after paclitaxel-eluting stent or brachytherapy treatment for bare metal stent restenosis: the TAXUS V ISR trial S. G. Ellis, C. D. O'Shaughnessy, S. L. Martin, K. Kent, T. McGarry, M. A. Turco, D. J. Kereiakes, J. J. Popma, M. Friedman, J. Koglin and G. W. Stone Eur Heart J (2008) 29; 1625-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18556716](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556716)

Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study J. P. Empana, F. Canouï-Poitrine, G. Luc, I. Juhan-Vague, P. Morange, D. Arveiler, J. Ferrieres, P. Amouyel, A. Bingham, M. Montaye, J. B. Ruidavets, B. Haas, A. Evans and P. Ducimetiere Eur Heart J (2008) 29; 1966-74

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18621771](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18621771)

Incidence and clinical consequences of distal embolization on the coronary angiogram after percutaneous coronary intervention for ST-elevation myocardial infarction M. L. Fokkema, P. J. Vlaar, T. Sivilas, M. Vogelzang, D. Amo, G. F. Diercks, A. J. Suurmeijer and F. Zijlstra Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19224928](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19224928)

Non-invasive detection and quantification of acute myocardial infarction in rabbits using mono-[123I]iodohypericin microSPECT H. Fonge, K. Vunckx, H. Wang, Y. Feng, L. Mortelmans, J. Nuyts, G. Bormans, A. Verbruggen and Y. Ni Eur Heart J (2008) 29; 260-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18156139](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18156139)

Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: a Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy E. L. Fosbol, J. J. Thune, H. Kelbaek, H. R. Andersen, K. Saunamaki, T. T. Nielsen, L. S. Mortensen and L. Kober Am Heart J (2008) 156; 391-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18657676](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657676)

Predominant subepicardial enhancement on magnetic resonance imaging corresponding to a post-infarction acute pericarditis in an athletic young patient G. Gahide, R. Gervasoni and F. Roubille Eur Heart J (2008) 29; 2876

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18562302](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18562302)

Evaluation of risk scores for risk stratification of acute coronary syndromes in the Myocardial Infarction National Audit Project (MINAP) database C. P. Gale, S. O. Manda, C. F. Weston, J. S. Birkhead, P. D. Batin and A. S. Hall Heart (2009) 95; 221-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18467355](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18467355)

Impact of myocardial haemorrhage on left ventricular function and remodelling in patients with reperfused acute myocardial infarction J. Ganame, G. Messalli, S. Dymarkowski, F. E. Rademakers, W. Desmet, F. Van de Werf and J. Bogaert Eur Heart

J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346229](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346229)

Ten-year all-cause mortality in presumably healthy subjects on lipid-lowering drugs (from the Prospective Epidemiological Study of Myocardial Infarction [PRIME] prospective cohort) V. Gardette, V. Bongard, J. Dallongeville, D. Arveiler, A. Bingham, J. B. Ruidavets, P. Amouyel, B. Haas, P. Ducimetiere and J. Ferrieres Am J Cardiol (2009) 103; 381-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19166693](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166693)

Managing myocardial infarction in the elderly: time to bury inappropriate concerns instead A. H. Gershlick Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19318499](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19318499)

Effects of pretreatment with clopidogrel on nonemergent percutaneous coronary intervention after fibrinolytic administration for ST-segment elevation myocardial infarction: a Clopidogrel as Adjunctive Reperfusion Therapy-Thrombolysis in Myocardial Infarction (CLARITY-TIMI) 28 study C. M. Gibson, S. A. Murphy, Y. B. Pride, A. J. Kirtane, J. M. Aroesty, E. B. Stein, L. N. Ciaglo, M. C. Southard, M. S. Sabatine, C. P. Cannon and E. Braunwald Am Heart J (2008) 155; 133-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082504](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082504)

Relation of hyperemic epicardial flow to outcomes among patients with ST-segment elevation myocardial infarction receiving fibrinolytic therapy C. M. Gibson, Y. B. Pride, J. L. Buros, V. Kunadian, M. C. Southard, C. J. Harrigan, L. N. Ciaglo, M. S. Sabatine, C. P. Cannon and E. Braunwald Am J Cardiol (2008) 101; 1232-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18435949](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18435949)

Acute reperfusion strategies for ST-segment elevation myocardial infarction B. M. Glover and A. A. Adgey Eur Heart J (2008) 29; 571-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18310670](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18310670)

Abacavir and increased risk of myocardial infarction M. Goicoechea and A. McCutchan Lancet (2008) 372; 803-4; author reply 04-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18774413](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18774413)

Suggestion to list acute aortic dissection as a possible cause of type 2 myocardial infarction (according to the universal definition) K. P. Goran Eur Heart J (2008) 29; 2819-20

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18835823](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18835823)

Clot removal in AMI--worth the hassle? D. A. Gorog and I. Malik Heart (2008) 94; 258-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18276807](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276807)

Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction A. Goyal, S. R. Mehta, H. C. Gerstein, R. Diaz, R. Afzal, D.

- Xavier, J. Zhu, P. Pais, L. Lisheng, K. A. Kazmi, M. Zubaid, L. S. Piegas, P. Widimsky, A. Budaj, A. Avezum and S. Yusuf Am Heart J (2009) 157; 763-70  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332208](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332208)
- Myocardial contrast echocardiography in ST elevation myocardial infarction: ready for prime time? S. A. Hayat and R. Senior Eur Heart J (2008) 29; 299-314  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18245118](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18245118)
- Comparison of multislice computed tomography to gated single-photon emission computed tomography for imaging of healed myocardial infarcts M. M. Henneman, J. D. Schuijff, P. Dibbets-Schneider, M. P. Stokkel, R. J. van der Geest, E. E. van der Wall and J. J. Bax Am J Cardiol (2008) 101; 144-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18178396](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18178396)
- Improved regional function after autologous bone marrow-derived stem cell transfer in patients with acute myocardial infarction: a randomized, double-blind strain rate imaging study L. Herbots, J. D'Hooge, E. Eroglu, D. Thijs, J. Ganame, P. Claus, C. Dubois, K. Theunissen, J. Bogaert, J. Dens, M. Kalantzi, S. Dymarkowski, B. Bijnens, A. Belmans, M. Boogaerts, G. Sutherland, F. Van de Werf, F. Rademakers and S. Janssens Eur Heart J (2009) 30; 662-70  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19106196](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19106196)
- Improvement of regional myocardial blood flow and function and reduction of infarct size with ivabradine: protection beyond heart rate reduction G. Heusch, A. Skyschally, P. Gres, P. van Caster, D. Schilawa and R. Schulz Eur Heart J (2008) 29; 2265-75  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18621770](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18621770)
- B-type natriuretic peptide infusions in acute myocardial infarction R. J. Hillock, C. M. Frampton, T. G. Yandle, R. W. Troughton, J. G. Lainchbury and A. M. Richards Heart (2008) 94; 617-22  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17639095](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17639095)
- The impact of pre-hospital thrombolytic treatment on re-infarction rates: analysis of the Myocardial Infarction National Audit Project (MINAP) S. Horne, C. Weston, T. Quinn, A. Hicks, L. Walker, R. Chen and J. Birkhead Heart (2009) 95; 559-63  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17923462](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17923462)
- Effects of intracoronary injection of mononuclear bone marrow cells on left ventricular function, arrhythmia risk profile, and restenosis after thrombolytic therapy of acute myocardial infarction H. V. Huikuri, K. Kervinen, M. Niemela, K. Ylitalo, M. Saily, P. Koistinen, E. R. Savolainen, H. Ukkonen, M. Pietila, J. K. Airaksinen, J. Knuuti and T. H. Makikallio Eur Heart J (2008) 29; 2723-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18845667](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18845667)
- Prediction of fatal or near-fatal cardiac arrhythmia events in patients with depressed left ventricular function after an acute myocardial infarction H. V. Huikuri, M. J. Raatikainen,

- R. Moerch-Joergensen, J. Hartikainen, V. Virtanen, J. Boland, O. Anttonen, N. Hoest, L. V. Boersma, E. S. Platou, M. D. Messier and P. E. Bloch-Thomsen Eur Heart J (2009) 30; 689-98  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19155249](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19155249)  
Profile of bleeding and ischaemic complications with bivalirudin and unfractionated heparin after percutaneous coronary intervention R. Iijima, G. Ndreppepa, J. Mehilli, R. A. Byrne, S. Schulz, F. J. Neumann, G. Richardt, P. B. Berger, A. Schomig and A. Kastrati Eur Heart J (2009) 30; 290-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19147609](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147609)  
Cardiovascular events and re-stenosis following administration of G-CSF in acute myocardial infarction: systematic review and meta-analysis H. Ince, M. Valgimigli, M. Petzsch, J. S. de Lezo, F. Kuethé, S. Dunkelmann, G. Biondi-Zocca and C. A. Nienaber Heart (2008) 94; 610-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17761504](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17761504)  
Role of percutaneous coronary minimalist intervention in the management of acute ST-segment elevation myocardial infarction K. Isaaz J Am Coll Cardiol (2008) 51; 1046-7; author reply 47  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325448](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325448)  
Alcohol and long-term prognosis after a first acute myocardial infarction: the SHEEP study I. Janszky, R. Ljung, S. Ahnve, J. Hallqvist, A. M. Bennet and K. J. Mukamal Eur Heart J (2008) 29; 45-53  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17989078](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17989078)  
Inflammation, oxidative stress, and repair capacity of the vascular endothelium in obstructive sleep apnea S. Jelic, M. Padeletti, S. M. Kawut, C. Higgins, S. M. Canfield, D. Onat, P. C. Colombo, R. C. Basner, P. Factor and T. H. LeJemtel Circulation (2008) 117; 2270-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18413499](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18413499)  
ST resolution 1 hour after fibrinolysis for prediction of myocardial infarct size: insights from ASSENT 3 P. Johanson, Y. Fu, G. S. Wagner, S. G. Goodman, C. B. Granger, L. Wallentin, F. Van de Werf and P. W. Armstrong Am J Cardiol (2009) 103; 154-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19121428](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121428)  
Diagnosis and treatment of coronary artery disease in patients with chronic kidney disease: Ischaemic heart disease N. Johnston, H. Dargie and A. Jardine Heart (2008) 94; 1080-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18625799](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18625799)  
Effects of stem cell therapy with G-CSF on coronary artery after drug-eluting stent implantation in patients with acute myocardial infarction H. J. Kang, Y. S. Kim, B. K. Koo, K. W. Park, H. Y. Lee, D. W. Sohn, B. H. Oh, Y. B. Park and H. S. Kim Heart (2008) 94;

604-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18070947](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18070947)

Effect of atrial natriuretic peptide on left ventricular remodelling in patients with acute myocardial infarction S. Kasama, M. Furuya, T. Toyama, S. Ichikawa and M.

Kurabayashi Eur Heart J (2008) 29; 1485-94

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18490430](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18490430)

Randomized comparison of distal protection versus conventional treatment in primary percutaneous coronary intervention: the drug elution and distal protection in ST-elevation myocardial infarction (DEDICATION) trial H. Kelbaek, C. J. Terkelsen, S. Helqvist, J. F. Lassen, P. Clemmensen, L. Klovgaard, A. Kaltoft, T. Engstrom, H. E. Botker, K. Saunamaki, L. R. Krusell, E. Jorgensen, H. H. Hansen, E. H. Christiansen, J. Ravkilde, L. Kober, K. F. Kofoed and L. Thuesen J Am Coll Cardiol (2008) 51; 899-905  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18308157](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308157)

Growth differentiation factor-15 as a prognostic marker in patients with acute myocardial infarction S. Q. Khan, K. Ng, O. Dhillon, D. Kelly, P. Quinn, I. B. Squire, J. E. Davies and L. L. Ng Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19168526](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19168526)

Identification of multiple plaque ruptures by optical coherence tomography in a patient with acute myocardial infarction: a three-vessel study H. Kitabata, T. Kubo and T. Akasaka Heart (2008) 94; 544

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18411345](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18411345)

DNA variants, plasma levels and variability of C-reactive protein in myocardial infarction survivors: results from the AIRGENE study M. Kolz, W. Koenig, M. Muller, M. Andreani, S. Greven, T. Illig, N. Khuseyinova, D. Panagiotakos, G. Pershagen, V. Salomaa, J. Sunyer and A. Peters Eur Heart J (2008) 29; 1250-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17956875](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17956875)

Physiological evaluation of the provisional side-branch intervention strategy for bifurcation lesions using fractional flow reserve B. K. Koo, K. W. Park, H. J. Kang, Y. S. Cho, W. Y. Chung, T. J. Youn, I. H. Chae, D. J. Choi, S. J. Tahk, B. H. Oh, Y. B. Park and H. S. Kim Eur Heart J (2008) 29; 726-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18308689](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308689)

Bone marrow cells are a rich source of growth factors and cytokines: implications for cell therapy trials after myocardial infarction M. Korf-Klingebiel, T. Kempf, T. Sauer, E. Brinkmann, P. Fischer, G. P. Meyer, A. Ganser, H. Drexler and K. C. Wollert Eur Heart J (2008) 29; 2851-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18953051](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18953051)

Combined prognostic utility of white blood cell count, plasma glucose, and glomerular filtration rate in patients undergoing primary stent placement for acute myocardial

infarction M. Kosuge, K. Kimura, S. Morita, S. Kojima, T. Sakamoto, M. Ishihara, Y. Asada, C. Tei, S. Miyazaki, M. Sonoda, K. Tsuchihashi, M. Yamagishi, M. Shirai, H. Hiraoka, T. Honda, Y. Ogata and H. Ogawa Am J Cardiol (2009) 103; 322-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19166683](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166683)

Percutaneous intramyocardial stem cell injection in patients with acute myocardial infarction. First-in-man study K. Krause, K. Jaquet, C. Schneider, M. Lioznov, K. M. Otte, S. Haupt and K. H. Kuck Heart (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19336430](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19336430)

External validation of established risk adjustment models for procedural complications after percutaneous coronary intervention B. Kunadian, J. Dunning, R. Das, A. P. Roberts, R. Morley, A. J. Turley, D. Twomey, J. A. Hall, R. A. Wright, A. G. Sutton, D. F. Muir and M. A. de Belder Heart (2008) 94; 1012-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18032457](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18032457)

Day-night variation of acute myocardial infarction in obstructive sleep apnea F. H. Kuniyoshi, A. Garcia-Touchard, A. S. Gami, A. Romero-Corral, C. van der Walt, S. Pusalavidyasagar, T. Kara, S. M. Caples, G. S. Pressman, E. C. Vasquez, F. Lopez-Jimenez and V. K. Somers J Am Coll Cardiol (2008) 52; 343-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18652941](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18652941)

The universal definition of myocardial infarction: some issues and concerns G. A. Lanza Eur Heart J (2008) 29; 1209; author reply 09-10  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18346958](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18346958)

Prospective randomized comparison of sirolimus- versus paclitaxel-eluting stents for the treatment of acute ST-elevation myocardial infarction: pROST trial J. H. Lee, H. S. Kim, S. W. Lee, J. H. Park, S. W. Choi, J. O. Jeong, Y. Cho, N. Lee, K. S. Rhee, J. K. Ko and I. W. Seong Catheter Cardiovasc Interv (2008) 72; 25-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412270)

Smoking status and antithrombin therapy in patients with non-ST-segment elevation acute coronary syndrome S. Leung, D. Gallup, K. W. Mahaffey, M. Cohen, E. M. Antman, S. G. Goodman, R. A. Harrington, A. Langer, P. Aylward, J. J. Ferguson and R. M. Califf Am Heart J (2008) 156; 177-84  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18585514](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585514)

Absence of auto-antibodies against cardiac troponin I predicts improvement of left ventricular function after acute myocardial infarction F. Leuschner, J. Li, S. Goser, L. Reinhardt, R. Ottl, P. Bride, J. Zehelein, G. Pfister, A. Remppis, E. Giannitsis, H. A. Katus and Z. Kaya Eur Heart J (2008) 29; 1949-55  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18556712](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18556712)

Quantitative troponin elevation does not provide incremental prognostic value beyond comprehensive risk stratification in patients with non-ST-segment elevation acute

coronary syndromes K. D. Lim, A. T. Yan, A. Casanova, R. T. Yan, A. Mendelsohn, S. Jolly, D. H. Fitchett, A. Langer and S. G. Goodman Am Heart J (2008) 155; 718-24  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18371482](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371482)

Usefulness of serum cathepsin L as an independent biomarker in patients with coronary heart disease Y. Liu, X. Li, D. Peng, Z. Tan, H. Liu, Y. Qing, Y. Xue and G. P. Shi Am J Cardiol (2009) 103; 476-81  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19195505](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195505)

Hormone therapy and risk of myocardial infarction: a national register study E. Lokkegaard, A. H. Andreasen, R. K. Jacobsen, L. H. Nielsen, C. Agger and O. Lidegaard Eur Heart J (2008) 29; 2660-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18826989](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18826989)

High-dose atorvastatin does not negatively influence clinical outcomes among clopidogrel treated acute coronary syndrome patients--a Pravastatin or Atorvastatin Evaluation and Infection Therapy-Thrombolysis in Myocardial Infarction 22 (PROVE IT-TIMI 22) analysis A. Lotfi, M. J. Schweiger, G. R. Giugliano, S. A. Murphy and C. P. Cannon Am Heart J (2008) 155; 954-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18440347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440347)

Cell therapy in acute myocardial infarction: measures of efficacy K. Lunde and S. Aakhus Heart (2008) 94; 969-70  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18625788](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18625788)

In vivo molecular imaging of angiogenesis, targeting alphavbeta3 integrin expression, in a patient after acute myocardial infarction M. R. Makowski, U. Ebersberger, S. Nekolla and M. Schwaiger Eur Heart J (2008) 29; 2201  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18375397](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18375397)

Late coronary intervention for totally occluded left anterior descending coronary arteries in stable patients after myocardial infarction: Results from the Occluded Artery Trial (OAT) L. A. Malek, H. R. Reynolds, S. A. Forman, C. Vozzi, G. B. Mancini, J. K. French, M. Dziarmaga, J. P. Renkin, J. Kochman, G. A. Lamas and J. S. Hochman Am Heart J (2009) 157; 724-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332202](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332202)

Clinical impact of an inter-hospital transfer strategy in patients with ST-elevation myocardial infarction undergoing primary angioplasty: the Emilia-Romagna ST-segment elevation acute myocardial infarction network A. Manari, P. Ortolani, P. Guastaroba, G. Casella, L. Vignali, E. Varani, G. Piovaccari, V. Guiducci, G. Percoco, S. Tondi, F. Passerini, A. Santarelli and A. Marzocchi Eur Heart J (2008) 29; 1834-42  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18617475](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617475)

Autologous bone marrow stem cells to treat acute myocardial infarction: a systematic review E. Martin-Rendon, S. J. Brunskill, C. J. Hyde, S. J. Stanworth, A. Mathur and S.

M. Watt Eur Heart J (2008) 29; 1807-18

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18523058](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18523058)

Acute myocardial infarction and mechanical complications due to a penetrating knife injury of the heart R. Martin-Reyes, M. A. Navas Lobato, R. Peinado, A.

Sanchez-Recalde, R. Moreno, M. M. Yanguela, J. L. Lopez Sendon and I. G. Blazquez Eur Heart J (2008) 29; 1806

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18359759](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359759)

Effectiveness of reloading to overcome clopidogrel nonresponsiveness in patients with acute myocardial infarction S. Matetzky, P. Fefer, B. Shenkman, D. Varon, N. Savion and H. Hod Am J Cardiol (2008) 102; 524-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18721506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721506)

Novel biomarkers in early diagnosis of acute myocardial infarction compared with cardiac troponin T C. J. McCann, B. M. Glover, I. B. Menown, M. J. Moore, J. McEneny, C. G. Owens, B. Smith, P. C. Sharpe, I. S. Young and J. A. Adgey Eur Heart J (2008) 29; 2843-50

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18682444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18682444)

Predictors and outcomes of a perioperative myocardial infarction following elective vascular surgery in patients with documented coronary artery disease: results of the CARP trial E. O. McFalls, H. B. Ward, T. E. Moritz, F. S. Apple, S. Goldman, G. Pierpont, G. C. Larsen, B. Hattler, K. Shunk, F. Littooy, S. Santilli, J. Rapp, L. Thottapurathu, W. Krupski, D. J. Reda and W. G. Henderson Eur Heart J (2008) 29; 394-401

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18245121](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18245121)

Comparison of outcomes and safety of "facilitated" versus primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction R. G. McKay, M. R. Dada, J. F. Mather, R. R. Mennet, D. J. Murphy, K. W. Maloney, J. A. Hirst and F. J. Kiernan Am J Cardiol (2009) 103; 316-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19166682](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166682)

Lipids, lipoproteins, and apolipoproteins as risk markers of myocardial infarction in 52 countries (the INTERHEART study): a case-control study M. J. McQueen, S. Hawken, X. Wang, S. Ounpuu, A. Sniderman, J. Probstfield, K. Steyn, J. E. Sanderson, M. Hasani, E. Volkova, K. Kazmi and S. Yusuf Lancet (2008) 372; 224-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18640459](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18640459)

The Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) Trial: study design and rationale R. Mehran, B. Brodie, D. A. Cox, C. L. Grines, B. Rutherford, D. L. Bhatt, G. Dangas, F. Feit, E. M. Ohman, H. Parise, M. Fahy, A. J. Lansky and G. W. Stone Am Heart J (2008) 156; 44-56

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18585496](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18585496)

Associations of major bleeding and myocardial infarction with the incidence and timing of mortality in patients presenting with non-ST-elevation acute coronary syndromes: a risk model from the ACUITY trial R. Mehran, S. J. Pocock, G. W. Stone, T. C. Clayton, G. D. Dangas, F. Feit, S. V. Manoukian, E. Nikolsky, A. J. Lansky, A. Kirtane, H. D. White, A. Colombo, J. H. Ware, J. W. Moses and E. M. Ohman Eur Heart J (2009) [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19351691](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19351691)

A randomized, double-blind, placebo-controlled, multicenter study to evaluate the cardioprotective effects of MC-1 in patients undergoing high-risk coronary artery bypass graft surgery: MC-1 to Eliminate Necrosis and Damage in Coronary Artery Bypass Graft Surgery Trial (MEND-CABG) II--study design and rationale R. H. Mehta, J. H. Alexander, R. Emery, S. J. Ellis, V. Hasselblad, A. Khalil, M. Carrier, R. A. Harrington and J. C. Tardif Am Heart J (2008) 155; 600-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18371465](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371465)

Transient ST-elevation myocardial infarction: clinical course with intense medical therapy and early invasive approach, and comparison with persistent ST-elevation myocardial infarction S. R. Meisel, Y. Dagan, D. S. Blondheim, S. Dacca, M. Shochat, M. Kazatsker, A. Asif, A. Frimerman and A. Shotan Am Heart J (2008) 155; 848-54  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18440331](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440331)

The impact of glucose lowering treatment on long-term prognosis in patients with type 2 diabetes and myocardial infarction: a report from the DIGAMI 2 trial L. G. Mellbin, K. Malmberg, A. Norhammar, H. Wedel and L. Ryden Eur Heart J (2008) 29; 166-76  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18156614](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18156614)

Unfractionated heparin dosing and risk of major bleeding in non-ST-segment elevation acute coronary syndromes C. Melloni, K. P. Alexander, A. Y. Chen, L. K. Newby, M. T. Roe, N. M. Allen LaPointe, C. V. Pollack, Jr., W. B. Gibler, E. M. Ohman and E. D. Peterson Am Heart J (2008) 156; 209-15  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18657648](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657648)

Left atrial remodelling in patients with myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: the VALIANT Echo study A. Meris, M. Amigoni, H. Uno, J. J. Thune, A. Verma, L. Kober, M. Bourgoun, J. J. McMurray, E. J. Velazquez, A. P. Maggioni, J. Ghali, J. M. Arnold, S. Zelenkofske, M. A. Pfeffer and S. D. Solomon Eur Heart J (2009) 30; 56-65  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19001474](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001474)

Cytochrome P450 2C19 polymorphism and clopidogrel after MI J. Miao, R. Liu and Z. Li Lancet (2009) 373; 1171-2; author reply 72-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19345824](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19345824)

Necrotic core and its ratio to dense calcium are predictors of high-risk non-ST-elevation acute coronary syndrome E. Missel, G. S. Mintz, S. G. Carlier, K. Sano, J. Qian, R. K. Kaple, C. Castellanos, G. Dangas, R. Mehran, J. W. Moses, G. W. Stone and M. B.

- Leon Am J Cardiol (2008) 101; 573-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18308001](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308001)
- Is heart failure the critical warning sign for death following myocardial infarction? J. E. Moller, C. Torp-Pedersen and L. V. Kober Eur Heart J (2008) 29; 833-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18353755](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18353755)
- Mechanical reperfusion: treat well, treat on time too G. Montalescot Lancet (2008) 372; 509-10  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18707968](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18707968)
- Impact of anticoagulation levels on outcomes in patients undergoing elective percutaneous coronary intervention: insights from the STEEPLE trial G. Montalescot, M. Cohen, G. Salette, W. J. Desmet, C. Macaya, P. E. Aylward, P. G. Steg, H. D. White, R. Gallo and S. R. Steinbrügel Eur Heart J (2008) 29; 462-71  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18276619](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276619)
- Prasugrel compared with clopidogrel in patients undergoing percutaneous coronary intervention for ST-elevation myocardial infarction (TRITON-TIMI 38): double-blind, randomised controlled trial G. Montalescot, S. D. Wiviott, E. Braunwald, S. A. Murphy, C. M. Gibson, C. H. McCabe and E. M. Antman Lancet (2009) 373; 723-31  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19249633](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249633)
- Haptoglobin genotype is a major determinant of the amount of iron in the human atherosclerotic plaque P. R. Moreno, K. R. Purushothaman, M. Purushothaman, P. Muntner, N. S. Levy, V. Fuster, J. T. Fallon, P. A. Lento, A. Winterstern and A. P. Levy J Am Coll Cardiol (2008) 52; 1049-51  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18848136](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18848136)
- The impact of gender on outcomes of patients with ST elevation myocardial infarction transported for percutaneous coronary intervention: analysis of the PRAGUE-1 and 2 studies Z. Motovska, P. Widimsky and M. Aschermann Heart (2008) 94; e5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17693459](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17693459)
- Serum cystatin C and increased coronary heart disease prevalence in US adults without chronic kidney disease P. Muntner, D. Mann, J. Winston, S. Bansilal and M. E. Farkouh Am J Cardiol (2008) 102; 54-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18572035](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572035)
- Impact of admission blood glucose on outcomes of nondiabetic patients with acute ST-elevation myocardial infarction (from the German Acute Coronary Syndromes [ACOS] Registry) C. K. Naber, R. H. Mehta, C. Junger, U. Zeymer, H. Wienbergen, G. V. Sabin, R. Erbel, J. Senges and A. Gitt Am J Cardiol (2009) 103; 583-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19231316](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231316)
- Transglutaminase activity in acute infarcts predicts healing outcome and left ventricular

- remodelling: implications for FXIII therapy and antithrombin use in myocardial infarction  
M. Nahrendorf, E. Aikawa, J. L. Figueiredo, L. Stangenberg, S. W. van den Borne, W. M. Blankesteijn, D. E. Sosnovik, F. A. Jaffer, C. H. Tung and R. Weissleder Eur Heart J (2008) 29; 445-54  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18276618](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276618)
- Predictors and time-related impact of distal embolization during primary angioplasty M. Napodano, A. Ramondo, G. Tarantini, D. Peluso, S. Compagno, C. Fraccaro, A. C. Frigo, R. Razzolini and S. Iliceto Eur Heart J (2009) 30; 305-13  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19153179](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19153179)
- A simple prognostic classification model for postprocedural complications after percutaneous coronary intervention for acute myocardial infarction (from the New York State percutaneous coronary intervention database) A. Negassa, E. S. Monrad and V. S. Srinivas Am J Cardiol (2009) 103; 937-42  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19327419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19327419)
- Gender disparity in cardiac procedures and medication use for acute myocardial infarction J. T. Nguyen, A. K. Berger, S. Duval and R. V. Luepker Am Heart J (2008) 155; 862-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18440333](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18440333)
- Usefulness of the neutrophil to lymphocyte ratio in predicting long-term mortality in ST segment elevation myocardial infarction J. Nunez, E. Nunez, V. Bodi, J. Sanchis, G. Minana, L. Mainar, E. Santas, P. Merlos, E. Rumiz, H. Darmofal, A. M. Heatta and A. Llacer Am J Cardiol (2008) 101; 747-52  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18328833](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18328833)
- Association between baseline neutrophil count, clopidogrel therapy, and clinical and angiographic outcomes in patients with ST-elevation myocardial infarction receiving fibrinolytic therapy M. O'Donoghue, D. A. Morrow, C. P. Cannon, W. Guo, S. A. Murphy, C. M. Gibson and M. S. Sabatine Eur Heart J (2008) 29; 984-91  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18346960](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18346960)
- Effects of fondaparinux in patients with ST-segment elevation acute myocardial infarction not receiving reperfusion treatment J. Oldgren, L. Wallentin, R. Afzal, J. P. Bassand, A. Budaj, S. Chrolavicius, K. A. Fox, C. B. Granger, S. R. Mehta, P. Pais, R. J. Peters, D. Xavier, J. Zhu and S. Yusuf Eur Heart J (2008) 29; 315-23  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18084015](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18084015)
- Predictive value of high sensitivity C-reactive protein in patients with ST-elevation myocardial infarction treated with percutaneous coronary intervention P. Ortolani, A. Marzocchi, C. Marrozzini, T. Palmerini, F. Saia, N. Taglieri, F. Baldazzi, S. Silenzi, M. L. Bacchi-Reggiani, P. Guastaroba, R. Grilli and A. Branzi Eur Heart J (2008) 29; 1241-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17766280](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17766280)

- Inotropes and vasopressors: review of physiology and clinical use in cardiovascular disease C. B. Overgaard and V. Dzavik Circulation (2008) 118; 1047-56  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18765387](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18765387)
- Plasma aldosterone levels during hospitalization are predictive of survival post-myocardial infarction B. R. Palmer, A. P. Pilbrow, C. M. Frampton, T. G. Yandle, L. Skelton, M. G. Nicholls and A. M. Richards Eur Heart J (2008) 29; 2489-96  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18757359](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18757359)
- Causes of death in patients with acute myocardial infarction treated with angiotensin-converting enzyme inhibitors: findings from the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto (GISSI)-3 trial G. Pedrazzini, E. Santoro, R. Latini, L. Fromm, M. G. Franzosi, T. Mocetti, L. Staszewsky, S. Barlera, G. Tognoni and A. P. Maggioni Am Heart J (2008) 155; 388-94  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18215613](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18215613)
- The role of fondaparinux as an adjunct to thrombolytic therapy in acute myocardial infarction: a subgroup analysis of the OASIS-6 trial R. J. Peters, C. Joyner, J. P. Bassand, R. Afzal, S. Chrolavicius, S. R. Mehta, J. Oldgren, L. Wallentin, A. Budaj, K. A. Fox and S. Yusuf Eur Heart J (2008) 29; 324-31  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18245119](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18245119)
- Association of blood glucose with angiographic and clinical outcomes among patients with ST-segment elevation myocardial infarction (from the CLARITY-TIMI-28 study) D. S. Pinto, A. J. Kirtane, Y. B. Pride, S. A. Murphy, M. S. Sabatine, C. P. Cannon and C. M. Gibson Am J Cardiol (2008) 101; 303-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18237589](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18237589)
- Clinical impact of sirolimus-eluting stent in ST-segment elevation myocardial infarction: A meta-analysis of randomized clinical trials F. Piscione, R. Piccolo, S. Cassese, G. Galasso and M. Chiariello Catheter Cardiovasc Interv (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360858](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360858)
- The measurement of plasma aldosterone in patients post-myocardial infarction B. Pitt Eur Heart J (2008) 29; 2451-2  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18801919](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18801919)
- ST-segment elevation myocardial infarction with concomitant multiple coronary arteries thromboses in a young patient with hyperhomocysteinaemia L. Politi, D. E. Monopoli and M. G. Modena Heart (2008) 94; 1180  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18703695](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18703695)
- Abacavir and increased risk of myocardial infarction F. A. Post and L. J. Campbell Lancet (2008) 372; 803; author reply 04-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18774412](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18774412)

Major improvement of percutaneous cardiovascular procedure outcomes with radial artery catheterisation: results from the PREVAIL study C. Pristipino, C. Trani, M. S. Nazzaro, A. Berni, G. Patti, R. Patrizi, B. Pironi, P. Mazzarotto, G. Gioffre, G. G. Biondi-Zocca and G. Richichi Heart (2009) 95; 476-82  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19036757](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19036757)

Effect of beta blockers (metoprolol or propranolol) on effect of simvastatin in lowering C-reactive protein in acute myocardial infarction J. C. Quinaglia e Silva, D. B. Munhoz, T. N. Morato, A. Gurgel, A. C. Macedo, P. Sever and A. C. Sposito Am J Cardiol (2009) 103; 461-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19195502](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19195502)

Glucose-lowering therapy after myocardial infarction: more questions than answers P. W. Radke and H. Schunkert Eur Heart J (2008) 29; 141-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18199566](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18199566)

Risk factors for myocardial infarction in women and men R. Ramaraj Eur Heart J (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19293195](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19293195)

Cytochrome P450 2C19 polymorphism and clopidogrel after MI R. Ramaraj Lancet (2009) 373; 1172; author reply 72-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19345827](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19345827)

Guidelines for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes: the task force for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes of the European Society of Cardiology C. Rapezzi, E. Biagini and A. Branzi Eur Heart J (2008) 29; 277-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17971402](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17971402)

Coronary thrombectomy by retrieval of an open emboli-protection filter device I. Reho, C. Gruner and M. Roffi Heart (2008) 94; 274  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18276814](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276814)

Safety and effectiveness of drug eluting stent in patients with ST elevation myocardial infarction undergoing primary angioplasty M. Romano, F. Buffoli, L. Tomasi, L. Corrado, M. R. Ferrari and R. Zanini Catheter Cardiovasc Interv (2008) 71; 759-63  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412066](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412066)

Optimisation of therapeutic strategies for ST-segment elevation acute myocardial infarction: the impact of a territorial network on reperfusion therapy and mortality F. Saia, C. Marrozzini, P. Ortolani, T. Palmerini, P. Guastaroba, P. Cortesi, P. C. Pavesi, G. Gordini, L. G. Pancaldi, N. Taglieri, G. di Pasquale, A. Branzi and A. Marzocchi Heart (2009) 95; 370-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18653571](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18653571)

Combination of clinical risk profile, early exercise testing and circulating biomarkers for

evaluation of patients with acute chest pain without ST-segment deviation or troponin elevation J. Sanchis, X. Bosch, V. Bodi, N. Bellera, J. Nunez, B. Benito, J. Ordonez, L. Consuegra, M. Heras and A. Llecer Heart (2008) 94; 311-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17639094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17639094)

Changes in management of elderly patients with myocardial infarction F. Schiele, N. Meneveau, M. F. Seronde, V. Descotes-Genon, J. Oettinger, F. Ecarnot and J. P. Bassand Eur Heart J (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19176538](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19176538)

Atrial fibrillation in acute myocardial infarction: a systematic review of the incidence, clinical features and prognostic implications J. Schmitt, G. Duray, B. J. Gersh and S. H. Hohnloser Eur Heart J (2008)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19109347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19109347)

Contact-to-balloon time and door-to-balloon time after initiation of a formalized data feedback in patients with acute ST-elevation myocardial infarction K. H. Scholz, R. Hilgers, D. Ahlersmann, H. Duwald, R. Nitsche, G. von Knobelsdorff, B. Volger, K. Moller and F. K. Keating Am J Cardiol (2008) 101; 46-52  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18157964](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157964)

Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population B. Schweikert, M. Hunger, C. Meisinger, H. H. Konig, O. Gapp and R. Holle Eur Heart J (2009) 30; 436-43  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19019995](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19019995)

Gender differences in the management and prognosis of myocardial infarction among patients > or = 65 years of age S. Setoguchi, D. H. Solomon, R. Levin and W. C. Winkelmayr Am J Cardiol (2008) 101; 1531-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18489928](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489928)

Long-term impact of drug-eluting stents versus bare-metal stents on all-cause mortality M. H. Shishehbor, S. S. Goel, S. R. Kapadia, D. L. Bhatt, P. Kelly, R. E. Raymond, J. M. Galla, S. J. Brener, P. L. Whitlow and S. G. Ellis J Am Coll Cardiol (2008) 52; 1041-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18848135](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18848135)

Intraoperative myocardial infarction in non-cardiac surgery: is a universal definition feasible? E. Siniorakis, G. Kirvassilis and N. Exadactylos Eur Heart J (2008) 29; 567; author reply 67-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18203701](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18203701)

Effect of prehospital triage on revascularization times, left ventricular function, and survival in patients with ST-elevation myocardial infarction G. Sivagangabalan, A. T. Ong, A. Narayan, N. Sadick, P. S. Hansen, G. C. Nelson, M. Flynn, D. L. Ross, S. C. Boyages and P. Kovoor Am J Cardiol (2009) 103; 907-12  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=19327414

A systematic review and meta-analysis of intra-aortic balloon pump therapy in ST-elevation myocardial infarction: should we change the guidelines? K. D. Sjauw, A. E. Engstrom, M. M. Vis, R. J. van der Schaaf, J. Baan, Jr., K. T. Koch, R. J. de Winter, J. J. Piek, J. G. Tijssen and J. P. Henriques Eur Heart J (2009) 30; 459-68

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19168529](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19168529)

Left ventricular unloading in acute ST-segment elevation myocardial infarction patients is safe and feasible and provides acute and sustained left ventricular recovery K. D. Sjauw, M. Remmelink, J. Baan, Jr., K. Lam, A. E. Engstrom, R. J. van der Schaaf, M. M. Vis, K. T. Koch, J. P. van Straalen, J. G. Tijssen, B. A. de Mol, R. J. de Winter, J. J. Piek and J. P. Henriques J Am Coll Cardiol (2008) 51; 1044-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325447](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325447)

Inflammatory responses after intracoronary injection of autologous mononuclear bone marrow cells in patients with acute myocardial infarction S. Solheim, I. Seljeflot, K. Lunde, P. Aukrust, A. Yndestad, H. K. Groggaard, S. Aakhus, K. Forfang and H. Arnesen Am Heart J (2008) 155; 55 e1-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082489](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082489)

Cardiovascular risk of celecoxib in 6 randomized placebo-controlled trials: the cross trial safety analysis S. D. Solomon, J. Wittes, P. V. Finn, R. Fowler, J. Viner, M. M. Bertagnolli, N. Arber, B. Levin, C. L. Meinert, B. Martin, J. L. Pater, P. E. Goss, P. Lance, S. Obara, E. Y. Chew, J. Kim, G. Arndt and E. Hawk Circulation (2008) 117; 2104-13

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18378608](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378608)

Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events P. G. Steg, K. A. Fox, K. A. Eagle, M. Furman, F. Van de Werf, G. Montalescot, S. G. Goodman, A. Avezum, W. Huang and J. M. Gore Eur Heart J (2009) 30; 321-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19147604](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19147604)

Eighteen year (1985-2002) analysis of incidence, mortality, and cardiac procedure outcomes of acute myocardial infarction in patients > or = 65 years of age S. M. Tahir, L. L. Price, P. B. Shah and F. G. Welt Am J Cardiol (2008) 101; 930-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18359310](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359310)

Association between admission neutrophil to lymphocyte ratio and outcomes in patients with acute coronary syndrome U. U. Tamhane, S. Aneja, D. Montgomery, E. K. Rogers, K. A. Eagle and H. S. Gurm Am J Cardiol (2008) 102; 653-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18773982](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773982)

Intracoronary infusion of bone marrow-derived selected CD34+CXCR4+ cells and non-selected mononuclear cells in patients with acute STEMI and reduced left ventricular ejection fraction: results of randomized, multicentre Myocardial Regeneration by Intracoronary Infusion of Selected Population of Stem Cells in Acute Myocardial

Infarction (REGENT) Trial M. Tendera, W. Wojakowski, W. Ruzylo, L. Chojnowska, C. Kepka, W. Tracz, P. Musialek, W. Piwowarska, J. Nessler, P. Buszman, S. Grajek, P. Breborowicz, M. Majka and M. Z. Ratajczak Eur Heart J (2009)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19208649](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19208649)

Outcome of percutaneous intrapericardial fibrin-glue injection therapy for left ventricular free wall rupture secondary to acute myocardial infarction M. Terashima, S. Fujiwara, G. Y. Yaginuma, K. Takizawa, U. Kaneko and T. Meguro Am J Cardiol (2008) 101; 419-21  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18312750](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18312750)

Value of ST-resolution analysis in the era of primary percutaneous coronary intervention C. J. Terkelsen and H. R. Andersen Heart (2008) 94; 13-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18083948](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18083948)

Temporal course of pregnancy-associated plasma protein-A in angioplasty-treated ST-elevation myocardial infarction patients and potential significance of concomitant heparin administration C. J. Terkelsen, C. Osvig, B. L. Norgaard, S. Glerup, T. S. Poulsen, J. F. Lassen, H. J. Moller, L. Thuesen, E. Falk, T. T. Nielsen and H. R. Andersen Am J Cardiol (2009) 103; 29-35  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19101225](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19101225)

Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized Leipzig immediate percutaneous coronary intervention abciximab IV versus IC in ST-elevation myocardial infarction trial H. Thiele, K. Schindler, J. Friedenberger, I. Eitel, G. Furnau, E. Grebe, S. Erbs, A. Linke, S. Mobius-Winkler, D. Kivelitz and G. Schuler Circulation (2008) 118; 49-57  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18559698](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18559698)

Comparison of efficacy and safety of atorvastatin (80 mg) to simvastatin (20 to 40 mg) in patients aged <65 versus ≥65 years with coronary heart disease (from the Incremental DEcrease through Aggressive Lipid Lowering [IDEAL] study) M. J. Tikkanen, I. Holme, N. B. Cater, M. Szarek, O. Faergeman, J. J. Kastelein, A. G. Olsson, M. L. Larsen, C. Lindahl and T. R. Pedersen Am J Cardiol (2009) 103; 577-82  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19231315](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19231315)

The timing of development and subsequent clinical course of heart failure after a myocardial infarction A. Torabi, J. G. Cleland, N. K. Khan, P. H. Loh, A. L. Clark, F. Alamgir, J. L. Caplin, A. S. Rigby and K. Goode Eur Heart J (2008) 29; 859-70  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18353754](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18353754)

Missed opportunities for reperfusion therapy for ST-segment elevation myocardial infarction: results of the Emergency Department Quality in Myocardial Infarction (EDQMI) study A. J. Tricomi, D. J. Magid, J. S. Rumsfeld, D. R. Vinson, E. E. Lyons, L. Crounse, P. M. Ho, P. N. Peterson and F. A. Masoudi Am Heart J (2008) 155; 471-7  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18294479

Comparison of low-fat versus Mediterranean-style dietary intervention after first myocardial infarction (from The Heart Institute of Spokane Diet Intervention and Evaluation Trial) K. R. Tuttle, L. A. Shuler, D. P. Packard, J. E. Milton, K. B. Daratha, D. M. Bibus and R. A. Short Am J Cardiol (2008) 101; 1523-30

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18489927](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18489927)

Prophylactic use of hemodialysis to prevent radiocontrast-induced nephropathy: the discussion is open again! D. E. Uehlinger J Am Coll Cardiol (2008) 51; 1047-8; author reply 48

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18325449](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18325449)

The correlation between lipid volume in the target lesion, measured by integrated backscatter intravascular ultrasound, and post-procedural myocardial infarction in patients with elective stent implantation T. Uetani, T. Amano, H. Ando, K. Yokoi, K. Arai, M. Kato, N. Marui, M. Nanki, T. Matsubara, H. Ishii, H. Izawa and T. Murohara Eur Heart J (2008) 29; 1714-20

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18559327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18559327)

Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology F. Van de Werf, J. Bax, A. Betriu, C. Blomstrom-Lundqvist, F. Crea, V. Falk, G. Filippatos, K. Fox, K. Huber, A. Kastrati, A. Rosengren, P. G. Steg, M. Tubaro, F. Verheugt, F. Weidinger, M. Weis, A. Vahanian, J. Camm, R. De Caterina, V. Dean, K. Dickstein, C. Funck-Brentano, I. Hellmans, S. D. Kristensen, K. McGregor, U. Sechtem, S. Silber, M. Tendera, P. Widimsky, J. L. Zamorano, F. V. Aguirre, N. Al-Attar, E. Alegria, F. Andreotti, W. Benzer, O. Breithardt, N. Danchin, C. Di Mario, D. Dudek, D. Gulba, S. Halvorsen, P. Kaufmann, R. Kornowski, G. Y. Lip and F. Rutten Eur Heart J (2008) 29; 2909-45

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19004841](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19004841)

The challenge of reducing time to reperfusion in patients with acute ST elevation myocardial infarction A. W. van 't Hof Eur Heart J (2008) 29; 1793-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18617476](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617476)

Factor XIII: the cement of the heart after myocardial infarction? D. Vanhoutte and S. Heymans Eur Heart J (2008) 29; 427-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18276613](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18276613)

Single or multivessel percutaneous coronary intervention in ST-elevation myocardial infarction patients E. Varani, M. Balducelli, M. Aquilina, G. Vecchi, M. N. Hussien, V. Frassineti and A. Maresta Catheter Cardiovasc Interv (2008) 72; 927-33  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18798239](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18798239)

Local hospital vs. core-laboratory interpretation of the admission electrocardiogram in acute coronary syndromes: increased mortality in patients with unrecognized

ST-elevation myocardial infarction R. Vijayaraghavan, A. T. Yan, M. Tan, D. H. Fitchett, A. A. Georgescu, Q. Hassan, A. Langer and S. G. Goodman Eur Heart J (2008) 29; 31-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17989080](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17989080)

Acute myocardial infarction after football chest trauma: management guided by intravascular ultrasound D. Vivas, L. Hernando and A. Fernandez-Ortiz Eur Heart J (2009) 30; 739

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19066208](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19066208)

The feasibility and safety of routine thrombus aspiration in patients with non-ST-elevation myocardial infarction P. J. Vlaar, G. F. Diercks, T. Svilaas, M. Vogelzang, B. J. de Smet, A. F. van den Heuvel, R. L. Anthonio, G. A. Jessurun, E. S. Tan, A. J. Suurmeijer and F. Zijlstra Catheter Cardiovasc Interv (2008) 72; 937-42  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19021272](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19021272)

Cardiac death and reinfarction after 1 year in the Thrombus Aspiration during Percutaneous coronary intervention in Acute myocardial infarction Study (TAPAS): a 1-year follow-up study P. J. Vlaar, T. Svilaas, I. C. van der Horst, G. F. Diercks, M. L. Fokkema, B. J. de Smet, A. F. van den Heuvel, R. L. Anthonio, G. A. Jessurun, E. S. Tan, A. J. Suurmeijer and F. Zijlstra Lancet (2008) 371; 1915-20

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18539223](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18539223)

Computer-assisted myocardial blush quantification after percutaneous coronary angioplasty for acute myocardial infarction: a substudy from the TAPAS trial M. Vogelzang, P. J. Vlaar, T. Svilaas, D. Amo, M. W. Nijsten and F. Zijlstra Eur Heart J (2009) 30; 594-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19168868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19168868)

Ischaemic stroke and myocardial infarction in a Caucasian patient with Moya-Moya disease C. von Bary, T. Liebig, J. Gaa and N. von Beckerath Eur Heart J (2008) 29; 842  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17989081](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17989081)

Intensity of physical exertion and triggering of myocardial infarction: a case-crossover study S. von Klot, M. A. Mittleman, D. W. Dockery, M. Heier, C. Meisinger, A. Hormann, H. E. Wichmann and A. Peters Eur Heart J (2008) 29; 1881-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18534976](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18534976)

Enhanced functional response of CD133+ circulating progenitor cells in patients early after acute myocardial infarction S. Voo, J. Eggermann, M. Dunaeva, C. Ramakers-van Oosterhoud and J. Waltenberger Eur Heart J (2008) 29; 241-50

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18156140](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18156140)

C-terminal provasopressin (copeptin) is a strong prognostic marker in patients with heart failure after an acute myocardial infarction: results from the OPTIMAAL study A. A. Voors, S. von Haehling, S. D. Anker, H. L. Hillege, J. Struck, O. Hartmann, A.

- Bergmann, I. Squire, D. J. van Veldhuisen and K. Dickstein Eur Heart J (2009) [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346228](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346228)
- Panic disorder and risk of new onset coronary heart disease, acute myocardial infarction, and cardiac mortality: cohort study using the general practice research database K. Walters, G. Rait, I. Petersen, R. Williams and I. Nazareth Eur Heart J (2008) 29; 2981-8 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18948354](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18948354)
- Incidence, distribution, and prognostic impact of occluded culprit arteries among patients with non-ST-elevation acute coronary syndromes undergoing diagnostic angiography T. Y. Wang, M. Zhang, Y. Fu, P. W. Armstrong, L. K. Newby, C. M. Gibson, D. J. Moliterno, F. Van de Werf, H. D. White, R. A. Harrington and M. T. Roe Am Heart J (2009) 157; 716-23 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19332201](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19332201)
- Simulation-based education improves quality of care during cardiac arrest team responses at an academic teaching hospital: a case-control study D. B. Wayne, A. Didwania, J. Feinglass, M. J. Fudala, J. H. Barsuk and W. C. McGaghie Chest (2008) 133; 56-61 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17573509](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17573509)
- Impact on mortality following first acute myocardial infarction of distance between home and hospital: cohort study L. Wei, C. C. Lang, F. M. Sullivan, P. Boyle, J. Wang, S. D. Pringle and T. M. MacDonald Heart (2008) 94; 1141-6 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17984217](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17984217)
- Evolution of the definition of myocardial infarction: what are the implications of a new universal definition? H. D. White Heart (2008) 94; 679-84 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18480342](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18480342)
- Acute myocardial infarction H. D. White and D. P. Chew Lancet (2008) 372; 570-84 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18707987](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18707987)
- Safety and efficacy of switching from either unfractionated heparin or enoxaparin to bivalirudin in patients with non-ST-segment elevation acute coronary syndromes managed with an invasive strategy: results from the ACUITY (Acute Catheterization and Urgent Intervention Triage strategY) trial H. D. White, D. P. Chew, J. W. Hoekstra, C. D. Miller, C. V. Pollack, Jr., F. Feit, A. M. Lincoff, M. Bertrand, S. Pocock, J. Ware, E. M. Ohman, R. Mehran and G. W. Stone J Am Coll Cardiol (2008) 51; 1734-41 [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18452778](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18452778)
- Familial-combined hyperlipidaemia in very young myocardial infarction survivors (<=40 years of age) F. Wiesbauer, H. Blessberger, D. Azar, G. Goliasch, O. Wagner, L. Gerhold, K. Huber, K. Widhalm, F. Abdolvahab, G. Sodeck, G. Maurer and M. Schillinger Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19276196](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19276196)

Routine use of oxygen in the treatment of myocardial infarction: systematic review M. Wijesinghe, K. Perrin, A. Ranchord, M. Simmonds, M. Weatherall and R. Beasley Heart (2009) 95; 198-202

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18708420](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18708420)

Change in N-terminal-pro-B-type-natriuretic-peptide and the risk of sudden death, stroke, myocardial infarction, and all-cause mortality in diabetic dialysis patients K. Winkler, C. Wanner, C. Drechsler, J. Lilienthal, W. Marz and V. Krane Eur Heart J (2008)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18617483](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18617483)

Intensive oral antiplatelet therapy for reduction of ischaemic events including stent thrombosis in patients with acute coronary syndromes treated with percutaneous coronary intervention and stenting in the TRITON-TIMI 38 trial: a subanalysis of a randomised trial S. D. Wiviott, E. Braunwald, C. H. McCabe, I. Horvath, M. Keltai, J. P. Herrman, F. Van de Werf, W. E. Downey, B. M. Scirica, S. A. Murphy and E. M. Antman Lancet (2008) 371; 1353-63

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18377975](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18377975)

Perusal of risk stratification of acute myocardial infarction for half a century K. S. Woo Eur Heart J (2009)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19346227](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19346227)

Infarct size by contrast enhanced cardiac magnetic resonance is a stronger predictor of outcomes than left ventricular ejection fraction or end-systolic volume index: prospective cohort study E. Wu, J. T. Ortiz, P. Tejedor, D. C. Lee, C. Bucciarelli-Ducci, P. Kansal, J. C. Carr, T. A. Holly, D. Lloyd-Jones, F. J. Klocke and R. O. Bonow Heart (2008) 94; 730-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18070953](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18070953)

An analysis of door-to-balloon time in a single center to determine causes of delay and possibilities for improvement E. B. Wu, N. Arora, A. C. Eisenhauer and F. S. Resnic Catheter Cardiovasc Interv (2008) 71; 152-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17985378](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17985378)

Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice R. T. Yan, A. T. Yan, C. B. Granger, J. Lopez-Sendon, D. Brieger, B. Kennelly, A. Budaj, P. G. Steg, A. A. Georgescu, Q. Hassan and S. G. Goodman Am J Cardiol (2008) 101; 919-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18359308](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359308)

B-type natriuretic peptide: a treatment, not a diagnostic marker G. W. Yip Heart (2008) 94; 542-4

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18411344

Randomized trial comparing 600- with 300-mg loading dose of clopidogrel in patients with non-ST elevation acute coronary syndrome undergoing percutaneous coronary intervention: results of the Platelet Responsiveness to Aspirin and Clopidogrel and Troponin Increment after Coronary intervention in Acute coronary Lesions

(PRACTICAL) Trial G. Yong, J. Rankin, L. Ferguson, J. Thom, J. French, D. Brieger, D. P. Chew, R. Dick, D. Eccleston, B. Hockings, D. Walters, A. Whelan and J. W.

Eikelboom Am Heart J (2009) 157; 60 e1-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19081397](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19081397)

Comparison of accuracy in the prediction of left ventricular wall motion changes between invasively assessed microvascular integrity indexes and fluorine-18 fluorodeoxyglucose positron emission tomography in patients with ST-elevation myocardial infarction M. H. Yoon, S. J. Tahk, H. M. Yang, S. I. Woo, H. S. Lim, S. J. Kang, B. J. Choi, S. Y. Choi, G. S. Hwang and J. H. Shin Am J Cardiol (2008) 102; 129-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602508](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602508)

Volume-outcome relation for contemporary percutaneous coronary interventions (PCI) in daily clinical practice: is it limited to high-risk patients? Results from the Registry of Percutaneous Coronary Interventions of the Arbeitsgemeinschaft Leitende

Kardiologische Krankenhausärzte (ALKK) R. Zahn, M. Gottwik, M. Hochadel, J. Senges, U. Zeymer, A. Vogt, T. Meinertz, R. Dietz, K. E. Hauptmann, E. Grube, S. Kerber and U. Sechtem Heart (2008) 94; 329-35

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17664190](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17664190)