

Elevated plasma fibrinogen and diabetes mellitus are associated with lower inhibition of platelet reactivity with clopidogrel L. Ang, V. Palakodeti, A. Khalid, S. Tsimikas, Z. Idrees, P. Tran, P. Clopton, N. Zafar, G. Bromberg-Marin, S. Keramati and E. Mahmud J Am Coll Cardiol (2008) 52; 1052-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18848137

GCH1 haplotype determines vascular and plasma biopterin availability in coronary artery disease effects on vascular superoxide production and endothelial function C. Antoniades, C. Shirodaria, T. Van Assche, C. Cunningham, I. Tegeder, J. Lotsch, T. J. Guzik, P. Leeson, J. Diesch, D. Tousoulis, C. Stefanadis, M. Costigan, C. J. Woolf, N. J. Alp and K. M. Channon J Am Coll Cardiol (2008) 52; 158-65
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18598896

Four-year clinical follow-up of the rapamycin-eluting stent evaluated at Rotterdam Cardiology Hospital registry J. Daemen, N. Kukreja, P. H. van Twisk, Y. Onuma, P. P. de Jaegere, R. van Domburg and P. W. Serruys Am J Cardiol (2008) 101; 1105-11
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18394442

Facilitated PCI in patients with ST-elevation myocardial infarction S. G. Ellis, M. Tendera, M. A. de Belder, A. J. van Boven, P. Widimsky, L. Janssens, H. R. Andersen, A. Betriu, S. Savonitto, J. Adamus, J. Z. Peruga, M. Kosmider, O. Katz, T. Neunteufl, J. Jorgova, M. Dorobantu, L. Grinfeld, P. Armstrong, B. R. Brodie, H. C. Herrmann, G. Montalescot, F. J. Neumann, M. B. Effron, E. S. Barnathan and E. J. Topol N Engl J Med (2008) 358; 2205-17
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18499565

Multicenter randomized trial of facilitated percutaneous coronary intervention with low-dose tenecteplase in patients with acute myocardial infarction: The Athens PCI trial J. Kanakakis, J. N. Nanas, E. P. Tsagalou, G. D. Maroulidis, S. G. Drakos, A. S. Ntalianis, P. Tzoumele, E. Skoumbourdis, P. Charbis, S. Rokas and M. Anastasiou-Nana Catheter Cardiovasc Interv (2009)
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360864

Adverse outcomes in fibrinolytic-based facilitated percutaneous coronary intervention: insights from the ASSENT-4 PCI electrocardiographic substudy M. A. McDonald, Y. Fu, U. Zeymer, G. Wagner, S. G. Goodman, A. Ross, C. B. Granger, F. Van de Werf and P. W. Armstrong Eur Heart J (2008) 29; 871-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18319519

Comparison of outcomes and safety of "facilitated" versus primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction R. G. McKay, M. R. Dada, J. F. Mather, R. R. Mennet, D. J. Murphy, K. W. Maloney, J. A. Hirst and F. J. Kiernan Am J Cardiol (2009) 103; 316-21
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19166682

Panic disorder and risk of new onset coronary heart disease, acute myocardial

infarction, and cardiac mortality: cohort study using the general practice research database K. Walters, G. Rait, I. Petersen, R. Williams and I. Nazareth Eur Heart J (2008) 29; 2981-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18948354