

- Comparison of higher clopidogrel loading and maintenance dose to standard dose on platelet function and outcomes after percutaneous coronary intervention using drug-eluting stents M. Abuzahra, M. Pillai, A. Caldera, W. B. Hartley, R. Gonzalez, J. Bobek, H. Dokainish and N. Lakkis Am J Cardiol (2008) 102; 401-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678295](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678295)
- Comparison of assessment of native coronary arteries by standard versus three-dimensional coronary angiography P. Agostoni, G. Biondi-Zocca, G. Van Langenhove, K. Cornelis, P. Vermeersch, C. Convens, C. Vassanelli, P. Van Den Heuvel, F. Van Den Branden and S. Verheyen Am J Cardiol (2008) 102; 272-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638585](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638585)
- Patterns of upstream antiplatelet therapy use before primary percutaneous coronary intervention for acute ST-elevation myocardial infarction (from the CRUSADE National Quality Improvement Initiative) D. Alexander, N. Mann, F. S. Ou, E. D. Peterson, E. M. Ohman, W. B. Gibler and M. T. Roe Am J Cardiol (2008) 102; 1335-40  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18993151](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18993151)
- Impact of mild or moderate renal insufficiency on the intravascular ultrasonic analysis of chronic vascular response to paclitaxel-eluting and bare-metal stents (from the TAXUS IV, V, and VI trials) J. Aoki, G. S. Mintz, N. J. Weissman, L. Mandinov, E. Grube, K. D. Dawkins, S. G. Ellis, J. Greenberg, A. Yu, J. T. Mann, L. Cannon, P. A. Cambier and G. W. Stone Am J Cardiol (2008) 102; 1009-16  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929701](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929701)
- Incidence of coronary stent thrombosis based on academic research consortium definitions R. J. Applegate, M. T. Sacrity, W. C. Little, R. M. Santos, S. K. Gandhi and M. A. Kutcher Am J Cardiol (2008) 102; 683-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18773988](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773988)
- Relation between aspirin dose, all-cause mortality, and bleeding in patients with recent cerebrovascular or coronary ischemic events (from the BRAVO Trial) H. D. Aronow, R. M. Califf, R. A. Harrington, M. Vallee, C. Graffagnino, A. Shuaib, D. J. Fitzgerald, J. D. Easton, F. Van de Werf, H. C. Diener, J. Ferguson, P. J. Koudstaal, P. Amarenco, P. Theroux, S. Davis and E. J. Topol Am J Cardiol (2008) 102; 1285-90  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18993142](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18993142)
- Effects of bariatric surgery on cardiovascular function H. Ashrafian, C. W. le Roux, A. Darzi and T. Athanasiou Circulation (2008) 118; 2091-102  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19001033](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19001033)
- Comparison of the impact of short (<1 year) and long-term (> or =1 year) clopidogrel use following percutaneous coronary intervention on mortality S. Banerjee, C. Varghese, J. Samuel, R. A. Weideman, B. B. Little, K. C. Kelly, S. V. Rao, R. F. Reilly and E. S. Brilakis Am J Cardiol (2008) 102; 1159-62  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18940284

Assessment of culprit and remote coronary narrowings using optical coherence tomography with long-term outcomes P. Barlis, P. W. Serruys, N. Gonzalo, W. J. van der Giessen, P. J. de Jaegere and E. Regar Am J Cardiol (2008) 102; 391-5  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=18678293

Bivalirudin with provisional glycoprotein IIb/IIIa inhibitors in patients undergoing primary angioplasty in the setting of cardiogenic shock L. Bonello, A. De Labriolle, P. Roy, D. H. Steinberg, T. L. Pinto Slottow, Z. Xue, K. Smith, R. Torguson, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard and R. Waksman Am J Cardiol (2008) 102; 287-91  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=18638588

Impact of a 600-mg loading dose of clopidogrel on 30-day outcome in unselected patients undergoing percutaneous coronary intervention L. Bonello, G. Lemesle, A. De Labriolle, P. Roy, D. H. Steinberg, T. L. Pinto Slottow, Z. Xue, R. Torguson, W. O. Suddath, L. F. Satler, K. M. Kent, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 1318-22

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=18993148

Predictors of infarct artery patency after prehospital thrombolysis. The multicentre, prospective, observational OPTIMAL study V. Bongard, J. Puel, D. Savary, L. Belle, S. Charpentier, Y. Cottin, L. Soulat, M. Elbaz, D. Miljkovic and P. G. Steg Heart (2008)  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=19074922

Outcomes of patients with acute coronary syndrome and previous coronary artery bypass grafting (from the Pravastatin or Atorvastatin Evaluation and Infection Therapy [PROVE IT-TIMI 22] and the Aggrastat to Zocor [A to Z] trials) E. S. Brilakis, J. A. de Lemos, C. P. Cannon, S. D. Wiviott, S. A. Murphy, D. A. Morrow, M. S. Sabatine, S. Banerjee, M. A. Blazing, R. M. Califf and E. Braunwald Am J Cardiol (2008) 102; 552-8  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=18721511

Sustained coronary patency after fibrinolytic therapy as independent predictor of 10-year cardiac survival Observations from the Antithrombotics in the Prevention of Reocclusion in Coronary Thrombolysis (APRICOT) trial M. A. Brouwer, P. C. Kievit, H. J. Dieker, G. Veen, A. J. Karreman and F. W. Verheugt Am Heart J (2008) 155; 1039-46  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=18513517

The Danish multicentre randomized study of fibrinolytic therapy vs. primary angioplasty in acute myocardial infarction (the DANAMI-2 trial): outcome after 3 years follow-up M. Busk, M. Maeng, K. Rasmussen, H. Kelbaek, P. Thyssen, U. Abildgaard, E. Vigholt, L. S. Mortensen, L. Thuesen, S. D. Kristensen, T. T. Nielsen and H. R. Andersen Eur Heart J (2008) 29; 1259-66

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>  
n&list\_uids=17956874

Rationale and design of the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI) W. J. Cantor,

D. Fitchett, B. Borgundvaag, M. Heffernan, E. A. Cohen, L. J. Morrison, J. Ducas, A. Langer, S. Mehta, C. Lazzam, B. Schwartz, V. Dzavik and S. G. Goodman Am Heart J (2008) 155; 19-25  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082484](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082484)  
Usefulness of 64-slice multidetector computed tomography as an initial diagnostic approach in patients with acute chest pain S. A. Chang, S. I. Choi, E. K. Choi, H. K. Kim, J. W. Jung, E. J. Chun, K. S. Kim, Y. S. Cho, W. Y. Chung, T. J. Youn, I. H. Chae, D. J. Choi and H. J. Chang Am Heart J (2008) 156; 375-83  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18657674](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657674)  
Comparison of 64-slice multidetector computed tomography with spectral analysis of intravascular ultrasound backscatter signals for characterizations of noncalcified coronary arterial plaques B. J. Choi, D. K. Kang, S. J. Tahk, S. Y. Choi, M. H. Yoon, H. S. Lim, S. J. Kang, H. M. Yang, J. S. Park, M. Zheng, G. S. Hwang and J. H. Shin Am J Cardiol (2008) 102; 988-93  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929698](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929698)  
Relationship between biomarkers of oxidized low-density lipoprotein, statin therapy, quantitative coronary angiography, and atheroma: volume observations from the REVERSAL (Reversal of Atherosclerosis with Aggressive Lipid Lowering) study S. H. Choi, A. Chae, E. Miller, M. Messig, F. Ntanios, A. N. DeMaria, S. E. Nissen, J. L. Witztum and S. Tsiamikas J Am Coll Cardiol (2008) 52; 24-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18582631](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18582631)  
Long-term outcomes after percutaneous coronary intervention of bifurcation narrowings N. Collins, P. H. Seidelin, P. Daly, J. Ivanov, A. Barolet, K. Mackie, S. Bui, L. Schwartz and V. Dzavik Am J Cardiol (2008) 102; 404-10  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678296](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678296)  
Comparison of thrombolysis followed by broad use of percutaneous coronary intervention with primary percutaneous coronary intervention for ST-segment-elevation acute myocardial infarction: data from the french registry on acute ST-elevation myocardial infarction (FAST-MI) N. Danchin, P. Coste, J. Ferrieres, P. G. Steg, Y. Cottin, D. Blanchard, L. Belle, B. Ritz, G. Kirkorian, M. Angioi, P. Sans, B. Charbonnier, H. Eltchaninoff, P. Gueret, K. Khalife, P. Asseman, J. Puel, P. Goldstein, J. P. Cambou and T. Simon Circulation (2008) 118; 268-76  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18591434](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18591434)  
Pre-hospital thrombolysis in perspective N. Danchin, E. Durand and D. Blanchard Eur Heart J (2008) 29; 2835-42  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18948355](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18948355)  
Comparison of safety, efficacy, and outcome of successful versus unsuccessful percutaneous coronary intervention in "true" chronic total occlusions A. de Labriolle, L. Bonello, P. Roy, G. Lemesle, D. H. Steinberg, Z. Xue, K. Kaneshige, W. O. Suddath, L.

F. Satler, K. M. Kent, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 1175-81

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18940287](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940287)

Comparison of increased aspirin dose versus combined aspirin plus clopidogrel therapy in patients with diabetes mellitus and coronary heart disease and impaired antiplatelet response to low-dose aspirin M. A. Duzenli, K. Ozdemir, N. Aygul, A. Soylu and M. Tokac Am J Cardiol (2008) 102; 396-400

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678294](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678294)

The pharmacoinvasive approach to STEMI: when should fibrinolytic-treated patients go to the "cath lab"? J. J. Edmond, C. P. Juergens and J. K. French Heart (2009) 95; 358-61

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18467356](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18467356)

Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: a Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy E. L. Fosbol, J. J. Thune, H. Kelbaek, H. R. Andersen, K. Saunamaki, T. T. Nielsen, L. S. Mortensen and L. Kober Am Heart J (2008) 156; 391-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18657676](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18657676)

Usefulness of revascularization of patients with multivessel coronary artery disease before elective vascular surgery for abdominal aortic and peripheral occlusive disease S. Garcia, T. E. Moritz, H. B. Ward, G. Pierpont, S. Goldman, G. C. Larsen, F. Littooy, W. Krupski, L. Thottapurathu, D. J. Reda and E. O. McFalls Am J Cardiol (2008) 102; 809-13

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18805102](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805102)

Effects of pretreatment with clopidogrel on nonemergent percutaneous coronary intervention after fibrinolytic administration for ST-segment elevation myocardial infarction: a Clopidogrel as Adjunctive Reperfusion Therapy-Thrombolysis in Myocardial Infarction (CLARITY-TIMI) 28 study C. M. Gibson, S. A. Murphy, Y. B. Pride, A. J. Kirtane, J. M. Aroesty, E. B. Stein, L. N. Ciaglo, M. C. Southard, M. S. Sabatine, C. P. Cannon and E. Braunwald Am Heart J (2008) 155; 133-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082504](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082504)

Relation of hyperemic epicardial flow to outcomes among patients with ST-segment elevation myocardial infarction receiving fibrinolytic therapy C. M. Gibson, Y. B. Pride, J. L. Buros, V. Kunadian, M. C. Southard, C. J. Harrigan, L. N. Ciaglo, M. S. Sabatine, C. P. Cannon and E. Braunwald Am J Cardiol (2008) 101; 1232-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18435949](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18435949)

Association of impaired thrombolysis in myocardial infarction myocardial perfusion grade with ventricular tachycardia and ventricular fibrillation following fibrinolytic therapy for ST-segment elevation myocardial infarction C. M. Gibson, Y. B. Pride, J. L. Buros, E.

Lord, A. Shui, S. A. Murphy, D. S. Pinto, P. J. Zimetbaum, M. S. Sabatine, C. P. Cannon and M. E. Josephson J Am Coll Cardiol (2008) 51; 546-51  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18237683](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18237683)

Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry) C. Godino, S. Furuichi, A. Latib, N. Morici, A. Chieffo, E. Romagnoli, C. Tamburino, R. Barbagallo, M. Cera, D. Antoniucci, O. Goktekin, C. Di Mario, B. Reimers, E. Grube, F. Airolidi, G. M. Sangiorgi and A. Colombo Am J Cardiol (2008) 102; 1002-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929700](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929700)

Relation of left ventricular infarct transmurality and infarct size after primary percutaneous coronary angioplasty to time from symptom onset to balloon inflation J. Y. Hahn, Y. B. Song, H. C. Gwon, Y. H. Choe, J. H. Kim, J. Sung, S. H. Choi, J. H. Choi, D. K. Kim, K. P. Hong, J. E. Park and S. H. Lee Am J Cardiol (2008) 102; 1163-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18940285](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940285)

Seconds-Count.org offers enhanced tools for patients and physicians Z. M. Hijazi and J. J. Marshall Catheter Cardiovasc Interv (2008) 72; 1027-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19031412](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19031412)

Percutaneous coronary intervention versus coronary artery bypass grafting as primary revascularization in patients with acute coronary syndrome W. Hochholzer, H. J. Buettnner, D. Trenk, T. Breidthardt, M. Noveanu, K. Laule, M. Christ, C. Schindler, F. J. Neumann and C. Mueller Am J Cardiol (2008) 102; 173-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602516](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602516)

Late target lesion revascularization after implantation of sirolimus-eluting stent M. K. Hong, G. S. Mintz, C. W. Lee, D. W. Park, S. W. Lee, Y. H. Kim, I. H. Jung, S. H. Kim, S. S. Cheong, J. J. Kim, S. W. Park and S. J. Park Catheter Cardiovasc Interv (2008) 71; 299-303  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17985380](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17985380)

The impact of pre-hospital thrombolytic treatment on re-infarction rates: analysis of the Myocardial Infarction National Audit Project (MINAP) S. Horne, C. Weston, T. Quinn, A. Hicks, L. Walker, R. Chen and J. Birkhead Heart (2009) 95; 559-63  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17923462](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17923462)

Effects of intracoronary injection of mononuclear bone marrow cells on left ventricular function, arrhythmia risk profile, and restenosis after thrombolytic therapy of acute myocardial infarction H. V. Huikuri, K. Kervinen, M. Niemela, K. Ylitalo, M. Saily, P. Koistinen, E. R. Savolainen, H. Ukkonen, M. Pietila, J. K. Airaksinen, J. Knuuti and T. H. Makikallio Eur Heart J (2008) 29; 2723-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18845667](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18845667)

Prevalence, predictors, and outcomes of primary nonadherence after acute myocardial

infarction C. A. Jackevicius, P. Li and J. V. Tu Circulation (2008) 117; 1028-36  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18299512](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18299512)

Intravascular ultrasound assessment of expansion of the sirolimus-eluting (cypher select) and paclitaxel-eluting (Taxus Express-2) stent in patients with diabetes mellitus L. O. Jensen, M. Maeng, G. S. Mintz, E. H. Christiansen, K. N. Hansen, A. Galloe, H. Kelbaek, H. S. Hansen, E. Joergensen, J. F. Lassen, L. Thuesen and P. Thayssen Am J Cardiol (2008) 102; 19-26

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18572030](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572030)

Randomized comparison of adjunctive cilostazol versus high maintenance dose clopidogrel in patients with high post-treatment platelet reactivity: results of the ACCEL-RESISTANCE (Adjunctive Cilostazol Versus High Maintenance Dose Clopidogrel in Patients With Clopidogrel Resistance) randomized study Y. H. Jeong, S. W. Lee, B. R. Choi, I. S. Kim, M. K. Seo, C. H. Kwak, J. Y. Hwang and S. W. Park J Am Coll Cardiol (2009) 53; 1101-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19324253](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19324253)

ST resolution 1 hour after fibrinolysis for prediction of myocardial infarct size: insights from ASSENT 3 P. Johanson, Y. Fu, G. S. Wagner, S. G. Goodman, C. B. Granger, L. Wallentin, F. Van de Werf and P. W. Armstrong Am J Cardiol (2009) 103; 154-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19121428](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19121428)

A percutaneous coronary intervention-thrombolytic predictive instrument to assist choosing between immediate thrombolytic therapy versus delayed primary percutaneous coronary intervention for acute myocardial infarction D. M. Kent, R. Ruthazer, J. L. Griffith, J. R. Beshansky, T. W. Concannon, T. Aversano, C. L. Grines, R. J. Zalenski and H. P. Selker Am J Cardiol (2008) 101; 790-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18328842](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18328842)

Comparison of sirolimus-eluting stent and paclitaxel-eluting stent for long-term cardiac adverse events in diabetic patients: the Korean Multicenter Angioplasty Team (KOMATE) Registry J. S. Kim, B. H. Lee, Y. G. Ko, D. Choi, Y. Jang, P. K. Min, Y. W. Yoon, B. K. Hong, H. M. Kwon, M. S. Ahn, S. H. Lee, J. H. Yoon, B. K. Lee, B. O. Kim, B. K. Kim, S. J. Oh, D. W. Jeon, J. Y. Yang, J. R. Cho, J. H. Jung and S. K. Ryu Catheter Cardiovasc Interv (2008) 72; 601-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18942123](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18942123)

Intravascular ultrasound evaluation of optimal drug-eluting stent expansion after poststent balloon dilation using a noncompliant balloon versus a semicompliant balloon (from the Poststent Optimal Stent Expansion Trial [POET]) J. S. Kim, J. Y. Moon, Y. G. Ko, D. Choi, Y. Jang, W. C. Kang, T. Ahn, B. K. Kim, S. J. Oh, D. W. Jeon and J. Y. Yang Am J Cardiol (2008) 102; 304-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638591](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638591)

Frequency of myocardial bridges and dynamic compression of epicardial coronary

arteries: a comparison between computed tomography and invasive coronary angiography P. J. Kim, G. Hur, S. Y. Kim, J. Namgung, S. W. Hong, Y. H. Kim and W. R. Lee Circulation (2009) 119; 1408-16  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19255347](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19255347)

The virtual histology intravascular ultrasound appearance of newly placed drug-eluting stents S. W. Kim, G. S. Mintz, Y. J. Hong, R. Pakala, K. S. Park, A. D. Pichard, L. F. Satler, K. M. Kent, W. O. Suddath, R. Waksman and N. J. Weissman Am J Cardiol (2008) 102; 1182-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18940288](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940288)

The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation Y. S. Kim, B. K. Koo, J. B. Seo, K. W. Park, J. W. Suh, H. Y. Lee, J. S. Park, H. J. Kang, Y. S. Cho, W. Y. Chung, I. H. Chae, D. J. Choi, H. S. Kim, B. H. Oh and Y. B. Park Catheter Cardiovasc Interv (2008)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360868)

Coronary revascularization in context R. A. Lange and L. D. Hillis N Engl J Med (2009) 360; 1024-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19228611](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19228611)

Prospective randomized comparison of sirolimus- versus paclitaxel-eluting stents for the treatment of acute ST-elevation myocardial infarction: pROSPIT trial J. H. Lee, H. S. Kim, S. W. Lee, J. H. Park, S. W. Choi, J. O. Jeong, Y. Cho, N. Lee, K. S. Rhee, J. K. Ko and I. W. Seong Catheter Cardiovasc Interv (2008) 72; 25-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18412270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18412270)

Double anchoring balloon technique for recanalization of coronary chronic total occlusion by retrograde approach N. H. Lee, J. Suh and H. S. Seo Catheter Cardiovasc Interv (2008)  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19301352](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19301352)

Drug-eluting stenting followed by cilostazol treatment reduces late restenosis in patients with diabetes mellitus the DECLARE-DIABETES Trial (A Randomized Comparison of Triple Antiplatelet Therapy with Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Diabetic Patients) S. W. Lee, S. W. Park, Y. H. Kim, S. C. Yun, D. W. Park, C. W. Lee, M. K. Hong, H. S. Kim, J. K. Ko, J. H. Park, J. H. Lee, S. W. Choi, I. W. Seong, Y. H. Cho, N. H. Lee, J. H. Kim, K. J. Chun and S. J. Park J Am Coll Cardiol (2008) 51; 1181-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18355656](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18355656)

A randomized comparison of sirolimus- versus Paclitaxel-eluting stent implantation in patients with diabetes mellitus S. W. Lee, S. W. Park, Y. H. Kim, S. C. Yun, D. W. Park, C. W. Lee, M. K. Hong, K. S. Rhee, J. K. Chae, J. K. Ko, J. H. Park, J. H. Lee, S. W. Choi, J. O. Jeong, I. W. Seong, Y. H. Cho, N. H. Lee, J. H. Kim, K. J. Chun, H. S. Kim

and S. J. Park J Am Coll Cardiol (2008) 52; 727-33  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18718419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18718419)

Does thrombolytic therapy facilitate or foil primary PCI? J. A. Leopold N Engl J Med (2008) 358; 2277-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18499572](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18499572)

Comparison of the predictive value of four different risk scores for outcomes of patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention E. I. Lev, R. Kornowski, H. Vaknin-Assa, A. Porter, I. Teplitsky, I. Ben-Dor, D. Brosh, S. Fuchs, A. Battler and A. Assali Am J Cardiol (2008) 102; 6-11  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18572028](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572028)

Off-pump coronary artery bypass graft surgery in California, 2003 to 2005 Z. Li, K. K. Yeo, J. P. Parker, G. Mahendra, J. N. Young and E. A. Amsterdam Am Heart J (2008) 156; 1095-102  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19033004](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19033004)

Advanced age, antithrombotic strategy, and bleeding in non-ST-segment elevation acute coronary syndromes: results from the ACUITY (Acute Catheterization and Urgent Intervention Triage Strategy) trial R. D. Lopes, K. P. Alexander, S. V. Manoukian, M. E. Bertrand, F. Feit, H. D. White, C. V. Pollack, Jr., J. Hoekstra, B. J. Gersh, G. W. Stone and E. M. Ohman J Am Coll Cardiol (2009) 53; 1021-30  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19298914](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19298914)

Comparison of stent thrombosis, myocardial infarction, and mortality following drug-eluting versus bare-metal stent coronary intervention in patients with diabetes mellitus M. Maeng, L. O. Jensen, A. Kaltoft, H. H. Hansen, M. Bottcher, J. F. Lassen, P. Thayssen, L. R. Krusell, K. Rasmussen, L. Pedersen, H. T. Sorensen, S. P. Johnsen and L. Thuesen Am J Cardiol (2008) 102; 165-72  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602515](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602515)

Percutaneous removal of embolized port catheter: The standard option P. Y. Marcy, J. Thariat and N. Amoretti Catheter Cardiovasc Interv (2008) 72; 1025-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19021275](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19021275)

Effectiveness of reloading to overcome clopidogrel nonresponsiveness in patients with acute myocardial infarction S. Matetzky, P. Fefer, B. Shenkman, D. Varon, N. Savion and H. Hod Am J Cardiol (2008) 102; 524-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18721506](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721506)

Adverse outcomes in fibrinolytic-based facilitated percutaneous coronary intervention: insights from the ASSENT-4 PCI electrocardiographic substudy M. A. McDonald, Y. Fu, U. Zeymer, G. Wagner, S. G. Goodman, A. Ross, C. B. Granger, F. Van de Werf and P. W. Armstrong Eur Heart J (2008) 29; 871-9  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18319519

Usefulness of proteinuria as a prognostic marker of mortality and cardiovascular events among patients undergoing percutaneous coronary intervention (data from the Evaluation of Oral Xemilofibin in Controlling Thrombotic Events [EXCITE] trial) N. Mercado, J. J. Brugts, J. H. Ix, M. G. Shlipak, S. R. Dixon, B. J. Gersh, P. A. Lemos, M. Guarneri, P. S. Teirstein, W. Wijns, P. W. Serruys, E. Boersma and W. W. O'Neill Am J Cardiol (2008) 102; 1151-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18940282](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18940282)

Concurrent evaluation of novel cardiac biomarkers in acute coronary syndrome: myeloperoxidase and soluble CD40 ligand and the risk of recurrent ischaemic events in TACTICS-TIMI 18 D. A. Morrow, M. S. Sabatine, M. L. Brennan, J. A. de Lemos, S. A. Murphy, C. T. Ruff, N. Rifai, C. P. Cannon and S. L. Hazen Eur Heart J (2008) 29; 1096-102

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18339606](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18339606)

Serum cystatin C and increased coronary heart disease prevalence in US adults without chronic kidney disease P. Muntner, D. Mann, J. Winston, S. Bansilal and M. E. Farkouh Am J Cardiol (2008) 102; 54-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18572035](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572035)

Association of coronary atherosclerosis detected by multislice computed tomography and traditional risk-factor assessment D. Nair, T. P. Carrigan, R. J. Curtin, Z. B. Popovic, S. Kuzmiak, P. Schoenhagen, S. D. Flamm and M. Y. Desai Am J Cardiol (2008) 102; 316-20

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638593](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638593)

Association between baseline neutrophil count, clopidogrel therapy, and clinical and angiographic outcomes in patients with ST-elevation myocardial infarction receiving fibrinolytic therapy M. O'Donoghue, D. A. Morrow, C. P. Cannon, W. Guo, S. A. Murphy, C. M. Gibson and M. S. Sabatine Eur Heart J (2008) 29; 984-91

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18346960](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18346960)

Clopidogrel treatment and the MEND-CABG II trial J. Oh, N. Hong and S. M. Kang JAMA (2008) 300; 1021; author reply 21-2  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18768409](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18768409)

Drug-eluting stents versus bare metal stents for narrowing in saphenous vein grafts T. Okabe, J. Lindsay, A. N. Buch, D. H. Steinberg, P. Roy, T. L. Slottow, K. Smith, R. Torguson, Z. Xue, L. F. Satler, K. M. Kent, A. D. Pichard, N. J. Weissman and R. Waksman Am J Cardiol (2008) 102; 530-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18721507](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721507)

Comparison of intravascular ultrasound to contrast-enhanced 64-slice computed tomography to assess the significance of angiographically ambiguous coronary narrowings T. Okabe, W. G. Weigold, G. S. Mintz, R. Roswell, S. Joshi, S. Y. Lee, B.

Lee, D. H. Steinberg, P. Roy, T. L. Slottow, K. Smith, R. Torguson, Z. Xue, L. F. Satler, K. M. Kent, A. D. Pichard, N. J. Weissman, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 994-1001

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929699](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929699)

Two-year clinical outcome with drug-eluting stents versus bare-metal stents in a real-world registry of unprotected left main coronary artery stenosis from the Italian Society of Invasive Cardiology T. Palmerini, A. Marzocchi, C. Tamburino, I. Sheiban, M. Margheri, G. Vecchi, G. Sangiorgi, A. Santarelli, A. Bartorelli, C. Briguori, L. Vignali, F. Di Pede, A. Ramondo, L. Inglese, M. De Carlo, L. Bolognese, A. Benassi, C. Palmieri, V. Filippone, D. Sangiorgi and S. De Servi Am J Cardiol (2008) 102; 1463-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026296](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026296)

Chronic kidney disease as a predictor of cardiovascular disease (from the Framingham Heart Study) N. I. Parikh, S. J. Hwang, M. G. Larson, D. Levy and C. S. Fox Am J Cardiol (2008) 102; 47-53

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18572034](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18572034)

Long-term mortality after percutaneous coronary intervention with drug-eluting stent implantation versus coronary artery bypass surgery for the treatment of multivessel coronary artery disease D. W. Park, S. C. Yun, S. W. Lee, Y. H. Kim, C. W. Lee, M. K. Hong, J. J. Kim, S. J. Choo, H. Song, C. H. Chung, J. W. Lee, S. W. Park and S. J. Park Circulation (2008) 117; 2079-86

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18413495](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18413495)

Current status of percutaneous coronary intervention with drug-eluting stents in Asia S. J. Park and Y. H. Kim Circulation (2008) 118; 2730-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19106397](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19106397)

Disparities in use of same-day percutaneous coronary intervention for patients with ST-elevation myocardial infarction in Florida, 2001-2005 E. B. Pathak and J. A. Strom Am J Cardiol (2008) 102; 802-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18805101](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805101)

Meta-analysis comparison (nine trials) of outcomes with drug-eluting stents versus bare metal stents in patients with diabetes mellitus G. Patti, A. Nusca and G. Di Sciascio Am J Cardiol (2008) 102; 1328-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18993150](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18993150)

Observations and outcomes of definite and probable drug-eluting stent thrombosis seen at a single hospital in a four-year period T. L. Pinto Slottow, D. H. Steinberg, P. K. Roy, A. N. Buch, T. Okabe, Z. Xue, K. Kaneshige, R. Torguson, J. Lindsay, A. D. Pichard, L. F. Satler, W. O. Suddath, K. M. Kent and R. Waksman Am J Cardiol (2008) 102; 298-303

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638590](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638590)

Dynamics of platelet functional recovery following a clopidogrel loading dose in healthy volunteers M. J. Price and P. S. Teirstein Am J Cardiol (2008) 102; 790-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18774008](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18774008)

Geographic differences in clinical presentation, treatment, and outcomes in type A acute aortic dissection (from the International Registry of Acute Aortic Dissection) A. Raghupathy, C. A. Nienaber, K. M. Harris, T. Myrmel, R. Fattori, U. Sechtem, J. Oh, S. Trimarchi, J. V. Cooper, A. Booher, K. Eagle, E. Isselbacher and E. Bossone Am J Cardiol (2008) 102; 1562-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026315](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026315)

Change in high-density lipoprotein cholesterol and incident coronary heart disease in apparently healthy male physicians C. Rahilly-Tierney, T. S. Bowman, L. Djousse, H. D. Sesso and J. M. Gaziano Am J Cardiol (2008) 102; 1663-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19064020](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064020)

The case for chronic kidney disease, diabetes mellitus, and myocardial infarction being equivalent risk factors for cardiovascular mortality in patients older than 65 years A. Rashidi, A. R. Sehgal, M. Rahman and A. S. O'Connor Am J Cardiol (2008) 102; 1668-73  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19064021](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064021)

Cardiovascular risk in women with non-specific chest pain (from the Women's Health Initiative Hormone Trials) J. G. Robinson, R. Wallace, M. Limacher, H. Ren, B. Cochrane, S. Wassertheil-Smoller, J. K. Ockene, P. L. Blanchette and M. G. Ko Am J Cardiol (2008) 102; 693-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18773990](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773990)

Long-term outcomes in patients undergoing coronary stenting on dual oral antiplatelet treatment requiring oral anticoagulant therapy R. Rossini, G. Musumeci, C. Lettieri, M. Molfese, L. Mihalcsik, P. Mantovani, V. Sirbu, T. A. Bass, F. Della Rovere, A. Gavazzi and D. J. Angiolillo Am J Cardiol (2008) 102; 1618-23  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19064015](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064015)

Two-year outcome of patients treated with sirolimus- versus paclitaxel-eluting stents in an unselected population with coronary artery disease (from the REWARDS Registry) P. Roy, L. Bonello, A. de Labriolle, T. Okabe, T. L. Pinto Slottow, D. H. Steinberg, R. Torguson, K. Smith, Z. Xue, L. F. Satler, K. M. Kent, W. O. Suddath, A. D. Pichard and R. Waksman Am J Cardiol (2008) 102; 292-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638589](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638589)

Magnitude, reproducibility, and association with baseline cardiac function of cardiac biomarker release in long-distance runners aged > or =55 years A. Sahlen, R. Winter, B. Lind, P. H. Jacobsen, M. Stahlberg, T. Marklund, T. Fux, J. Svensson and F. Braunschweig Am J Cardiol (2008) 102; 218-22  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18602525

Relation of cardiac troponin I levels with in-hospital mortality in patients with ischemic stroke, intracerebral hemorrhage, and subarachnoid hemorrhage R. Sandhu, W. S. Aronow, A. Rajdev, R. Sukhija, H. Amin, K. D'Aquila and A. Sangha Am J Cardiol (2008) 102; 632-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18721527](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18721527)

Clinical significance of epicardial fat measured using cardiac multislice computed tomography S. Sarin, C. Wenger, A. Marwaha, A. Qureshi, B. D. Go, C. A. Woomert, K. Clark, L. A. Nassef and J. Shirani Am J Cardiol (2008) 102; 767-71

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18774004](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18774004)

Stents versus coronary-artery bypass grafting for left main coronary artery disease K. B. Seung, D. W. Park, Y. H. Kim, S. W. Lee, C. W. Lee, M. K. Hong, S. W. Park, S. C. Yun, H. C. Gwon, M. H. Jeong, Y. Jang, H. S. Kim, P. J. Kim, I. W. Seong, H. S. Park, T. Ahn, I. H. Chae, S. J. Tahk, W. S. Chung and S. J. Park N Engl J Med (2008) 358; 1781-92

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18378517](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18378517)

Defining optimal research study design for cardiovascular imaging using computed tomography angiography as a model B. R. Shah, M. R. Patel, E. D. Peterson and P. S. Douglas Am J Cardiol (2008) 102; 943-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18805127](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805127)

Exaggerated blood pressure response to exercise is associated with augmented rise of angiotensin II during exercise C. Y. Shim, J. W. Ha, S. Park, E. Y. Choi, D. Choi, S. J. Rim and N. Chung J Am Coll Cardiol (2008) 52; 287-92

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18634984](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18634984)

Usefulness of fasting plasma glucose to predict mortality or coronary heart disease in persons > or = 60 years of age without diabetes mellitus or in those with undiagnosed diabetes mellitus (from The Dubbo Study) L. A. Simons, J. Simons, Y. Friedlander and J. McCallum Am J Cardiol (2008) 102; 831-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18805106](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18805106)

Angiographic patterns of drug-eluting stent restenosis and one-year outcomes after treatment with repeated percutaneous coronary intervention E. Solinas, G. Dangas, A. J. Kirtane, A. J. Lansky, T. Franklin-Bond, P. Boland, G. Syros, Y. H. Kim, A. Gupta, G. Mintz, M. Fahy, M. Collins, S. Kodali, G. W. Stone, J. W. Moses, M. B. Leon and R. Mehran Am J Cardiol (2008) 102; 311-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18638592](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18638592)

Prognostic implications of normal (<0.10 ng/ml) and borderline (0.10 to 1.49 ng/ml) troponin elevation levels in critically ill patients without acute coronary syndrome R. Stein, B. Gupta, S. Agarwal, J. Golub, D. Bhutani, A. Rosman and C. Eng Am J Cardiol (2008) 102; 509-12

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=18721503

Bleeding risk and outcomes of Bivalirudin versus Glycoprotein IIb/IIIa inhibitors with targeted low-dose unfractionated Heparin in patients having percutaneous coronary intervention for either stable or unstable angina pectoris D. H. Steinberg, P. Shah, T. Kinnaird, T. L. Pinto Slottow, P. K. Roy, T. Okabe, L. Bonello, A. de Labriolle, K. A. Smith, R. Torguson, Z. Xue, W. O. Suddath, K. M. Kent, L. F. Satler, A. D. Pichard, J. Lindsay and R. Waksman Am J Cardiol (2008) 102; 160-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602514](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602514)

Fasting blood glucose and the risk of stroke and myocardial infarction J. Sung, Y. M.

Song, S. Ebrahim and D. A. Lawlor Circulation (2009) 119; 812-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19188510](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19188510)

Association between admission neutrophil to lymphocyte ratio and outcomes in patients with acute coronary syndrome U. U. Tamhane, S. Aneja, D. Montgomery, E. K. Rogers, K. A. Eagle and H. S. Gurm Am J Cardiol (2008) 102; 653-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18773982](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18773982)

Distribution and frequency of thin-capped fibroatheromas and ruptured plaques in the entire culprit coronary artery in patients with acute coronary syndrome as determined by optical coherence tomography A. Tanaka, T. Imanishi, H. Kitabata, T. Kubo, S.

Takarada, H. Kataiwa, A. Kuroi, H. Tsujioka, T. Tanimoto, N. Nakamura, M. Mizukoshi, K. Hirata and T. Akasaka Am J Cardiol (2008) 102; 975-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18929696](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18929696)

Percutaneous revascularization is the preferred strategy for patients with significant left main coronary stenosis P. S. Teirstein Circulation (2009) 119; 1021-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19237673](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19237673)

Risk predictors of retroperitoneal hemorrhage following percutaneous coronary intervention K. A. Tiroch, N. Arora, M. E. Matheny, C. Liu, T. C. Lee and F. S. Resnic Am J Cardiol (2008) 102; 1473-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026298](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026298)

Impact of early and delayed stroke on in-hospital and long-term mortality after isolated coronary artery bypass grafting I. K. Toumpoulis, C. E. Anagnostopoulos, T. P. Chamogeorgakis, D. C. Angouras, M. A. Kariou, D. G. Swistel and C. K. Rokkas Am J Cardiol (2008) 102; 411-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18678297](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18678297)

Comparison of angiographic and intravascular ultrasonic detection of myocardial bridging of the left anterior descending coronary artery K. Tsujita, A. Maehara, G. S. Mintz, H. Doi, T. Kubo, C. Castellanos, J. Liu, J. Yang, C. Oviedo, T. Franklin-Bond, N. Dasgupta, S. Biro, L. Dani, G. D. Dangas, R. Mehran, A. J. Kirtane, A. J. Lansky, E. M. Kreps, M. B. Collins, G. W. Stone, J. W. Moses and M. B. Leon Am J Cardiol (2008) 102; 1608-13

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19064013](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19064013)

Prolonged anticoagulation therapy adjunctive to aspirin after successful fibrinolysis: from early reduction in reocclusion to improved long-term clinical outcome P. J. van den Bergh, P. C. Kievit, M. A. Brouwer, W. R. Aengevaeren, G. Veen and F. W. Verheugt Am Heart J (2009) 157; 532-40

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19249425](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19249425)

Effect of statin therapy on mortality in patients with peripheral arterial disease and comparison of those with versus without associated chronic obstructive pulmonary disease Y. R. van Gestel, S. E. Hoeks, D. D. Sin, C. Simsek, G. M. Welten, O. Schouten, H. Stam, F. W. Mertens, R. T. van Domburg and D. Poldermans Am J Cardiol (2008) 102; 192-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602520](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602520)

Prognostic value of free plasma homocysteine levels in patients hospitalized with acute coronary syndrome M. G. van Oijen, B. E. Claessen, N. Clappers, A. van Schaik, R. J. Laheij, J. B. Jansen, W. H. Peters and F. W. Verheugt Am J Cardiol (2008) 102; 135-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602509](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602509)

Role of myocardial perfusion imaging in patients with end-stage renal disease undergoing coronary angiography R. Venkataraman, F. G. Hage, T. Dorfman, J. Heo, R. A. Aqel, A. M. de Mattos and A. E. Iskandrian Am J Cardiol (2008) 102; 1451-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19026294](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19026294)

Impact on mortality following first acute myocardial infarction of distance between home and hospital: cohort study L. Wei, C. C. Lang, F. M. Sullivan, P. Boyle, J. Wang, S. D. Pringle and T. M. MacDonald Heart (2008) 94; 1141-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17984217](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17984217)

Long-term clinical outcomes after sirolimus-eluting stent implantation for treatment of restenosis within bare-metal versus drug-eluting stents C. Whan Lee, S. H. Kim, J. Suh, D. W. Park, S. H. Lee, Y. H. Kim, M. K. Hong, J. J. Kim, S. W. Park and S. J. Park Catheter Cardiovasc Interv (2008) 71; 594-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18311841](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18311841)

An early invasive strategy versus ischemia-guided management after fibrinolytic therapy for ST-segment elevation myocardial infarction: a meta-analysis of contemporary randomized controlled trials H. C. Wijeysundera, J. J. You, B. K. Nallamothu, H. M. Krumholz, W. J. Cantor and D. T. Ko Am Heart J (2008) 156; 564-72, 72 e1-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18760142](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18760142)

Comparison of benefits and risks of rosuvastatin versus atorvastatin from a meta-analysis of head-to-head randomized controlled trials J. Wlodarczyk, D. Sullivan and M. Smith Am J Cardiol (2008) 102; 1654-62

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=19064019

Long-term clinical and angiographic outcomes after implantation of sirolimus-eluting stents with a "modified mini-crush" technique in coronary bifurcation lesions H. M. Yang, S. J. Tahk, S. I. Woo, H. S. Lim, B. J. Choi, S. Y. Choi, M. H. Yoon, J. S. Park, M. Zheng, G. S. Hwang, S. J. Kang and J. H. Shin Catheter Cardiovasc Interv (2009) [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19360861](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19360861)

Comparison of accuracy in the prediction of left ventricular wall motion changes between invasively assessed microvascular integrity indexes and fluorine-18 fluorodeoxyglucose positron emission tomography in patients with ST-elevation myocardial infarction M. H. Yoon, S. J. Tahk, H. M. Yang, S. I. Woo, H. S. Lim, S. J. Kang, B. J. Choi, S. Y. Choi, G. S. Hwang and J. H. Shin Am J Cardiol (2008) 102; 129-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18602508](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18602508)