

Infarct Size, Ejection Fraction, and Mortality in Diabetic Patients with Acute Myocardial Infarction Treated with Thrombolytic Therapy J. R. Alegria, et al. Am Heart J (2007) 154;743-50

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17893003](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17893003)

Outcomes and Complications Associated with Off-Label and Untested Use of Drug-Eluting Stents N. Beohar, et al. JAMA (2007) 297;1992-2000

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17488964](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17488964)

Initial Aspirin Dose and Outcome among St-Elevation Myocardial Infarction Patients Treated with Fibrinolytic Therapy J. S. Berger, et al. Circulation (2008) 117;192-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18086929](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18086929)

The Danish Multicentre Randomized Study of Fibrinolytic Therapy Vs. Primary Angioplasty in Acute Myocardial Infarction (the Danami-2 Trial): Outcome after 3 Years Follow-Up M. Busk, et al. Eur Heart J (2007)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17956874](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17956874)

Comparison of Three-Year Clinical Outcome of Sirolimus- and Paclitaxel-Eluting Stents Versus Bare Metal Stents in Patients with St-Segment Elevation Myocardial Infarction (from the Research and T-Search Registries) J. Daemen, et al. Am J Cardiol (2007) 99;1027-32

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17437722](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17437722)

Transfer with Gp IIb/IIIa Inhibitor Tirofiban for Primary Percutaneous Coronary Intervention Vs. On-Site Thrombolysis in Patients with St-Elevation Myocardial Infarction (STEMI): A Randomized Open-Label Study for Patients Admitted to Community Hospitals S. Dobrzycki, et al. Eur Heart J (2007) 28;2438-48

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17884846](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884846)

Variations in the Use of Emergency PCI for the Treatment of Re-Infarction Following Intravenous Fibrinolytic Therapy: Impact on Outcomes in HERO-2 J. J. Edmond, et al. Eur Heart J (2007) 28;1418-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17496286](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17496286)

Catheter-Directed Venous Thrombolysis in Acute Iliofemoral Vein Thrombosis--the CAVENT Study: Rationale and Design of a Multicenter, Randomized, Controlled, Clinical Trial (NCT00251771) T. Enden, et al. Am Heart J (2007) 154;808-14

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17967583](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17967583)

Primary Angioplasty Vs. Early Routine Post-Fibrinolysis Angioplasty for Acute Myocardial Infarction with St-Segment Elevation: The Gracia-2 Non-Inferiority, Randomized, Controlled Trial F. Fernandez-Aviles, et al. Eur Heart J (2007) 28;949-60  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17244641](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17244641)

Effects of Pretreatment with Clopidogrel on Nonemergent Percutaneous Coronary

Intervention after Fibrinolytic Administration for St-Segment Elevation Myocardial Infarction: A Clopidogrel as Adjunctive Reperfusion Therapy-Thrombolysis in Myocardial Infarction (Clarity-Timi) 28 Study C. M. Gibson, et al. Am Heart J (2008) 155;133-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18082504](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082504)

The Capture Registry: Predictors of Outcomes in Carotid Artery Stenting with Embolic Protection for High Surgical Risk Patients in the Early Post-Approval Setting W. A. Gray, et al. Catheter Cardiovasc Interv (2007) 70;1025-33  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18044758](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18044758)

Effects of Balloon-Based Distal Protection During Primary Percutaneous Coronary Intervention on Early and Late Infarct Size and Left Ventricular Remodeling: A Pilot Study Using Serial Contrast-Enhanced Magnetic Resonance Imaging J. Y. Hahn, et al. Am Heart J (2007) 153;665 e1-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17383309](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17383309)

New Distal Embolic Protection Device the Fibernet 3 Dimensional Filter: First Carotid Human Study M. Henry, et al. Catheter Cardiovasc Interv (2007) 69;1026-35  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17530701](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17530701)

Comparison of Virtual Histology to Intravascular Ultrasound of Culprit Coronary Lesions in Acute Coronary Syndrome and Target Coronary Lesions in Stable Angina Pectoris M. K. Hong, et al. Am J Cardiol (2007) 100;953-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17826376](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17826376)

Intracoronary Infusion of the Mobilized Peripheral Blood Stem Cell by G-Csf Is Better Than Mobilization Alone by G-Csf for Improvement of Cardiac Function and Remodeling: 2-Year Follow-up Results of the Myocardial Regeneration and Angiogenesis in Myocardial Infarction with G-Csf and Intra-Coronary Stem Cell Infusion (Magic Cell) 1 Trial H. J. Kang, et al. Am Heart J (2007) 153;237 e1-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17239682](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17239682)

Comparison of Mortality Benefit of Immediate Thrombolytic Therapy Versus Delayed Primary Angioplasty for Acute Myocardial Infarction D. M. Kent, et al. Am J Cardiol (2007) 99;1384-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17493465](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17493465)

Effect of Celecoxib on Restenosis after Coronary Angioplasty with a Taxus Stent (Corea-Taxus Trial): An Open-Label Randomised Controlled Study B. K. Koo, et al. Lancet (2007) 370;567-74  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17707751](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17707751)

Long-Term Safety of a Novel Antianginal Agent in Patients with Severe Chronic Stable Angina: The Ranolazine Open Label Experience (Role) M. J. Koren, et al. J Am Coll Cardiol (2007) 49;1027-34  
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

n&list\_uids=17349881

Early Invasive Versus Conservative Treatment in Patients with Failed Fibrinolysis--No Late Survival Benefit: The Final Analysis of the Middlesbrough Early Revascularisation to Limit Infarction (Merlin) Randomized Trial B. Kunadian, et al. Am Heart J (2007) 153;763-71

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17452151](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17452151)

Effects of Triple Antiplatelet Therapy (Aspirin, Clopidogrel, and Cilostazol) on Platelet Aggregation and P-Selectin Expression in Patients Undergoing Coronary Artery Stent Implantation B. K. Lee, et al. Am J Cardiol (2007) 100;610-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17697815](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17697815)

Incidence and Predictors of Recurrent Restenosis Following Implantation of Drug-Eluting Stents for in-Stent Restenosis C. W. Lee, et al. Catheter Cardiovasc Interv (2007) 69;104-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17139669](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17139669)

Sirolimus-Eluting Stent Implantation for Treatment of Proximal Left Anterior Descending Coronary Artery Lesions: Long-Term Outcome and Predictors of Adverse Cardiac Events C. W. Lee, et al. Catheter Cardiovasc Interv (2007) 70;368-73

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17722041](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17722041)

Frequency of Stent Fracture as a Cause of Coronary Restenosis after Sirolimus-Eluting Stent Implantation S. H. Lee, et al. Am J Cardiol (2007) 100;627-30

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17697818](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17697818)

Comparison of Triple Versus Dual Antiplatelet Therapy after Drug-Eluting Stent Implantation (from the Declare-Long Trial) S. W. Lee, et al. Am J Cardiol (2007) 100;1103-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17884371](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884371)

Comparison of Six-Month Angiographic and Three-Year Outcomes after Sirolimus-Eluting Stent Implantation Versus Brachytherapy for Bare Metal in-Stent Restenosis S. W. Lee, et al. Am J Cardiol (2007) 100;425-30

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17659922](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17659922)

St-Segment Deviation Analysis of the Admission 12-Lead Electrocardiogram as an Aid to Early Diagnosis of Acute Myocardial Infarction with a Cardiac Magnetic Resonance Imaging Gold Standard T. N. Martin, et al. J Am Coll Cardiol (2007) 50;1021-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17825710](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17825710)

Stent Thrombosis in Randomized Clinical Trials of Drug-Eluting Stents L. Mauri, et al. N Engl J Med (2007) 356;1020-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17296821](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17296821)

Outcomes and Optimal Antithrombotic Therapy in Women Undergoing Fibrinolysis for

St-Elevation Myocardial Infarction J. L. Mega, et al. Circulation (2007) 115;2822-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17515461](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17515461)

Relationship of Treatment Delays and Mortality in Patients Undergoing Fibrinolysis and Primary Percutaneous Coronary Intervention. The Global Registry of Acute Coronary Events B. Nallamothu, et al. Heart (2007) 93;1552-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17591643](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17591643)

Results and Predictors of Angiographic Restenosis and Long-Term Adverse Cardiac Events after Drug-Eluting Stent Implantation for Aorto-Ostial Coronary Artery Disease D. W. Park, et al. Am J Cardiol (2007) 99;760-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17350360](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17350360)

Frequency of Coronary Arterial Late Angiographic Stent Thrombosis (Last) in the First Six Months: Outcomes with Drug-Eluting Stents Versus Bare Metal Stents D. W. Park, et al. Am J Cardiol (2007) 99;774-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17350363](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17350363)

Efficacy and Safety of Triple Antiplatelet Therapy with and without Concomitant Anticoagulation During Elective Percutaneous Coronary Intervention (the Remove Trial) R. Valencia, et al. Am J Cardiol (2007) 100;1099-102  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17884370](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884370)

Rescue Angioplasty or Repeat Fibrinolysis after Failed Fibrinolytic Therapy for St-Segment Myocardial Infarction: A Meta-Analysis of Randomized Trials H. C. Wijeyasundera, et al. J Am Coll Cardiol (2007) 49;422-30  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=17258087](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17258087)