

Protection of Distal Embolization in High-Risk Patients with Acute St-Segment Elevation Myocardial Infarction (Premiar) F. A. Cura, et al. Am J Cardiol (2007) 99;357-63
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17261398

Adjunctive Mechanical Devices to Prevent Distal Embolization in Patients Undergoing Mechanical Revascularization for Acute Myocardial Infarction: A Meta-Analysis of Randomized Trials G. De Luca, et al. Am Heart J (2007) 153;343-53
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17307410

Evaluation of Cardiac Magnetic Resonance Imaging Parameters to Detect Anatomically and Hemodynamically Significant Coronary Artery Disease H. Futamatsu, et al. Am Heart J (2007) 154;298-305
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17643580

Export Aspiration System in Patients with Acute Coronary Syndrome and Visible Thrombus Provides No Substantial Benefit V. K. H, et al. Catheter Cardiovasc Interv (2007) 70;35-42
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17585384

New Distal Embolic Protection Device the Fibernet 3 Dimensional Filter: First Carotid Human Study M. Henry, et al. Catheter Cardiovasc Interv (2007) 69;1026-35
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17530701

Meta-Analysis of Randomized Trials Comparing Anti-Embolic Devices with Standard Pci for Improving Myocardial Reperfusion in Patients with Acute Myocardial Infarction B. Kunadian, et al. Catheter Cardiovasc Interv (2007) 69;488-96
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17286249

The Proximal Trial: Proximal Protection During Saphenous Vein Graft Intervention Using the Proxis Embolic Protection System: A Randomized, Prospective, Multicenter Clinical Trial L. Mauri, et al. J Am Coll Cardiol (2007) 50;1442-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17919563

Utilization of Distal Embolic Protection in Saphenous Vein Graft Interventions (an Analysis of 19,546 Patients in the American College of Cardiology-National Cardiovascular Data Registry) S. K. Mehta, et al. Am J Cardiol (2007) 100;1114-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17884373

Sirolimus-Eluting Stent Implantation Aggravates Endothelial Vasomotor Dysfunction in the Infarct-Related Coronary Artery in Patients with Acute Myocardial Infarction J. E. Obata, et al. J Am Coll Cardiol (2007) 50;1305-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17903627