

Use of Endothelial Progenitor Cell Capture Stent (Genous Bio-Engineered R Stent) During Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction: Intermediate- to Long-Term Clinical Follow-Up M. Co, et al. Am Heart J (2008) 155;128-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082503

Comparative Safety and Efficacy of a Sirolimus-Eluting Versus Paclitaxel-Eluting Stent: A Meta-Analysis H. S. Gurm, et al. Am Heart J (2008) 155;630-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371469

The Effect of Drug-Eluting Stents on Intermediate Angiographic and Clinical Outcomes in Diabetic Patients: Insights from Randomized Clinical Trials D. J. Kumbhani, et al. Am Heart J (2008) 155;640-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371470

Comparison of Vascular Response to Zotarolimus-Eluting Stent Versus Sirolimus-Eluting Stent: Intravascular Ultrasound Results from Endeavor Iii A. Miyazawa, et al. Am Heart J (2008) 155;108-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18082499

Drug-Eluting Stents in Octogenarians: Early and Intermediate Outcome P. J. Vlaar, et al. Am Heart J (2008) 155;680-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18371476

Clinical Outcomes after Heterogeneous Overlap Stenting with Drug-Eluting Stents and Bare-Metal Stents for De Novo Coronary Artery Narrowings J. Aoki, et al. Am J Cardiol (2008) 101;58-62

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18157966

Four-Year Clinical Follow-up of the Rapamycin-Eluting Stent Evaluated at Rotterdam Cardiology Hospital Registry J. Daemen, et al. Am J Cardiol (2008) 101;1105-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18394442

Long-Term (>3 Years) Outcome and Predictors of Clinical Events after Insertion of Sirolimus-Eluting Stent in One or More Native Coronary Arteries (from the Israeli Arm of the E-Cypher Registry) D. Planer, et al. Am J Cardiol (2008) 101;953-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18359314

Impact Of "Off-Label" Utilization of Drug-Eluting Stents on Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention P. Roy, et al. Am J Cardiol (2008) 101;293-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18237587

Factors Associated with Off-Label Use of Drug-Eluting Stents in Patients with ST-Elevation Myocardial Infarction H. H. Ting, et al. Am J Cardiol (2008) 101;286-92

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation>

[n&list_uids=18237586](#)

Novel Paclitaxel-Eluting, Biodegradable Polymer Coated Stent in the Treatment of De Novo Coronary Lesions: A Prospective Multicenter Registry P. Buszman, et al. Catheter Cardiovasc Interv (2008) 71;51-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18098182

Late Target Lesion Revascularization after Implantation of Sirolimus-Eluting Stent M. K. Hong, et al. Catheter Cardiovasc Interv (2008) 71;299-303

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=17985380

Outcome of Intracoronary Stenting after Failed Maximal Medical Therapy in Patients with Symptomatic Myocardial Bridge P. B. Kunamneni, et al. Catheter Cardiovasc Interv (2008) 71;185-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18327835

Outcomes of Nonagenarians Who Undergo Percutaneous Coronary Intervention with Drug-Eluting Stents M. S. Lee, et al. Catheter Cardiovasc Interv (2008) 71;526-30

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18307230

Percutaneous Coronary Intervention Utilizing a New Endothelial Progenitor Cells Antibody-Coated Stent: A Prospective Single-Center Registry in High-Risk Patients M. Miglionico, et al. Catheter Cardiovasc Interv (2008) 71;600-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18360849

Comparison of Five-Year Outcome in African Americans Versus Caucasians Following Percutaneous Coronary Intervention J. Pradhan, et al. Catheter Cardiovasc Interv (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18383170

Comparison of a Polymer-Free Rapamycin-Eluting Stent (Yukon) with a Polymer-Based Paclitaxel-Eluting Stent (Taxus) in Real-World Coronary Artery Lesions J. Ruef, et al. Catheter Cardiovasc Interv (2008) 71;333-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18288747

Comparison of Coronary Artery Stenting Outcomes in the Eras before and after the Introduction of Drug-Eluting Stents E. L. Hannan, et al. Circulation (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18391112

Two-Year Clinical Outcomes with Drug-Eluting Stents for Diabetic Patients with De Novo Coronary Lesions: Results from a Real-World Multicenter Registry P. Ortolani, et al. Circulation (2008) 117;923-30

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18250265

Optimal Medical Therapy with or without Percutaneous Coronary Intervention to Reduce Ischemic Burden: Results from the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (Courage) Trial Nuclear Substudy L. J. Shaw, et al.

Circulation (2008) 117;1283-91

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18268144

Two-Year Clinical Outcome after Implantation of Sirolimus-Eluting and Paclitaxel-Eluting Stents in Diabetic Patients M. Billinger, et al. Eur Heart J (2008) 29;718-25

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18272504

Euroscore as Predictor of in-Hospital Mortality after Percutaneous Coronary Intervention E. Romagnoli, et al. Heart (2008)

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18208829

Survival and Cardiac Remodeling Benefits in Patients Undergoing Late Percutaneous Coronary Intervention of the Infarct-Related Artery: Evidence from a Meta-Analysis of Randomized Controlled Trials A. Abbate, et al. J Am Coll Cardiol (2008) 51;956-64

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18308165

"Off-Label" Stent Therapy 2-Year Comparison of Drug-Eluting Versus Bare-Metal Stents R. J. Applegate, et al. J Am Coll Cardiol (2008) 51;607-14

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18261678

Direct Stenting for Stable Angina Pectoris Is Associated with Reduced Periprocedural Microcirculatory Injury Compared with Stenting after Pre-Dilation T. Cuisset, et al. J Am Coll Cardiol (2008) 51;1060-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18342222

Paclitaxel-Eluting Coronary Stents in Patients with Diabetes Mellitus: Pooled Analysis from 5 Randomized Trials A. J. Kirtane, et al. J Am Coll Cardiol (2008) 51;708-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18279734

Periprocedural Bleeding and 1-Year Outcome after Percutaneous Coronary Interventions: Appropriateness of Including Bleeding as a Component of a Quadruple End Point G. Ndrepepa, et al. J Am Coll Cardiol (2008) 51;690-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18279731

Comparison of Paclitaxel- and Sirolimus-Eluting Stents in Everyday Clinical Practice: The Sort out II Randomized Trial A. M. Gallo, et al. JAMA (2008) 299;409-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18230778

Immediate Angioplasty Versus Standard Therapy with Rescue Angioplasty after Thrombolysis in the Combined Abciximab Reteplase Stent Study in Acute Myocardial Infarction (Caress-in-Ami): An Open, Prospective, Randomised, Multicentre Trial C. Di Mario, et al. Lancet (2008) 371;559-68

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18280326